

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	11	5	102	1	1	19	1,740801447
2017	11	5	102	1	2	19	1,553841759
2017	11	5	102	1	3	19	1,664011329
2017	11	5	102	1	4	18	1,305649634
2017	11	5	102	1	5	18	1,549879939
2017	11	5	102	1	6	19	1,612406917
2017	11	5	102	1	7	19	1,784096058
2017	11	5	102	1	8	19	1,387494834
2017	11	5	102	1	9	19	1,588535881
2017	11	5	102	1	10	19	1,779952678
2017	11	5	102	1	11	18	1,46421101
2017	11	5	102	1	12	18	1,792702274
2017	11	5	102	1	13	19	1,638595117
2017	11	5	102	1	14	19	1,404494382
2017	11	5	102	1	15	19	1,397170583
2017	11	5	102	1	16	19	1,452960407
2017	11	5	102	1	17	19	1,604218084
2017	11	5	102	1	18	18	1,49348586
2017	11	5	102	1	19	19	1,532059769
2017	11	5	102	1	20	19	1,621499036
2017	11	5	102	1	21	19	1,610684398
2017	11	5	102	1	22	19	1,842718552
2017	11	5	102	1	23	19	1,634250201
2017	11	5	102	1	24	19	1,79481618
2017	11	5	102	1	25	18	1,156097801
2017	11	5	102	1	26	19	1,830556207
2017	11	5	102	1	27	19	1,546086301
2017	11	5	102	1	28	19	1,574846356
2017	11	5	102	1	29	19	1,705230837
2017	11	5	102	1	30	19	1,939572748
2017	11	5	102	2	1	10	0,713584872
2017	11	5	102	2	2	10	0,836120401
2017	11	5	102	2	3	10	0,851243152
2017	11	5	102	2	4	10	0,564463351
2017	11	5	102	2	5	11	1,412066752
2017	11	5	102	2	6	19	0,996335318
2017	11	5	102	2	7	10	0,775193798
2017	11	5	102	2	8	10	0,751100751
2017	11	5	102	2	9	10	0,806890299
2017	11	5	102	2	10	10	0,718390805
2017	11	5	102	2	11	10	0,698587127
2017	11	5	102	2	12	11	1,233495483
2017	11	5	102	2	13	19	1,281755196
2017	11	5	102	2	14	10	0,605027695
2017	11	5	102	2	15	10	0,791208791
2017	11	5	102	2	16	10	0,855552787
2017	11	5	102	2	17	10	0,825343893
2017	11	5	102	2	18	10	0,689431422
2017	11	5	102	2	19	19	0,972873984
2017	11	5	102	2	20	10	0,723853898
2017	11	5	102	2	21	10	0,749341238
2017	11	5	102	2	22	10	0,697554254
2017	11	5	102	2	23	10	0,79105761
2017	11	5	102	2	24	10	0,81532817
2017	11	5	102	2	25	10	0,800533689
2017	11	5	102	2	26	19	1,143641354
2017	11	5	102	2	27	10	0,900441726
2017	11	5	102	2	28	10	1,42636504
2017	11	5	102	2	29	10	0,874683234
2017	11	5	102	2	30	10	0,804420249
2017	11	8	102	1	1	19	0,433087917
2017	11	8	102	1	2	10	0,512445095
2017	11	8	102	1	3	19	0,479930192
2017	11	8	102	1	4	10	0,678913738
2017	11	8	102	1	5	10	0,683994528
2017	11	8	102	1	6	19	0,823892894
2017	11	8	102	1	7	10	0,729660708
2017	11	8	102	1	8	10	0,614675375
2017	11	8	102	1	9	19	0,810126582
2017	11	8	102	1	10	10	0,714823175
2017	11	8	102	1	11	10	0,472255018
2017	11	8	102	1	12	11	0,489323843
2017	11	8	102	1	13	18	0,566893424
2017	11	8	102	1	14	10	0,4296875
2017	11	8	102	1	15	9	0,719712115
2017	11	8	102	1	16	10	0,903010033
2017	11	8	102	1	17	10	0,81799591
2017	11	8	102	1	18	10	0,353513036
2017	11	8	102	1	19	19	0,511363636
2017	11	8	102	1	20	10	0,596072931
2017	11	8	102	1	21	10	0,473415878
2017	11	8	102	1	22	19	0,80604534
2017	11	8	102	1	23	9	0,851581509
2017	11	8	102	1	24	19	1,027749229
2017	11	8	102	1	25	10	0,810044552
2017	11	8	102	1	26	11	0,29296875

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIIDAS
2017	11	8	102	1	27	10	0,41714069
2017	11	8	102	1	28	10	0,316831683
2017	11	8	102	1	29	19	0,818094321
2017	11	8	102	1	30	10	0,641509434
2017	11	8	102	2	1	10	0,260162602
2017	11	8	102	2	2	10	0,252964427
2017	11	8	102	2	3	10	0,516674495
2017	11	8	102	2	4	10	0,154350762
2017	11	8	102	2	5	11	0,879345603
2017	11	8	102	2	6	10	0,504080653
2017	11	8	102	2	7	11	0,122742416
2017	11	8	102	2	8	10	0,2580229
2017	11	8	102	2	9	10	0,284804825
2017	11	8	102	2	10	10	0,307834385
2017	11	8	102	2	11	10	0,369434182
2017	11	8	102	2	12	10	0,774679062
2017	11	8	102	2	13	19	0,373514431
2017	11	8	102	2	14	10	0,266090138
2017	11	8	102	2	15	10	0,318674315
2017	11	8	102	2	16	10	0,50804403
2017	11	8	102	2	17	10	0,293513355
2017	11	8	102	2	18	10	0,324517281
2017	11	8	102	2	19	11	0,318616295
2017	11	8	102	2	20	10	0,065821952
2017	11	8	102	2	21	10	0,22019503
2017	11	8	102	2	22	10	0,338774253
2017	11	8	102	2	23	10	0,362020734
2017	11	8	102	2	24	10	0,201519144
2017	11	8	102	2	25	10	0,301098123
2017	11	8	102	2	26	11	0,399747528
2017	11	8	102	2	27	10	0,112125581
2017	11	8	102	2	28	10	0,202650039
2017	11	8	102	2	29	10	0,193596426
2017	11	8	102	2	30	10	0,153139357
2017	11	13	102	1	1	19	1,503173366
2017	11	13	102	1	2	19	1,699029126
2017	11	13	102	1	3	19	1,693751431
2017	11	13	102	1	4	18	1,23746533
2017	11	13	102	1	5	18	1,284879232
2017	11	13	102	1	6	19	1,809814043
2017	11	13	102	1	7	19	1,687034277
2017	11	13	102	1	8	19	1,764249709
2017	11	13	102	1	9	19	1,599618002
2017	11	13	102	1	10	19	1,683037509
2017	11	13	102	1	11	18	1,356042525
2017	11	13	102	1	12	18	1,599526066
2017	11	13	102	1	13	18	1,825820003
2017	11	13	102	1	14	18	1,484589317
2017	11	13	102	1	15	19	1,560108325
2017	11	13	102	1	16	19	1,801697082
2017	11	13	102	1	17	19	1,946277411
2017	11	13	102	1	18	18	1,530585035
2017	11	13	102	1	19	18	1,529432687
2017	11	13	102	1	20	19	1,800770899
2017	11	13	102	1	21	19	1,92157099
2017	11	13	102	1	22	19	1,765093041
2017	11	13	102	1	23	19	1,830345872
2017	11	13	102	1	24	19	2,349034559
2017	11	13	102	1	25	18	1,945041276
2017	11	13	102	1	26	18	1,563820795
2017	11	13	102	1	27	19	2,069999423
2017	11	13	102	1	28	19	1,657392449
2017	11	13	102	1	29	19	2,254967627
2017	11	13	102	1	30	19	2,114821674
2017	11	13	102	2	1	10	0,201987558
2017	11	13	102	2	2	9	0,221353206
2017	11	13	102	2	3	10	0,422482082
2017	11	13	102	2	4	9	0,175894128
2017	11	13	102	2	5	10	0,494505495
2017	11	13	102	2	6	19	0,219082046
2017	11	13	102	2	7	10	0,183710961
2017	11	13	102	2	8	9	0,196404291
2017	11	13	102	2	9	10	0,134302417
2017	11	13	102	2	10	9	0,128772636
2017	11	13	102	2	11	10	0,163892004
2017	11	13	102	2	12	18	0,108257061
2017	11	13	102	2	13	18	0,379931807
2017	11	13	102	2	14	10	0,179817306
2017	11	13	102	2	15	10	0,183526648
2017	11	13	102	2	16	10	0,10550113
2017	11	13	102	2	17	10	0,149948702
2017	11	13	102	2	18	10	0,394626364
2017	11	13	102	2	19	19	0,322915465
2017	11	13	102	2	20	10	0,184057766
2017	11	13	102	2	21	10	0,229391742
2017	11	13	102	2	22	10	0,118544862

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	11	13	102	2	23	10	0,30859662
2017	11	13	102	2	24	10	0,238003839
2017	11	13	102	2	25	10	0,134728166
2017	11	13	102	2	26	18	0,215728574
2017	11	13	102	2	27	9	0,170566965
2017	11	13	102	2	28	10	0,209280508
2017	11	13	102	2	29	9	0,156728646
2017	11	13	102	2	30	10	0,208054689
2017	11	15	102	1	1	18	6,806282723
2017	11	15	102	1	2	18	0,877192982
2017	11	15	102	1	3	18	2,904564315
2017	11	15	102	1	4	18	0,392156863
2017	11	15	102	1	5	18	1,5
2017	11	15	102	1	6	10	0
2017	11	15	102	1	7	18	0
2017	11	15	102	1	8	18	1,661129568
2017	11	15	102	1	9	19	1,604278075
2017	11	15	102	1	10	18	0,657894737
2017	11	15	102	1	11	10	3,098591549
2017	11	15	102	1	12	18	1,515151515
2017	11	15	102	1	13	18	1,680672269
2017	11	15	102	1	14	18	0,757575758
2017	11	15	102	1	15	18	2,252252252
2017	11	15	102	1	16	19	1,477832512
2017	11	15	102	1	17	18	4,464285714
2017	11	15	102	1	18	18	1,355932203
2017	11	15	102	1	19	19	1,915708812
2017	11	15	102	1	20	18	2,325581395
2017	11	15	102	1	21	18	1,777777778
2017	11	15	102	1	22	18	0,840336134
2017	11	15	102	1	23	18	4,310344828
2017	11	15	102	1	24	18	1,515151515
2017	11	15	102	1	25	10	0,377358491
2017	11	15	102	1	26	18	0,469483568
2017	11	15	102	1	27	18	2,34741784
2017	11	15	102	1	28	19	1,063829787
2017	11	15	102	1	29	18	0
2017	11	15	102	1	30	18	1,098901099
2017	11	15	102	2	1	9	0
2017	11	15	102	2	2	9	0
2017	11	15	102	2	3	10	0
2017	11	15	102	2	4	10	0
2017	11	15	102	2	5	10	0
2017	11	15	102	2	6	10	0
2017	11	15	102	2	7	10	0
2017	11	15	102	2	8	10	0,193050193
2017	11	15	102	2	9	10	0
2017	11	15	102	2	10	10	0
2017	11	15	102	2	11	10	0
2017	11	15	102	2	12	10	0
2017	11	15	102	2	13	10	0,309597523
2017	11	15	102	2	14	10	0
2017	11	15	102	2	15	10	0
2017	11	15	102	2	16	10	0,574712644
2017	11	15	102	2	17	10	0,289855072
2017	11	15	102	2	18	10	0
2017	11	15	102	2	19	10	0
2017	11	15	102	2	20	10	0
2017	11	15	102	2	21	10	0
2017	11	15	102	2	22	10	0
2017	11	15	102	2	23	9	0
2017	11	15	102	2	24	10	0
2017	11	15	102	2	25	10	0
2017	11	15	102	2	26	10	0
2017	11	15	102	2	27	10	0
2017	11	15	102	2	28	10	0
2017	11	15	102	2	29	10	0
2017	11	15	102	2	30	10	0,25
2017	11	17	102	1	1	19	0,558659218
2017	11	17	102	1	2	19	0,872600349
2017	11	17	102	1	3	19	1,923076923
2017	11	17	102	1	4	18	2,47148289
2017	11	17	102	1	5	19	0,938967136
2017	11	17	102	1	6	19	3,278688525
2017	11	17	102	1	7	19	1,363636364
2017	11	17	102	1	8	19	0,793650794
2017	11	17	102	1	9	19	1,7208413
2017	11	17	102	1	10	19	1,111111111
2017	11	17	102	1	11	19	1,176470588
2017	11	17	102	1	12	18	1,425661914
2017	11	17	102	1	13	19	3,13253012
2017	11	17	102	1	14	19	0,400801603
2017	11	17	102	1	15	19	1,287553648
2017	11	17	102	1	16	19	2,471910112
2017	11	17	102	1	17	19	1,323251418
2017	11	17	102	1	18	10	0,959692898

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	11	17	102	1	19	19	1,052631579
2017	11	17	102	1	20	19	0,769230769
2017	11	17	102	1	21	19	1,573033708
2017	11	17	102	1	22	19	3,781512605
2017	11	17	102	1	23	19	6,546275395
2017	11	17	102	1	24	19	1,279707495
2017	11	17	102	1	25	19	4,237288136
2017	11	17	102	1	26	19	6,293706294
2017	11	17	102	1	27	19	6,194690265
2017	11	17	102	1	28	19	1,335877863
2017	11	17	102	1	29	19	1,396160558
2017	11	17	102	1	30	19	2,119460501
2017	11	17	102	2	1	19	1,343570058
2017	11	17	102	2	2	19	2,289377289
2017	11	17	102	2	3	17	1,207386364
2017	11	17	102	2	4	10	0,957995578
2017	11	17	102	2	5	19	1,443298969
2017	11	17	102	2	6	19	1,596351197
2017	11	17	102	2	7	19	1,279069767
2017	11	17	102	2	8	18	1,364877161
2017	11	17	102	2	9	19	1,005586592
2017	11	17	102	2	10	10	1,264044944
2017	11	17	102	2	11	10	0,9375
2017	11	17	102	2	12	19	1,040221914
2017	11	17	102	2	13	19	2,68378063
2017	11	17	102	2	14	10	1,059494703
2017	11	17	102	2	15	10	1,582278481
2017	11	17	102	2	16	19	1,383399209
2017	11	17	102	2	17	10	0,553797468
2017	11	17	102	2	18	10	1,334445371
2017	11	17	102	2	19	19	1,859799714
2017	11	17	102	2	20	19	1,833740831
2017	11	17	102	2	21	19	0,533049041
2017	11	17	102	2	22	10	0,904977376
2017	11	17	102	2	23	10	0,979591837
2017	11	17	102	2	24	10	0,862641009
2017	11	17	102	2	25	10	1,059602649
2017	11	17	102	2	26	19	1,259181532
2017	11	17	102	2	27	10	0,690846287
2017	11	17	102	2	28	18	1,043338684
2017	11	17	102	2	29	10	1,38996139
2017	11	17	102	2	30	10	0,779423227
2017	11	18	102	2	1	18	0,25647004
2017	11	18	102	2	2	19	0,274725275
2017	11	18	102	2	3	10	0,162037037
2017	11	18	102	2	4	10	0,491400491
2017	11	18	102	2	5	19	0,339558574
2017	11	18	102	2	6	19	0,338218715
2017	11	18	102	2	7	10	0,22689769
2017	11	18	102	2	8	19	0,422609614
2017	11	18	102	2	9	19	0,62653228
2017	11	18	102	2	10	9	0,224014337
2017	11	18	102	2	11	10	0,265898515
2017	11	18	102	2	12	19	0,190269095
2017	11	18	102	2	13	19	0,349206349
2017	11	18	102	2	14	10	0,151745068
2017	11	18	102	2	15	18	0,358422939
2017	11	18	102	2	16	20	0,437572929
2017	11	18	102	2	17	9	0,302049622
2017	11	18	102	2	18	10	0,170648464
2017	11	18	102	2	19	19	0,3720664
2017	11	18	102	2	20	19	0,354520132
2017	11	18	102	2	21	19	0,197970799
2017	11	18	102	2	22	19	0,36054597
2017	11	18	102	2	23	9	0,328803157
2017	11	18	102	2	24	10	0,901510029
2017	11	18	102	2	25	18	0,488713056
2017	11	18	102	2	26	19	0,443918319
2017	11	18	102	2	27	19	0,517496304
2017	11	18	102	2	28	19	0,620155039
2017	11	18	102	2	29	19	0,581395349
2017	11	18	102	2	30	19	0,453172205
2017	11	19	102	1	1	19	1,214764055
2017	11	19	102	1	2	19	1,097114994
2017	11	19	102	1	3	19	1,322180248
2017	11	19	102	1	4	19	0,953955736
2017	11	19	102	1	5	19	0,814663951
2017	11	19	102	1	6	19	0,946745562
2017	11	19	102	1	7	19	0,98151689
2017	11	19	102	1	8	19	1,286345973
2017	11	19	102	1	9	19	1,117694587
2017	11	19	102	1	10	19	0,781893004
2017	11	19	102	1	11	19	0,835972134
2017	11	19	102	1	12	19	0,931232092
2017	11	19	102	1	13	18	0,96848578
2017	11	19	102	1	14	19	1,531901453

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIIDAS
2017	11	19	102	1	15	19	0,95566764
2017	11	19	102	1	16	18	1,089375659
2017	11	19	102	1	17	19	0,953349434
2017	11	19	102	1	18	19	0,710686135
2017	11	19	102	1	19	19	0,988492181
2017	11	19	102	1	20	19	1,00666576
2017	11	19	102	1	21	19	1,273540171
2017	11	19	102	1	22	19	1,37771109
2017	11	19	102	1	23	19	1,138952164
2017	11	19	102	1	24	19	0,984606851
2017	11	19	102	1	25	19	0,911372342
2017	11	19	102	1	26	19	1,104346595
2017	11	19	102	1	27	19	0,932558454
2017	11	19	102	1	28	19	1,117393646
2017	11	19	102	1	29	19	0,924137931
2017	11	19	102	1	30	19	1,286764706
2017	11	19	102	2	1	19	0,579293523
2017	11	19	102	2	2	19	0,725513906
2017	11	19	102	2	3	19	0,673369615
2017	11	19	102	2	4	19	0,465018852
2017	11	19	102	2	5	19	0,517476169
2017	11	19	102	2	6	19	0,721654724
2017	11	19	102	2	7	19	0,852043038
2017	11	19	102	2	8	19	0,674033656
2017	11	19	102	2	9	19	0,721560031
2017	11	19	102	2	10	19	0,576244947
2017	11	19	102	2	11	19	0,511925538
2017	11	19	102	2	12	19	0,609418283
2017	11	19	102	2	13	19	0,744680851
2017	11	19	102	2	14	19	1,169177226
2017	11	19	102	2	15	19	0,586994405
2017	11	19	102	2	16	19	1,134129053
2017	11	19	102	2	17	19	0,689685087
2017	11	19	102	2	18	19	0,557536998
2017	11	19	102	2	19	19	0,617700994
2017	11	19	102	2	20	19	0,580778981
2017	11	19	102	2	21	19	0,695378054
2017	11	19	102	2	22	19	1,140383541
2017	11	19	102	2	23	19	0,503150799
2017	11	19	102	2	24	19	0,807066314
2017	11	19	102	2	25	19	0,511924085
2017	11	19	102	2	26	19	0,595647194
2017	11	19	102	2	27	19	0,566944848
2017	11	19	102	2	28	19	0,491073477
2017	11	19	102	2	29	19	0,492853622
2017	11	19	102	2	30	19	0,549136757
2017	11	20	102	1	1	19	1,300543864
2017	11	20	102	1	2	19	1,597204891
2017	11	20	102	1	3	18	1,796138303
2017	11	20	102	1	4	18	1,451570335
2017	11	20	102	1	5	18	2,129925453
2017	11	20	102	1	6	19	2,240820734
2017	11	20	102	1	7	19	2,631578947
2017	11	20	102	1	8	18	1,5562249
2017	11	20	102	1	9	19	1,500750375
2017	11	20	102	1	10	19	1,570306924
2017	11	20	102	1	11	18	1,221001221
2017	11	20	102	1	12	19	1,822675317
2017	11	20	102	1	13	18	1,628298709
2017	11	20	102	1	14	19	2,101736217
2017	11	20	102	1	15	19	1,735015773
2017	11	20	102	1	16	19	1,278106509
2017	11	20	102	1	17	19	1,897420694
2017	11	20	102	1	18	18	1,646090535
2017	11	20	102	1	19	19	1,421113689
2017	11	20	102	1	20	19	1,291853414
2017	11	20	102	1	21	19	2,157391518
2017	11	20	102	1	22	19	1,276595745
2017	11	20	102	1	23	19	2,066356228
2017	11	20	102	1	24	19	1,299714063
2017	11	20	102	1	25	19	1,851851852
2017	11	20	102	1	26	18	1,215719536
2017	11	20	102	1	27	18	1,438109913
2017	11	20	102	1	28	19	1,296477495
2017	11	20	102	1	29	19	1,428225611
2017	11	20	102	1	30	19	1,433324802
2017	11	20	102	2	1	19	0,792964245
2017	11	20	102	2	2	19	0,581515027
2017	11	20	102	2	3	19	0,634354247
2017	11	20	102	2	4	10	0,399106003
2017	11	20	102	2	5	20	0,959268005
2017	11	20	102	2	6	19	0,783805468
2017	11	20	102	2	7	19	0,753043119
2017	11	20	102	2	8	19	0,695373094
2017	11	20	102	2	9	19	0,831205248
2017	11	20	102	2	10	19	0,754014884

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	11	20	102	2	11	9	0,316005688
2017	11	20	102	2	12	20	0,662568306
2017	11	20	102	2	13	19	0,855784469
2017	11	20	102	2	14	19	0,809096873
2017	11	20	102	2	15	19	0,800523613
2017	11	20	102	2	16	19	0,714356583
2017	11	20	102	2	17	19	0,751761942
2017	11	20	102	2	18	19	0,660047064
2017	11	20	102	2	19	20	0,785472364
2017	11	20	102	2	20	19	0,633865018
2017	11	20	102	2	21	20	1,001919846
2017	11	20	102	2	22	20	0,962358387
2017	11	20	102	2	23	19	0,709513698
2017	11	20	102	2	24	19	0,665221993
2017	11	20	102	2	25	19	0,494081876
2017	11	20	102	2	26	20	0,79070407
2017	11	20	102	2	27	19	0,592091351
2017	11	20	102	2	28	20	0,882121926
2017	11	20	102	2	29	19	0,654264928
2017	11	20	102	2	30	19	0,645411753
2017	11	23	102	1	1	19	0,877963126
2017	11	23	102	1	2	19	0,76408787
2017	11	23	102	1	3	19	0,99009901
2017	11	23	102	1	4	19	1,055966209
2017	11	23	102	1	5	19	1,293661061
2017	11	23	102	1	6	19	0,792864222
2017	11	23	102	1	7	19	0,573613767
2017	11	23	102	1	8	19	1,552795031
2017	11	23	102	1	9	19	0,724637681
2017	11	23	102	1	10	19	1,183970856
2017	11	23	102	1	11	19	0,999000999
2017	11	23	102	1	12	19	0,198609732
2017	11	23	102	1	13	19	1,001112347
2017	11	23	102	1	14	19	0,777604977
2017	11	23	102	1	15	19	0,827966881
2017	11	23	102	1	16	19	0,617283951
2017	11	23	102	1	17	19	1,317027281
2017	11	23	102	1	18	19	0,817438692
2017	11	23	102	1	19	19	1,001251564
2017	11	23	102	1	20	19	1,491146319
2017	11	23	102	1	21	19	1,484230056
2017	11	23	102	1	22	19	1,397379913
2017	11	23	102	1	23	19	4,451038576
2017	11	23	102	1	24	19	0,925925926
2017	11	23	102	1	25	19	1,038062284
2017	11	23	102	1	26	19	1,094890511
2017	11	23	102	1	27	19	1,149425287
2017	11	23	102	1	28	19	1,277955272
2017	11	23	102	1	29	19	1,369863014
2017	11	23	102	1	30	19	0,652985075
2017	11	23	102	2	1	9	0,225952227
2017	11	23	102	2	2	9	0,172651934
2017	11	23	102	2	3	10	0,327976386
2017	11	23	102	2	4	10	0,146573837
2017	11	23	102	2	5	10	0,161725067
2017	11	23	102	2	6	19	0,095102235
2017	11	23	102	2	7	9	0,184672207
2017	11	23	102	2	8	10	0
2017	11	23	102	2	9	9	0,180995475
2017	11	23	102	2	10	10	0,1733603
2017	11	23	102	2	11	9	0,210304942
2017	11	23	102	2	12	19	0,332857822
2017	11	23	102	2	13	19	0,139990667
2017	11	23	102	2	14	10	0
2017	11	23	102	2	15	10	0,123494906
2017	11	23	102	2	16	9	0,150330728
2017	11	23	102	2	17	11	0,222504768
2017	11	23	102	2	18	10	0,186289121
2017	11	23	102	2	19	19	0,105485232
2017	11	23	102	2	20	10	0,261523374
2017	11	23	102	2	21	9	0,091687042
2017	11	23	102	2	22	9	0,15417823
2017	11	23	102	2	23	10	0,11908306
2017	11	23	102	2	24	10	0,255346313
2017	11	23	102	2	25	10	0,214285714
2017	11	23	102	2	26	19	0,248385494
2017	11	23	102	2	27	10	0,133555927
2017	11	23	102	2	28	10	0,093662192
2017	11	23	102	2	29	9	0,09699321
2017	11	23	102	2	30	10	0,208023774
2017	11	25	102	1	1	18	5,002520161
2017	11	25	102	1	2	18	5,013450721
2017	11	25	102	1	3	18	5,074198181
2017	11	25	102	1	4	10	5,838597921
2017	11	25	102	1	5	10	4,965662969
2017	11	25	102	1	6	18	5,393566051

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	11	25	102	1	7	10	3,971756399
2017	11	25	102	1	8	18	4,110958391
2017	11	25	102	1	9	18	4,101838755
2017	11	25	102	1	10	18	4,404026539
2017	11	25	102	1	11	10	3,972349333
2017	11	25	102	1	12	18	4,759213204
2017	11	25	102	1	13	18	4,71362017
2017	11	25	102	1	14	10	3,929072586
2017	11	25	102	1	15	18	3,653344321
2017	11	25	102	1	16	18	4,704494824
2017	11	25	102	1	17	18	5,170869064
2017	11	25	102	1	18	10	4,11837238
2017	11	25	102	1	19	19	4,270302667
2017	11	25	102	1	20	10	3,570524183
2017	11	25	102	1	21	10	3,668002003
2017	11	25	102	1	22	9	3,789685029
2017	11	25	102	1	23	9	4,296875
2017	11	25	102	1	24	18	5,178309722
2017	11	25	102	1	25	10	4,597150724
2017	11	25	102	1	26	19	5,709422869
2017	11	25	102	1	27	10	4,701124731
2017	11	25	102	1	28	18	5,590835512
2017	11	25	102	1	29	18	4,907825662
2017	11	25	102	1	30	18	4,713846154
2017	11	25	102	2	1	10	0,640953559
2017	11	25	102	2	2	10	0,773355331
2017	11	25	102	2	3	10	0,759392486
2017	11	25	102	2	4	10	0,701637153
2017	11	25	102	2	5	11	1,019790856
2017	11	25	102	2	6	10	0,960878518
2017	11	25	102	2	7	10	0,588113908
2017	11	25	102	2	8	10	0,6961291
2017	11	25	102	2	9	10	0,661246612
2017	11	25	102	2	10	10	0,596379127
2017	11	25	102	2	11	10	0,904704463
2017	11	25	102	2	12	11	1,061074442
2017	11	25	102	2	13	10	1,145113524
2017	11	25	102	2	14	10	0,673329826
2017	11	25	102	2	15	10	0,784753363
2017	11	25	102	2	16	10	0,691127147
2017	11	25	102	2	17	10	1,010745824
2017	11	25	102	2	18	10	0,579026378
2017	11	25	102	2	19	19	1,108356424
2017	11	25	102	2	20	10	0,60504903
2017	11	25	102	2	21	10	0,656523551
2017	11	25	102	2	22	10	0,662846871
2017	11	25	102	2	23	10	0,774371486
2017	11	25	102	2	24	10	0,682029555
2017	11	25	102	2	25	10	0,78
2017	11	25	102	2	26	19	0,901176111
2017	11	25	102	2	27	10	0,675465032
2017	11	25	102	2	28	10	0,496706619
2017	11	25	102	2	29	10	0,615907402
2017	11	25	102	2	30	10	0,684670978
2017	11	27	102	2	1	20	0,385356455
2017	11	27	102	2	2	19	0,44709389
2017	11	27	102	2	3	20	4,233870968
2017	11	27	102	2	4	19	0,26560425
2017	11	27	102	2	5	20	0,172711572
2017	11	27	102	2	6	19	1,353965184
2017	11	27	102	2	7	19	1,050175029
2017	11	27	102	2	8	19	1,139240506
2017	11	27	102	2	9	20	1,683501684
2017	11	27	102	2	10	20	0,500834725
2017	11	27	102	2	11	20	0,325732899
2017	11	27	102	2	12	20	1,217391304
2017	11	27	102	2	13	20	3,610675039
2017	11	27	102	2	14	20	3,924646782
2017	11	27	102	2	15	20	0,96
2017	11	27	102	2	16	20	0,68119891
2017	11	27	102	2	17	20	1,321585903
2017	11	27	102	2	18	18	0,303951368
2017	11	27	102	2	19	20	0,873907615
2017	11	27	102	2	20	20	3,547963206
2017	11	27	102	2	21	20	1,360544218
2017	11	27	102	2	22	20	0,991501416
2017	11	27	102	2	23	20	1,538461538
2017	11	27	102	2	24	20	0,78125
2017	11	27	102	2	25	20	0,967741935
2017	11	27	102	2	26	20	0,18115942
2017	11	27	102	2	27	19	1,147776184
2017	11	27	102	2	28	20	1,558441558
2017	11	27	102	2	29	20	0,722543353
2017	11	27	102	2	30	19	0,45112782
2017	11	41	102	1	1	19	0,64171123
2017	11	41	102	1	2	19	0,446428571

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	11	41	102	1	3	19	1,428571429
2017	11	41	102	1	4	19	1,369863014
2017	11	41	102	1	5	18	1,057401813
2017	11	41	102	1	6	19	0,8
2017	11	41	102	1	7	19	0,943396226
2017	11	41	102	1	8	19	1,145475372
2017	11	41	102	1	9	19	1,395348837
2017	11	41	102	1	10	19	1,241534989
2017	11	41	102	1	11	10	1,246404602
2017	11	41	102	1	12	19	1,050175029
2017	11	41	102	1	13	19	1,118012422
2017	11	41	102	1	14	19	0,946969697
2017	11	41	102	1	15	19	1,875732708
2017	11	41	102	1	16	19	1,060070671
2017	11	41	102	1	17	19	2,185089974
2017	11	41	102	1	18	18	1,153846154
2017	11	41	102	1	19	19	1,030927835
2017	11	41	102	1	20	19	1,635768811
2017	11	41	102	1	21	19	1,10330993
2017	11	41	102	1	22	19	1,092896175
2017	11	41	102	1	23	19	1,538461538
2017	11	41	102	1	24	19	1,207729469
2017	11	41	102	1	25	10	0,862068966
2017	11	41	102	1	26	19	1,073825503
2017	11	41	102	1	27	19	1,047120419
2017	11	41	102	1	28	19	0,778210117
2017	11	41	102	1	29	19	0,767263427
2017	11	41	102	1	30	19	1,185770751
2017	11	41	102	2	1	19	1,042881647
2017	11	41	102	2	2	19	1,225473783
2017	11	41	102	2	3	9	0,430772964
2017	11	41	102	2	4	10	0,496660387
2017	11	41	102	2	5	19	0,829023426
2017	11	41	102	2	6	19	1,142013673
2017	11	41	102	2	7	19	1,151644255
2017	11	41	102	2	8	9	0,491625222
2017	11	41	102	2	9	19	1,16713352
2017	11	41	102	2	10	9	0,419379759
2017	11	41	102	2	11	10	0,684825704
2017	11	41	102	2	12	19	1,31826742
2017	11	41	102	2	13	19	1,315489316
2017	11	41	102	2	14	19	1,747263104
2017	11	41	102	2	15	19	1,379537954
2017	11	41	102	2	16	19	1,458704287
2017	11	41	102	2	17	9	0,426376964
2017	11	41	102	2	18	10	0,482516233
2017	11	41	102	2	19	20	1,335063972
2017	11	41	102	2	20	19	1,616564628
2017	11	41	102	2	21	19	1,12654641
2017	11	41	102	2	22	9	0,482398208
2017	11	41	102	2	23	9	0,422061256
2017	11	41	102	2	24	10	0,43457267
2017	11	41	102	2	25	10	0,444471139
2017	11	41	102	2	26	19	0,927583401
2017	11	41	102	2	27	10	0,365003269
2017	11	41	102	2	28	9	0,435066348
2017	11	41	102	2	29	9	0,422288033
2017	11	41	102	2	30	9	0,480033761
2017	11	44	102	1	1	19	1,69447341
2017	11	44	102	1	2	19	1,410133843
2017	11	44	102	1	3	19	1,494335985
2017	11	44	102	1	4	10	1,376720901
2017	11	44	102	1	5	18	1,542288557
2017	11	44	102	1	6	18	1,834649327
2017	11	44	102	1	7	19	1,656050955
2017	11	44	102	1	8	18	1,426630435
2017	11	44	102	1	9	19	1,056958309
2017	11	44	102	1	10	18	2,544876165
2017	11	44	102	1	11	18	1,537755336
2017	11	44	102	1	12	18	1,338721899
2017	11	44	102	1	13	19	1,405009163
2017	11	44	102	1	14	19	0,829519451
2017	11	44	102	1	15	19	0,895856663
2017	11	44	102	1	16	19	1,628327733
2017	11	44	102	1	17	18	1,305792972
2017	11	44	102	1	18	18	1,709619801
2017	11	44	102	1	19	18	1,151888561
2017	11	44	102	1	20	19	1,577199779
2017	11	44	102	1	21	18	1,959900879
2017	11	44	102	1	22	19	1,554404145
2017	11	44	102	1	23	19	1,822527637
2017	11	44	102	1	24	19	1,848874598
2017	11	44	102	1	25	19	1,221938051
2017	11	44	102	1	26	19	1,365946633
2017	11	44	102	1	27	18	1,011804384
2017	11	44	102	1	28	19	1,237373737

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	11	44	102	1	29	19	1,028084253
2017	11	44	102	1	30	18	1,146788991
2017	11	44	102	2	1	9	0,454447089
2017	11	44	102	2	2	9	0,365921016
2017	11	44	102	2	3	10	3,776050622
2017	11	44	102	2	4	10	0,224180581
2017	11	44	102	2	5	19	0,45476536
2017	11	44	102	2	6	10	0,294934074
2017	11	44	102	2	7	10	0,392129403
2017	11	44	102	2	8	10	0,274487142
2017	11	44	102	2	9	9	0,229902675
2017	11	44	102	2	10	10	0,302646396
2017	11	44	102	2	11	10	1,996007984
2017	11	44	102	2	12	10	0,311612135
2017	11	44	102	2	13	19	0,365296804
2017	11	44	102	2	14	10	0,366883566
2017	11	44	102	2	15	10	0,360410313
2017	11	44	102	2	16	10	0,255187697
2017	11	44	102	2	17	10	0,854532308
2017	11	44	102	2	18	10	0,311138768
2017	11	44	102	2	19	19	0,439044313
2017	11	44	102	2	20	10	0,294419719
2017	11	44	102	2	21	9	0,225098481
2017	11	44	102	2	22	9	0,325214503
2017	11	44	102	2	23	9	0,248481502
2017	11	44	102	2	24	10	0,39051795
2017	11	44	102	2	25	10	0,339403974
2017	11	44	102	2	26	19	0,331061344
2017	11	44	102	2	27	10	0,243770314
2017	11	44	102	2	28	10	0,348478756
2017	11	44	102	2	29	10	0,23599949
2017	11	44	102	2	30	10	0,234558249
2017	11	47	102	1	1	19	0,868710048
2017	11	47	102	1	2	19	0,74829932
2017	11	47	102	1	3	19	1,138426002
2017	11	47	102	1	4	19	0,793021412
2017	11	47	102	1	5	18	0,843597098
2017	11	47	102	1	6	18	0,780972666
2017	11	47	102	1	7	19	0,666199158
2017	11	47	102	1	8	18	0,643642072
2017	11	47	102	1	9	19	0,954003407
2017	11	47	102	1	10	19	0,766823161
2017	11	47	102	1	11	10	0,802031814
2017	11	47	102	1	12	19	0,537840953
2017	11	47	102	1	13	19	0,899742931
2017	11	47	102	1	14	18	0,900238839
2017	11	47	102	1	15	19	1,061792863
2017	11	47	102	1	16	18	0,762910798
2017	11	47	102	1	17	19	0,814774579
2017	11	47	102	1	18	19	0,663796197
2017	11	47	102	1	19	18	0,926897517
2017	11	47	102	1	20	19	0,766405876
2017	11	47	102	1	21	19	0,792880259
2017	11	47	102	1	22	19	0,925925926
2017	11	47	102	1	23	19	0,734651041
2017	11	47	102	1	24	18	0,742574257
2017	11	47	102	1	25	19	0,73800738
2017	11	47	102	1	26	19	0,700525394
2017	11	47	102	1	27	19	0,872374798
2017	11	47	102	1	28	19	0,828363154
2017	11	47	102	1	29	19	0,786216126
2017	11	47	102	1	30	19	1,084884914
2017	11	47	102	2	1	9	0,20153164
2017	11	47	102	2	2	9	0,213219616
2017	11	47	102	2	3	9	0,213817987
2017	11	47	102	2	4	10	0,158202816
2017	11	47	102	2	5	11	0,115141048
2017	11	47	102	2	6	10	0,334261838
2017	11	47	102	2	7	10	0,268782798
2017	11	47	102	2	8	10	0,122940743
2017	11	47	102	2	9	9	0,194225042
2017	11	47	102	2	10	9	0,186358554
2017	11	47	102	2	11	11	0,263234864
2017	11	47	102	2	12	10	0,177795338
2017	11	47	102	2	13	11	0,312960236
2017	11	47	102	2	14	10	0,278727987
2017	11	47	102	2	15	9	0,196206671
2017	11	47	102	2	16	10	0,223824919
2017	11	47	102	2	17	9	0,211165369
2017	11	47	102	2	18	10	0,371415837
2017	11	47	102	2	19	19	0,290979631
2017	11	47	102	2	20	10	0,17859269
2017	11	47	102	2	21	9	0,186542305
2017	11	47	102	2	22	10	0,144508671
2017	11	47	102	2	23	10	0,265992818
2017	11	47	102	2	24	9	0,275807723

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	11	47	102	2	25	11	0,180327869
2017	11	47	102	2	26	19	0,384615385
2017	11	47	102	2	27	10	0,079829697
2017	11	47	102	2	28	10	0,212899186
2017	11	47	102	2	29	10	0,131181949
2017	11	47	102	2	30	10	0,266598959
2017	11	50	102	1	1	19	1,854714065
2017	11	50	102	1	2	19	2,325029656
2017	11	50	102	1	3	18	1,669348351
2017	11	50	102	1	4	19	1,749663526
2017	11	50	102	1	5	19	1,851851852
2017	11	50	102	1	6	19	1,600985222
2017	11	50	102	1	7	19	2,006769826
2017	11	50	102	1	8	19	2,174426849
2017	11	50	102	1	9	19	1,776531089
2017	11	50	102	1	10	19	1,64938737
2017	11	50	102	1	11	18	1,658536585
2017	11	50	102	1	12	19	2,247873633
2017	11	50	102	1	13	19	1,514652618
2017	11	50	102	1	14	18	1,698236447
2017	11	50	102	1	15	19	2,008032129
2017	11	50	102	1	16	19	1,782437746
2017	11	50	102	1	17	19	1,97544047
2017	11	50	102	1	18	18	2,040320622
2017	11	50	102	1	19	19	1,883512025
2017	11	50	102	1	20	19	2,254925231
2017	11	50	102	1	21	19	1,593999062
2017	11	50	102	1	22	19	2,001464486
2017	11	50	102	1	23	19	2,085561497
2017	11	50	102	1	24	19	1,814928425
2017	11	50	102	1	25	19	1,540577717
2017	11	50	102	1	26	19	1,650871293
2017	11	50	102	1	27	19	1,879021879
2017	11	50	102	1	28	19	2,100947989
2017	11	50	102	1	29	19	2,035021297
2017	11	50	102	1	30	19	1,903402332
2017	11	50	102	2	1	19	0,867729831
2017	11	50	102	2	2	19	0,924295775
2017	11	50	102	2	3	19	1,216920997
2017	11	50	102	2	4	19	0,770471242
2017	11	50	102	2	5	19	1,354453627
2017	11	50	102	2	6	19	1,413011481
2017	11	50	102	2	7	19	0,97323601
2017	11	50	102	2	8	19	1,06284658
2017	11	50	102	2	9	19	0,826815642
2017	11	50	102	2	10	19	0,966820479
2017	11	50	102	2	11	10	0,908372828
2017	11	50	102	2	12	19	1,295546559
2017	11	50	102	2	13	19	1,089081262
2017	11	50	102	2	14	10	1,086345758
2017	11	50	102	2	15	19	1,095216808
2017	11	50	102	2	16	19	0,849457291
2017	11	50	102	2	17	18	1,024972046
2017	11	50	102	2	18	19	0,694112015
2017	11	50	102	2	19	19	0,748847926
2017	11	50	102	2	20	19	1,448931116
2017	11	50	102	2	21	19	0,883104811
2017	11	50	102	2	22	19	1,045454545
2017	11	50	102	2	23	19	1,065719361
2017	11	50	102	2	24	18	1,236476043
2017	11	50	102	2	25	19	1,224387806
2017	11	50	102	2	26	19	0,969732589
2017	11	50	102	2	27	19	0,904677846
2017	11	50	102	2	28	19	0,87494665
2017	11	50	102	2	29	19	1,146131805
2017	11	50	102	2	30	19	0,995024876
2017	11	52	102	1	1	19	1,295362405
2017	11	52	102	1	2	19	1,143420404
2017	11	52	102	1	3	19	1,296257579
2017	11	52	102	1	4	19	1,225343694
2017	11	52	102	1	5	19	1,21275783
2017	11	52	102	1	6	19	1,037323299
2017	11	52	102	1	7	19	0,996583144
2017	11	52	102	1	8	19	1,20395878
2017	11	52	102	1	9	19	1,341619809
2017	11	52	102	1	10	19	1,202886929
2017	11	52	102	1	11	19	1,158154547
2017	11	52	102	1	12	19	1,298701299
2017	11	52	102	1	13	19	1,192360452
2017	11	52	102	1	14	19	1,689367543
2017	11	52	102	1	15	19	1,679892817
2017	11	52	102	1	16	19	1,257165845
2017	11	52	102	1	17	19	1,344412286
2017	11	52	102	1	18	19	1,282416643
2017	11	52	102	1	19	19	1,348066298
2017	11	52	102	1	20	19	1,50653497

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	11	52	102	1	21	19	1,555164319
2017	11	52	102	1	22	19	1,439752633
2017	11	52	102	1	23	19	1,263714734
2017	11	52	102	1	24	19	1,229773463
2017	11	52	102	1	25	19	1,21325245
2017	11	52	102	1	26	19	1,302866306
2017	11	52	102	1	27	19	1,339591278
2017	11	52	102	1	28	19	1,268642262
2017	11	52	102	1	29	19	1,173235564
2017	11	52	102	1	30	19	1,583286491
2017	11	52	102	2	1	20	0,432937917
2017	11	52	102	2	2	20	0,371780921
2017	11	52	102	2	3	20	0,307534598
2017	11	52	102	2	4	20	0,366329537
2017	11	52	102	2	5	20	0,288135593
2017	11	52	102	2	6	20	0,289530214
2017	11	52	102	2	7	20	0,50862852
2017	11	52	102	2	8	20	0,417536534
2017	11	52	102	2	9	20	0,366487684
2017	11	52	102	2	10	19	0,315955766
2017	11	52	102	2	11	19	0,319423678
2017	11	52	102	2	12	20	0,434597358
2017	11	52	102	2	13	20	0,429594272
2017	11	52	102	2	14	20	0,568079351
2017	11	52	102	2	15	20	0,540210856
2017	11	52	102	2	16	20	0,325520833
2017	11	52	102	2	17	20	0,450037503
2017	11	52	102	2	18	20	0,309278351
2017	11	52	102	2	19	20	0,413041568
2017	11	52	102	2	20	20	0,319772606
2017	11	52	102	2	21	20	0,458218779
2017	11	52	102	2	22	20	0,488222698
2017	11	52	102	2	23	20	0,634120917
2017	11	52	102	2	24	20	0,378975119
2017	11	52	102	2	25	19	0,320619865
2017	11	52	102	2	26	20	0,342917436
2017	11	52	102	2	27	20	0,375414702
2017	11	52	102	2	28	20	0,412823891
2017	11	52	102	2	29	20	0,414498633
2017	11	52	102	2	30	19	0,361394558
2017	11	54	102	2	1	10	0,359950744
2017	11	54	102	2	2	10	0,402414487
2017	11	54	102	2	3	10	0,242762093
2017	11	54	102	2	4	10	0,264126026
2017	11	54	102	2	5	11	0,164762742
2017	11	54	102	2	6	10	0,292153589
2017	11	54	102	2	7	10	0,211026114
2017	11	54	102	2	8	10	0,287907869
2017	11	54	102	2	9	10	0,29717682
2017	11	54	102	2	10	10	0,264595425
2017	11	54	102	2	11	10	0,198841532
2017	11	54	102	2	12	11	0,309821336
2017	11	54	102	2	13	10	0,437080707
2017	11	54	102	2	14	10	0,168979011
2017	11	54	102	2	15	10	0,245388391
2017	11	54	102	2	16	9	0,256081946
2017	11	54	102	2	17	10	0,277056277
2017	11	54	102	2	18	10	0,348879912
2017	11	54	102	2	19	20	0,473709143
2017	11	54	102	2	20	10	0,255894718
2017	11	54	102	2	21	10	0,36286397
2017	11	54	102	2	22	10	0,266345906
2017	11	54	102	2	23	10	0,672834315
2017	11	54	102	2	24	10	0,752556237
2017	11	54	102	2	25	10	0,341235632
2017	11	54	102	2	26	11	0,108213397
2017	11	54	102	2	27	10	0,290480538
2017	11	54	102	2	28	10	0,23817625
2017	11	54	102	2	29	10	0,319354568
2017	11	54	102	2	30	10	0,26662223
2017	11	63	102	1	1	18	1,154313487
2017	11	63	102	1	2	19	2,323926962
2017	11	63	102	1	3	19	2,287661231
2017	11	63	102	1	4	19	1,485035412
2017	11	63	102	1	5	18	1,347424042
2017	11	63	102	1	6	19	2,014254726
2017	11	63	102	1	7	10	1,397348621
2017	11	63	102	1	8	10	1,36936279
2017	11	63	102	1	9	19	2,051671733
2017	11	63	102	1	10	19	1,878643921
2017	11	63	102	1	11	19	1,633486473
2017	11	63	102	1	12	18	1,632208923
2017	11	63	102	1	13	10	1,358381503
2017	11	63	102	1	14	10	1,363827109
2017	11	63	102	1	15	19	1,827741612
2017	11	63	102	1	16	19	1,815142107

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	11	63	102	1	17	19	1,690269529
2017	11	63	102	1	18	10	1,239760903
2017	11	63	102	1	19	19	1,594387755
2017	11	63	102	1	20	10	1,258560059
2017	11	63	102	1	21	19	2,005420054
2017	11	63	102	1	22	19	1,381562422
2017	11	63	102	1	23	10	1,442411195
2017	11	63	102	1	24	18	1,627854397
2017	11	63	102	1	25	10	1,557556583
2017	11	63	102	1	26	19	1,260257913
2017	11	63	102	1	27	10	1,38387485
2017	11	63	102	1	28	10	1,170912079
2017	11	63	102	1	29	10	2,767595308
2017	11	63	102	1	30	10	1,594488189
2017	11	63	102	2	1	10	0,715187211
2017	11	63	102	2	2	9	2,926326636
2017	11	63	102	2	3	10	0,771666007
2017	11	63	102	2	4	10	0,604412209
2017	11	63	102	2	5	19	0,794889993
2017	11	63	102	2	6	10	0,689910065
2017	11	63	102	2	7	9	0,62815364
2017	11	63	102	2	8	10	0,445103858
2017	11	63	102	2	9	10	0,486139843
2017	11	63	102	2	10	10	0,564755432
2017	11	63	102	2	11	10	0,506253722
2017	11	63	102	2	12	19	0,695675897
2017	11	63	102	2	13	10	0,572991275
2017	11	63	102	2	14	10	0,58224163
2017	11	63	102	2	15	10	0,621783877
2017	11	63	102	2	16	10	0,630666141
2017	11	63	102	2	17	10	0,559741658
2017	11	63	102	2	18	10	0,502563072
2017	11	63	102	2	19	19	0,753682768
2017	11	63	102	2	20	10	1,835065222
2017	11	63	102	2	21	10	0,491803279
2017	11	63	102	2	22	10	0,721947195
2017	11	63	102	2	23	10	0,675381264
2017	11	63	102	2	24	10	0,637941853
2017	11	63	102	2	25	10	1,991377541
2017	11	63	102	2	26	19	0,706713781
2017	11	63	102	2	27	10	0,544025791
2017	11	63	102	2	28	10	0,596047266
2017	11	63	102	2	29	10	2,38514174
2017	11	63	102	2	30	10	0,612244898
2017	11	66	102	1	1	19	1,637513956
2017	11	66	102	1	2	18	2,854264607
2017	11	66	102	1	3	18	1,705882353
2017	11	66	102	1	4	10	0,902798676
2017	11	66	102	1	5	10	0,724160632
2017	11	66	102	1	6	19	3,408640507
2017	11	66	102	1	7	18	1,888087882
2017	11	66	102	1	8	19	4,41898527
2017	11	66	102	1	9	19	3,094398747
2017	11	66	102	1	10	19	2,677651905
2017	11	66	102	1	11	10	0,644783118
2017	11	66	102	1	12	19	3,24853229
2017	11	66	102	1	13	19	2,05908684
2017	11	66	102	1	14	10	3,564899452
2017	11	66	102	1	15	18	1,680395387
2017	11	66	102	1	16	19	3,819173811
2017	11	66	102	1	17	18	1,141552511
2017	11	66	102	1	18	10	3,331332533
2017	11	66	102	1	19	19	3,555355536
2017	11	66	102	1	20	19	1,477104874
2017	11	66	102	1	21	19	5,176380368
2017	11	66	102	1	22	19	1,307922272
2017	11	66	102	1	23	10	2,163293789
2017	11	66	102	1	24	19	1,357938719
2017	11	66	102	1	25	10	0,860146543
2017	11	66	102	1	26	19	1,178069778
2017	11	66	102	1	27	10	1,397919376
2017	11	66	102	1	28	19	1,270737734
2017	11	66	102	1	29	19	1,7208413
2017	11	66	102	1	30	19	3,058321479
2017	11	66	102	2	1	10	0,364763815
2017	11	66	102	2	2	10	0,28314457
2017	11	66	102	2	3	10	0,135295112
2017	11	66	102	2	4	10	0,331071015
2017	11	66	102	2	5	19	0,801697713
2017	11	66	102	2	6	19	0,284900285
2017	11	66	102	2	7	10	0,285578296
2017	11	66	102	2	8	10	0,368941808
2017	11	66	102	2	9	10	0,275339873
2017	11	66	102	2	10	10	0,627373287
2017	11	66	102	2	11	10	0,455927052
2017	11	66	102	2	12	19	0,945402978

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	11	66	102	2	13	19	0,422297297
2017	11	66	102	2	14	10	0,263939294
2017	11	66	102	2	15	10	0,399236244
2017	11	66	102	2	16	10	0,451731638
2017	11	66	102	2	17	10	0,409696142
2017	11	66	102	2	18	10	0,351935646
2017	11	66	102	2	19	19	0,316539172
2017	11	66	102	2	20	10	0,380416804
2017	11	66	102	2	21	10	0,316245007
2017	11	66	102	2	22	10	0,31793842
2017	11	66	102	2	23	10	0,338925606
2017	11	66	102	2	24	10	0,339385712
2017	11	66	102	2	25	10	0,253592561
2017	11	66	102	2	26	20	0,305716906
2017	11	66	102	2	27	10	0,273504274
2017	11	66	102	2	28	10	0,320188743
2017	11	66	102	2	29	10	0,318524728
2017	11	66	102	2	30	10	0,243266725
2017	11	68	102	1	1	19	1,675343114
2017	11	68	102	1	2	19	1,536428217
2017	11	68	102	1	3	19	1,570774616
2017	11	68	102	1	4	10	1,107505433
2017	11	68	102	1	5	18	1,488369238
2017	11	68	102	1	6	19	1,315983486
2017	11	68	102	1	7	19	1,324439598
2017	11	68	102	1	8	18	1,40769578
2017	11	68	102	1	9	19	1,392545599
2017	11	68	102	1	10	19	1,327049485
2017	11	68	102	1	11	9	1,119863618
2017	11	68	102	1	12	9	1,112868911
2017	11	68	102	1	13	18	1,244659112
2017	11	68	102	1	14	19	1,486049333
2017	11	68	102	1	15	19	1,502461479
2017	11	68	102	1	16	19	1,460561706
2017	11	68	102	1	17	19	1,37490871
2017	11	68	102	1	18	18	1,241705351
2017	11	68	102	1	19	19	1,321894101
2017	11	68	102	1	20	19	1,307801602
2017	11	68	102	1	21	19	1,318201935
2017	11	68	102	1	22	19	1,348440865
2017	11	68	102	1	23	19	1,373414401
2017	11	68	102	1	24	19	1,402713546
2017	11	68	102	1	25	18	1,137451433
2017	11	68	102	1	26	19	1,289578906
2017	11	68	102	1	27	19	1,460216858
2017	11	68	102	1	28	19	1,347742376
2017	11	68	102	1	29	19	1,218538981
2017	11	68	102	1	30	19	1,426546709
2017	11	68	102	2	1	10	0,714182029
2017	11	68	102	2	2	9	0,562835783
2017	11	68	102	2	3	9	0,574336812
2017	11	68	102	2	4	10	0,586949735
2017	11	68	102	2	5	11	0,693768257
2017	11	68	102	2	6	10	0,93278556
2017	11	68	102	2	7	10	0,646647425
2017	11	68	102	2	8	9	0,613720435
2017	11	68	102	2	9	10	0,708948074
2017	11	68	102	2	10	10	0,73502595
2017	11	68	102	2	11	10	0,801377182
2017	11	68	102	2	12	11	0,814266873
2017	11	68	102	2	13	10	0,947009261
2017	11	68	102	2	14	9	0,644440402
2017	11	68	102	2	15	9	0,782577213
2017	11	68	102	2	16	10	0,688265906
2017	11	68	102	2	17	10	0,720112518
2017	11	68	102	2	18	10	0,98673018
2017	11	68	102	2	19	10	0,963786892
2017	11	68	102	2	20	10	0,836924097
2017	11	68	102	2	21	10	0,736509409
2017	11	68	102	2	22	10	0,762019784
2017	11	68	102	2	23	9	0,693192846
2017	11	68	102	2	24	10	0,756837975
2017	11	68	102	2	25	10	0,782655348
2017	11	68	102	2	26	11	0,914711882
2017	11	68	102	2	27	10	0,725873114
2017	11	68	102	2	28	9	0,729356603
2017	11	68	102	2	29	10	0,746722717
2017	11	68	102	2	30	10	0,791051404
2017	11	70	102	2	1	9	0
2017	11	70	102	2	2	11	1,318681319
2017	11	70	102	2	3	10	0,397614314
2017	11	70	102	2	4	10	1,101928375
2017	11	70	102	2	5	19	0,615384615
2017	11	70	102	2	6	9	0,387596899
2017	11	70	102	2	7	9	0,79787234
2017	11	70	102	2	8	10	0,218340611

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	11	70	102	2	9	11	1,80878553
2017	11	70	102	2	10	9	1,591511936
2017	11	70	102	2	11	9	0
2017	11	70	102	2	12	10	0,325732899
2017	11	70	102	2	13	10	0,326797386
2017	11	70	102	2	14	10	0,316455696
2017	11	70	102	2	15	10	0,460829493
2017	11	70	102	2	16	11	0,817438692
2017	11	70	102	2	17	10	3,878116343
2017	11	70	102	2	18	10	0,67114094
2017	11	70	102	2	19	19	0,543478261
2017	11	70	102	2	20	10	0,62305296
2017	11	70	102	2	21	10	0,36900369
2017	11	70	102	2	22	10	1,10864745
2017	11	70	102	2	23	11	1,123595506
2017	11	70	102	2	24	11	0,817438692
2017	11	70	102	2	25	10	1,923076923
2017	11	70	102	2	26	19	0,36101083
2017	11	70	102	2	27	10	1,02739726
2017	11	70	102	2	28	10	1,133786848
2017	11	70	102	2	29	10	0,573065903
2017	11	70	102	2	30	10	0,255754476
2017	11	73	102	1	1	19	1,216175129
2017	11	73	102	1	2	19	1,501501502
2017	11	73	102	1	3	19	1,554243084
2017	11	73	102	1	4	19	0,796674749
2017	11	73	102	1	5	18	1,95545899
2017	11	73	102	1	6	19	1,956673655
2017	11	73	102	1	7	19	1,82887002
2017	11	73	102	1	8	19	2,134240643
2017	11	73	102	1	9	19	2,153846154
2017	11	73	102	1	10	19	1,213376739
2017	11	73	102	1	11	10	1,293588301
2017	11	73	102	1	12	18	1,392592593
2017	11	73	102	1	13	19	1,455604076
2017	11	73	102	1	14	19	1,220256254
2017	11	73	102	1	15	19	1,665638495
2017	11	73	102	1	16	19	1,763727121
2017	11	73	102	1	17	19	1,654996817
2017	11	73	102	1	18	18	1,431127013
2017	11	73	102	1	19	19	1,667257893
2017	11	73	102	1	20	19	0,937612694
2017	11	73	102	1	21	19	1,25120308
2017	11	73	102	1	22	19	1,938239159
2017	11	73	102	1	23	19	1,286587327
2017	11	73	102	1	24	19	1,555555556
2017	11	73	102	1	25	10	1,271571299
2017	11	73	102	1	26	19	0,903010033
2017	11	73	102	1	27	19	1,59733777
2017	11	73	102	1	28	19	1,870692484
2017	11	73	102	1	29	19	1,709401709
2017	11	73	102	1	30	19	1,686823679
2017	11	73	102	2	1	10	0,690515807
2017	11	73	102	2	2	19	1,225337487
2017	11	73	102	2	3	10	0,820405728
2017	11	73	102	2	4	10	0,74208693
2017	11	73	102	2	5	10	0,872142252
2017	11	73	102	2	6	10	0,925565082
2017	11	73	102	2	7	10	0,984749455
2017	11	73	102	2	8	9	0,814456605
2017	11	73	102	2	9	10	0,749188379
2017	11	73	102	2	10	10	1,554077704
2017	11	73	102	2	11	10	1,103139705
2017	11	73	102	2	12	10	1,261966928
2017	11	73	102	2	13	10	1,157998037
2017	11	73	102	2	14	10	1,034135627
2017	11	73	102	2	15	10	1,056081573
2017	11	73	102	2	16	10	0,835704125
2017	11	73	102	2	17	10	0,796530666
2017	11	73	102	2	18	10	0,755809279
2017	11	73	102	2	19	19	1,249309011
2017	11	73	102	2	20	10	0,864894392
2017	11	73	102	2	21	10	0,725360413
2017	11	73	102	2	22	9	0,741132875
2017	11	73	102	2	23	9	0,867158672
2017	11	73	102	2	24	9	0,993733214
2017	11	73	102	2	25	10	0,855605539
2017	11	73	102	2	26	10	0,862486675
2017	11	73	102	2	27	10	0,802282047
2017	11	73	102	2	28	10	0,844698636
2017	11	73	102	2	29	9	1,093236157
2017	11	73	102	2	30	10	0,728070175
2017	11	76	102	1	1	10	0,920185342
2017	11	76	102	1	2	10	1,173857868
2017	11	76	102	1	3	10	1,292790713
2017	11	76	102	1	4	10	1,385382275

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	11	76	102	1	5	10	1,123125218
2017	11	76	102	1	6	10	1,252609603
2017	11	76	102	1	7	10	1,170977011
2017	11	76	102	1	8	10	1,113835377
2017	11	76	102	1	9	10	1,472528999
2017	11	76	102	1	10	10	1,27607859
2017	11	76	102	1	11	10	1,134644478
2017	11	76	102	1	12	19	2,205328918
2017	11	76	102	1	13	10	1,358995078
2017	11	76	102	1	14	10	1,304405697
2017	11	76	102	1	15	10	1,120928392
2017	11	76	102	1	16	10	1,059381098
2017	11	76	102	1	17	10	1,199616123
2017	11	76	102	1	18	10	1,366100979
2017	11	76	102	1	19	19	1,288056206
2017	11	76	102	1	20	10	1,372997712
2017	11	76	102	1	21	10	1,175437411
2017	11	76	102	1	22	10	1,314013779
2017	11	76	102	1	23	10	1,147808057
2017	11	76	102	1	24	10	0,951359084
2017	11	76	102	1	25	10	1,047893144
2017	11	76	102	1	26	19	0,981423063
2017	11	76	102	1	27	10	0,937293729
2017	11	76	102	1	28	10	1,16426757
2017	11	76	102	1	29	10	1,258611553
2017	11	76	102	1	30	10	1,139294927
2017	11	76	102	2	1	10	0,275094755
2017	11	76	102	2	2	10	0,389793409
2017	11	76	102	2	3	10	0,363218676
2017	11	76	102	2	4	10	0,339618222
2017	11	76	102	2	5	11	0,383609416
2017	11	76	102	2	6	10	0,453469374
2017	11	76	102	2	7	10	0,310096373
2017	11	76	102	2	8	10	0,320374592
2017	11	76	102	2	9	10	0,27027027
2017	11	76	102	2	10	10	0,389235214
2017	11	76	102	2	11	10	0,313053751
2017	11	76	102	2	12	11	0,551211767
2017	11	76	102	2	13	10	0,495547008
2017	11	76	102	2	14	10	0,319614051
2017	11	76	102	2	15	10	0,811188811
2017	11	76	102	2	16	10	0,452807098
2017	11	76	102	2	17	10	0,360826292
2017	11	76	102	2	18	10	0,438230384
2017	11	76	102	2	19	11	0,408665148
2017	11	76	102	2	20	10	0,317793342
2017	11	76	102	2	21	10	0,323554789
2017	11	76	102	2	22	10	0,37275184
2017	11	76	102	2	23	10	0,44800305
2017	11	76	102	2	24	10	0,348053078
2017	11	76	102	2	25	10	0,369691709
2017	11	76	102	2	26	11	0,325350506
2017	11	76	102	2	27	10	0,332328143
2017	11	76	102	2	28	10	0,31212485
2017	11	76	102	2	29	10	0,326711971
2017	11	76	102	2	30	10	0,302760463
2017	11	81	102	2	1	10	1,611820013
2017	11	81	102	2	2	19	1,069995542
2017	11	81	102	2	3	19	1,840971406
2017	11	81	102	2	4	10	1,368821293
2017	11	81	102	2	5	19	5,320899616
2017	11	81	102	2	6	18	3,40747752
2017	11	81	102	2	7	10	0,749574106
2017	11	81	102	2	8	20	2,169981917
2017	11	81	102	2	9	18	1,190881252
2017	11	81	102	2	10	18	1,989528796
2017	11	81	102	2	11	10	2,177016417
2017	11	81	102	2	12	19	1,688555347
2017	11	81	102	2	13	19	1,874310915
2017	11	81	102	2	14	20	4,217536071
2017	11	81	102	2	15	20	2,010582011
2017	11	81	102	2	16	19	2,701579385
2017	11	81	102	2	17	19	2,317446436
2017	11	81	102	2	18	9	0,714796283
2017	11	81	102	2	19	20	1,148730351
2017	11	81	102	2	20	9	0,600885515
2017	11	81	102	2	21	20	1,637666325
2017	11	81	102	2	22	20	1,386666667
2017	11	81	102	2	23	19	1,309674694
2017	11	81	102	2	24	17	0,830794794
2017	11	81	102	2	25	10	0,64171123
2017	11	81	102	2	26	19	0,976042591
2017	11	81	102	2	27	10	0,553846154
2017	11	81	102	2	28	19	0,985010707
2017	11	81	102	2	29	18	1,099572389
2017	11	81	102	2	30	19	1,095461659

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	11	85	102	1	1	19	1,975780752
2017	11	85	102	1	2	18	1,154039137
2017	11	85	102	1	3	18	1,890648952
2017	11	85	102	1	4	18	1,558301988
2017	11	85	102	1	5	18	1,933534743
2017	11	85	102	1	6	18	2,007772021
2017	11	85	102	1	7	18	2,083333333
2017	11	85	102	1	8	18	1,293588301
2017	11	85	102	1	9	18	2,173913043
2017	11	85	102	1	10	18	2,333931777
2017	11	85	102	1	11	9	2,265005663
2017	11	85	102	1	12	18	1,565435191
2017	11	85	102	1	13	18	1,998788613
2017	11	85	102	1	14	18	2,315076228
2017	11	85	102	1	15	18	2,686858818
2017	11	85	102	1	16	18	1,673640167
2017	11	85	102	1	17	18	2,116704805
2017	11	85	102	1	18	18	2,040816327
2017	11	85	102	1	19	18	1,753287414
2017	11	85	102	1	20	18	1,993166287
2017	11	85	102	1	21	19	1,123595506
2017	11	85	102	1	22	19	2,171052632
2017	11	85	102	1	23	18	2,360965373
2017	11	85	102	1	24	18	2,205513784
2017	11	85	102	1	25	18	2,14329455
2017	11	85	102	1	26	19	1,175548589
2017	11	85	102	1	27	18	1,547619048
2017	11	85	102	1	28	18	2,358253889
2017	11	85	102	1	29	18	2,019182231
2017	11	85	102	1	30	18	1,896551724
2017	11	85	102	2	1	17	0,925583117
2017	11	85	102	2	2	18	0,317013033
2017	11	85	102	2	3	18	0,486787204
2017	11	85	102	2	4	19	0,769578995
2017	11	85	102	2	5	19	0,871586287
2017	11	85	102	2	6	19	1,002109705
2017	11	85	102	2	7	18	0,626740947
2017	11	85	102	2	8	18	0,700589971
2017	11	85	102	2	9	18	0,375093773
2017	11	85	102	2	10	17	1,066024759
2017	11	85	102	2	11	11	1,326699834
2017	11	85	102	2	12	19	0,444883836
2017	11	85	102	2	13	19	0,642927794
2017	11	85	102	2	14	18	0,569395018
2017	11	85	102	2	15	17	0,773943889
2017	11	85	102	2	16	17	1,01010101
2017	11	85	102	2	17	10	0,525946704
2017	11	85	102	2	18	19	0,691742326
2017	11	85	102	2	19	19	0,485961123
2017	11	85	102	2	20	18	0,693430657
2017	11	85	102	2	21	18	0,625434329
2017	11	85	102	2	22	19	1,365187713
2017	11	85	102	2	23	18	2,618181818
2017	11	85	102	2	24	18	1,023017903
2017	11	85	102	2	25	10	0,681140911
2017	11	85	102	2	26	19	0,855991944
2017	11	85	102	2	27	18	0,580130529
2017	11	85	102	2	28	18	0,762094102
2017	11	85	102	2	29	18	0,959488273
2017	11	85	102	2	30	9	0,491601803
2017	11	86	102	2	1	18	0,139567341
2017	11	86	102	2	2	20	0,539811066
2017	11	86	102	2	3	9	0,163265306
2017	11	86	102	2	4	11	0
2017	11	86	102	2	5	20	0
2017	11	86	102	2	6	19	0,256739409
2017	11	86	102	2	7	20	0,315457413
2017	11	86	102	2	8	20	0,561009818
2017	11	86	102	2	9	20	0,391644909
2017	11	86	102	2	10	10	0,172413793
2017	11	86	102	2	11	11	0
2017	11	86	102	2	12	20	0
2017	11	86	102	2	13	20	0,176678445
2017	11	86	102	2	14	18	0,198609732
2017	11	86	102	2	15	17	0
2017	11	86	102	2	16	20	0,505902192
2017	11	86	102	2	17	20	0
2017	11	86	102	2	18	20	0,139275766
2017	11	86	102	2	19	20	0,196078431
2017	11	86	102	2	20	19	0,281293952
2017	11	86	102	2	21	20	0
2017	11	86	102	2	22	10	0
2017	11	86	102	2	23	10	0,083822297
2017	11	86	102	2	24	18	0,170212766
2017	11	86	102	2	25	9	0,186915888
2017	11	86	102	2	26	20	0,165289256

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	11	86	102	2	27	9	0,250208507
2017	11	86	102	2	28	19	0,343249428
2017	11	86	102	2	29	20	0,135317997
2017	11	86	102	2	30	20	0,121065375
2017	11	88	102	1	1	20	1,9377569
2017	11	88	102	1	2	20	1,288056206
2017	11	88	102	1	3	18	1,420176298
2017	11	88	102	1	4	10	1,612180923
2017	11	88	102	1	5	19	1,838235294
2017	11	88	102	1	6	19	1,468274777
2017	11	88	102	1	7	19	1,621621622
2017	11	88	102	1	8	19	1,121704992
2017	11	88	102	1	9	20	2,208201893
2017	11	88	102	1	10	19	1,31246845
2017	11	88	102	1	11	19	1,445086705
2017	11	88	102	1	12	20	0,888585099
2017	11	88	102	1	13	19	1,230569948
2017	11	88	102	1	14	19	2,041973908
2017	11	88	102	1	15	19	2,446183953
2017	11	88	102	1	16	19	1,71624714
2017	11	88	102	1	17	20	2,07223209
2017	11	88	102	1	18	20	1,396160558
2017	11	88	102	1	19	20	1,270207852
2017	11	88	102	1	20	19	1,061678463
2017	11	88	102	1	21	20	2,34741784
2017	11	88	102	1	22	20	1,241868717
2017	11	88	102	1	23	20	1,4375
2017	11	88	102	1	24	9	0,992457324
2017	11	88	102	1	25	20	1,361315939
2017	11	88	102	1	26	19	1,578947368
2017	11	88	102	1	27	20	1,108374384
2017	11	88	102	1	28	19	1,161665053
2017	11	88	102	1	29	20	1,204819277
2017	11	88	102	1	30	18	1,257861635
2017	11	88	102	2	1	20	0,521904159
2017	11	88	102	2	2	20	0,713043478
2017	11	88	102	2	3	10	3,405167282
2017	11	88	102	2	4	10	0,314731873
2017	11	88	102	2	5	20	0,448028674
2017	11	88	102	2	6	11	2,200671391
2017	11	88	102	2	7	21	0,877009814
2017	11	88	102	2	8	20	0,357839948
2017	11	88	102	2	9	20	0,875020637
2017	11	88	102	2	10	19	0,469418749
2017	11	88	102	2	11	19	0,413940446
2017	11	88	102	2	12	20	0,671994188
2017	11	88	102	2	13	18	0,66951567
2017	11	88	102	2	14	20	0,666666667
2017	11	88	102	2	15	20	1,129688206
2017	11	88	102	2	16	20	0,624589086
2017	11	88	102	2	17	11	0,311192188
2017	11	88	102	2	18	19	0,361445783
2017	11	88	102	2	19	20	0,94248894
2017	11	88	102	2	20	19	0,448491438
2017	11	88	102	2	21	19	0,538748446
2017	11	88	102	2	22	20	0,734434986
2017	11	88	102	2	23	11	0,339323866
2017	11	88	102	2	24	20	0,692471591
2017	11	88	102	2	25	20	0,41385653
2017	11	88	102	2	26	20	0,536384767
2017	11	88	102	2	27	20	0,853874658
2017	11	88	102	2	28	10	0,322394934
2017	11	88	102	2	29	19	0,397042716
2017	11	88	102	2	30	10	0,273194186