

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	12	5	102	1		1		19	1,395026889
2017	12	5	102	1		2		18	1,32326861
2017	12	5	102	1		3		19	1,498215017
2017	12	5	102	1		4		19	1,455012853
2017	12	5	102	1		5		19	1,663519927
2017	12	5	102	1		6		19	1,516798675
2017	12	5	102	1		7		18	1,520912548
2017	12	5	102	1		8		19	1,746697939
2017	12	5	102	1		9		18	1,836418983
2017	12	5	102	1		10		18	1,510838625
2017	12	5	102	1		11		19	1,646437995
2017	12	5	102	1		12		19	2,019381734
2017	12	5	102	1		13		19	1,869311679
2017	12	5	102	1		14		19	1,552024495
2017	12	5	102	1		15		19	1,660988075
2017	12	5	102	1		16		18	1,399011887
2017	12	5	102	1		17		18	1,390171335
2017	12	5	102	1		18		19	1,521750538
2017	12	5	102	1		19		19	1,585225489
2017	12	5	102	1		20		19	1,565960139
2017	12	5	102	1		21		19	1,58847044
2017	12	5	102	1		22		19	1,473520401
2017	12	5	102	1		23		10	1,228594469
2017	12	5	102	1		24		18	1,574842516
2017	12	5	102	1		25		18	1,579995024
2017	12	5	102	1		26		19	1,717770815
2017	12	5	102	1		27		19	1,841171251
2017	12	5	102	1		28		19	1,68785867
2017	12	5	102	1		29		19	1,53989734
2017	12	5	102	1		30		18	1,488265598
2017	12	5	102	1		31		18	1,757429132
2017	12	5	102	2		1		11	0,708699902
2017	12	5	102	2		2		10	0,804751868
2017	12	5	102	2		3		19	0,76645133
2017	12	5	102	2		4		10	0,762388818
2017	12	5	102	2		5		10	0,662800331
2017	12	5	102	2		6		10	0,597133758
2017	12	5	102	2		7		10	0,75030012
2017	12	5	102	2		8		11	0,88675411
2017	12	5	102	2		9		11	0,840336134
2017	12	5	102	2		10		19	0,681019332
2017	12	5	102	2		11		10	0,662455708
2017	12	5	102	2		12		10	0,626627604
2017	12	5	102	2		13		10	0,910887686
2017	12	5	102	2		14		10	0,776567907
2017	12	5	102	2		15		10	0,559865632
2017	12	5	102	2		16		10	0,622635561
2017	12	5	102	2		17		11	0,721153846
2017	12	5	102	2		18		10	0,725878803
2017	12	5	102	2		19		10	0,554167968
2017	12	5	102	2		20		10	0,620642748
2017	12	5	102	2		21		10	0,73554278
2017	12	5	102	2		22		10	0,788504053
2017	12	5	102	2		23		11	0,79278493
2017	12	5	102	2		24		11	1,162695488
2017	12	5	102	2		25		19	1,435520228
2017	12	5	102	2		26		10	1,116309612
2017	12	5	102	2		27		10	0,78092548
2017	12	5	102	2		28		10	0,791329778
2017	12	5	102	2		29		10	0,890044108
2017	12	5	102	2		30		11	0,860164141
2017	12	5	102	2		31		19	1,353871658
2017	12	8	102	1		1		19	0,577756379
2017	12	8	102	1		2		10	0,483091787
2017	12	8	102	1		3		20	0,439146801
2017	12	8	102	1		4		10	0,776053215
2017	12	8	102	1		5		10	0,720980534
2017	12	8	102	1		6		10	0,428182172
2017	12	8	102	1		7		10	0,955531055
2017	12	8	102	1		8		10	0,762300762
2017	12	8	102	1		9		10	0,446627959
2017	12	8	102	1		10		19	0,230813618
2017	12	8	102	1		11		19	0,663942799

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO_DPTO	PORCENTAJE_LLAMADAS	CAIDAS
2017	12	8	102	1		12		10	0,774907749	
2017	12	8	102	1		13		10	0,416666667	
2017	12	8	102	1		14		19	0,330396476	
2017	12	8	102	1		15		10	0,739587388	
2017	12	8	102	1		16		10	0,792393027	
2017	12	8	102	1		17		10	0,510204082	
2017	12	8	102	1		18		10	0,569132909	
2017	12	8	102	1		19		10	0,944716585	
2017	12	8	102	1		20		10	0,279106858	
2017	12	8	102	1		21		9	0,99009901	
2017	12	8	102	1		22		9	0,64491654	
2017	12	8	102	1		23		10	0,433839479	
2017	12	8	102	1		24		10	0,899621212	
2017	12	8	102	1		25		11	0,57840617	
2017	12	8	102	1		26		10	0,273544353	
2017	12	8	102	1		27		10	0,687876182	
2017	12	8	102	1		28		10	0,438020149	
2017	12	8	102	1		29		10	0,8	
2017	12	8	102	1		30		10	0,976645435	
2017	12	8	102	1		31		18	0,723240116	
2017	12	8	102	2		1		10	0,203636364	
2017	12	8	102	2		2		10	0,23364486	
2017	12	8	102	2		3		20	0,341191067	
2017	12	8	102	2		4		10	0,179829162	
2017	12	8	102	2		5		10	0,305980529	
2017	12	8	102	2		6		10	0,302655111	
2017	12	8	102	2		7		9	0,247921832	
2017	12	8	102	2		8		11	0,32925682	
2017	12	8	102	2		9		10	0,512995896	
2017	12	8	102	2		10		11	1,148409894	
2017	12	8	102	2		11		10	0,345572354	
2017	12	8	102	2		12		10	0,365579303	
2017	12	8	102	2		13		10	0,488319916	
2017	12	8	102	2		14		10	0,19270917	
2017	12	8	102	2		15		10	0,276283263	
2017	12	8	102	2		16		10	0,289149292	
2017	12	8	102	2		17		11	0,37467955	
2017	12	8	102	2		18		10	0,256797583	
2017	12	8	102	2		19		10	0,273016836	
2017	12	8	102	2		20		10	0,431965443	
2017	12	8	102	2		21		10	0,302526093	
2017	12	8	102	2		22		10	0,304701103	
2017	12	8	102	2		23		10	0,235096558	
2017	12	8	102	2		24		11	0,314729333	
2017	12	8	102	2		25		11	0,437130368	
2017	12	8	102	2		26		10	0,37001287	
2017	12	8	102	2		27		10	0,353825741	
2017	12	8	102	2		28		10	0,415192988	
2017	12	8	102	2		29		10	0,392749245	
2017	12	8	102	2		30		10	0,443081118	
2017	12	8	102	2		31		18	0,91152815	
2017	12	13	102	1		1		19	3,018190244	
2017	12	13	102	1		2		18	1,82447135	
2017	12	13	102	1		3		19	1,258291732	
2017	12	13	102	1		4		19	1,787616905	
2017	12	13	102	1		5		19	1,708323779	
2017	12	13	102	1		6		19	1,777068975	
2017	12	13	102	1		7		18	1,799408551	
2017	12	13	102	1		8		19	1,923508719	
2017	12	13	102	1		9		19	1,549855987	
2017	12	13	102	1		10		18	1,485931078	
2017	12	13	102	1		11		19	1,550579917	
2017	12	13	102	1		12		19	1,770437262	
2017	12	13	102	1		13		19	1,691206907	
2017	12	13	102	1		14		19	2,156614001	
2017	12	13	102	1		15		19	1,666005553	
2017	12	13	102	1		16		18	1,884442519	
2017	12	13	102	1		17		18	1,564714218	
2017	12	13	102	1		18		19	1,609881747	
2017	12	13	102	1		19		19	1,66028849	
2017	12	13	102	1		20		19	1,754280203	
2017	12	13	102	1		21		19	1,664447403	
2017	12	13	102	1		22		19	1,785208274	

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	12	13	102	1	23	9	1,452282158
2017	12	13	102	1	24	18	1,887671871
2017	12	13	102	1	25	10	1,484742222
2017	12	13	102	1	26	19	2,084386054
2017	12	13	102	1	27	19	1,716789013
2017	12	13	102	1	28	19	1,647586165
2017	12	13	102	1	29	19	1,556717382
2017	12	13	102	1	30	10	1,341296756
2017	12	13	102	1	31	18	1,431918771
2017	12	13	102	2	1	9	0,272009554
2017	12	13	102	2	2	10	0,234483769
2017	12	13	102	2	3	11	0,320512821
2017	12	13	102	2	4	10	0,241845872
2017	12	13	102	2	5	9	0,26222139
2017	12	13	102	2	6	9	0,252867892
2017	12	13	102	2	7	9	0,224103586
2017	12	13	102	2	8	10	0,27958153
2017	12	13	102	2	9	10	0,420557417
2017	12	13	102	2	10	11	0,283363803
2017	12	13	102	2	11	10	0,283810464
2017	12	13	102	2	12	10	0,223287581
2017	12	13	102	2	13	10	0,28497581
2017	12	13	102	2	14	10	0,3180579
2017	12	13	102	2	15	10	0,180261379
2017	12	13	102	2	16	9	0,210655069
2017	12	13	102	2	17	11	0,246129416
2017	12	13	102	2	18	10	0,185459941
2017	12	13	102	2	19	11	0,293311229
2017	12	13	102	2	20	10	0,647962159
2017	12	13	102	2	21	10	0,132191867
2017	12	13	102	2	22	10	0,204651163
2017	12	13	102	2	23	9	0,239497702
2017	12	13	102	2	24	10	0,254363033
2017	12	13	102	2	25	19	0,440709234
2017	12	13	102	2	26	10	0,278570007
2017	12	13	102	2	27	10	0,196155355
2017	12	13	102	2	28	10	0,179569034
2017	12	13	102	2	29	10	0,200738199
2017	12	13	102	2	30	10	0,213975259
2017	12	13	102	2	31	11	0,290255701
2017	12	15	102	1	1	18	0
2017	12	15	102	1	2	10	0
2017	12	15	102	1	3	18	3,819444444
2017	12	15	102	1	4	9	0
2017	12	15	102	1	5	18	0,384615385
2017	12	15	102	1	6	19	0,393700787
2017	12	15	102	1	7	18	0,840336134
2017	12	15	102	1	8	18	0,245700246
2017	12	15	102	1	9	10	0,458715596
2017	12	15	102	1	10	10	0,561797753
2017	12	15	102	1	11	18	0
2017	12	15	102	1	12	18	0,485436893
2017	12	15	102	1	13	18	0
2017	12	15	102	1	14	9	0,561797753
2017	12	15	102	1	15	18	0,709219858
2017	12	15	102	1	16	9	0
2017	12	15	102	1	17	9	0,320512821
2017	12	15	102	1	18	10	0
2017	12	15	102	1	19	10	0
2017	12	15	102	1	20	9	0
2017	12	15	102	1	21	9	0,431034483
2017	12	15	102	1	22	9	0
2017	12	15	102	1	23	10	0,689655172
2017	12	15	102	1	24	18	0,660792952
2017	12	15	102	1	25	10	0,27027027
2017	12	15	102	1	26	10	0
2017	12	15	102	1	27	18	0,354609929
2017	12	15	102	1	28	10	0
2017	12	15	102	1	29	10	1,993355482
2017	12	15	102	1	30	10	0,649350649
2017	12	15	102	1	31	19	0,746268657
2017	12	15	102	2	1	10	0
2017	12	15	102	2	2	10	0

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	12	15	102	2		3		10	0
2017	12	15	102	2		4		9	0
2017	12	15	102	2		5		10	0
2017	12	15	102	2		6		9	0
2017	12	15	102	2		7		9	0
2017	12	15	102	2		8		10	0,320512821
2017	12	15	102	2		9		10	0
2017	12	15	102	2		10		11	0
2017	12	15	102	2		11		10	0
2017	12	15	102	2		12		10	0
2017	12	15	102	2		13		10	0,229885057
2017	12	15	102	2		14		10	0
2017	12	15	102	2		15		10	0
2017	12	15	102	2		16		10	0,289855072
2017	12	15	102	2		17		10	0
2017	12	15	102	2		18		10	0
2017	12	15	102	2		19		10	0
2017	12	15	102	2		20		10	0
2017	12	15	102	2		21		10	0
2017	12	15	102	2		22		10	0,272479564
2017	12	15	102	2		23		10	0
2017	12	15	102	2		24		18	0
2017	12	15	102	2		25		0	0
2017	12	15	102	2		26		10	0
2017	12	15	102	2		27		10	0
2017	12	15	102	2		28		10	0
2017	12	15	102	2		29		10	0
2017	12	15	102	2		30		10	2,385685885
2017	12	15	102	2		31		19	0,173010381
2017	12	17	102	1		1		19	1,393728223
2017	12	17	102	1		2		10	0,803858521
2017	12	17	102	1		3		19	1,458333333
2017	12	17	102	1		4		19	0,542495479
2017	12	17	102	1		5		19	1,855670103
2017	12	17	102	1		6		19	3,219315895
2017	12	17	102	1		7		19	3,689320388
2017	12	17	102	1		8		19	2,31092437
2017	12	17	102	1		9		10	0,614754098
2017	12	17	102	1		10		19	1,398601399
2017	12	17	102	1		11		19	1,672862454
2017	12	17	102	1		12		19	2,536997886
2017	12	17	102	1		13		19	1,247401247
2017	12	17	102	1		14		19	1,978417266
2017	12	17	102	1		15		19	2,00729927
2017	12	17	102	1		16		10	1,616161616
2017	12	17	102	1		17		19	0,911161731
2017	12	17	102	1		18		10	2,481389578
2017	12	17	102	1		19		19	0,776699029
2017	12	17	102	1		20		19	3,005008347
2017	12	17	102	1		21		19	1,414141414
2017	12	17	102	1		22		19	0,769230769
2017	12	17	102	1		23		10	1,801801802
2017	12	17	102	1		24		18	0,951086957
2017	12	17	102	1		25		19	1,618705036
2017	12	17	102	1		26		19	1,204819277
2017	12	17	102	1		27		19	1,831501832
2017	12	17	102	1		28		19	1,748251748
2017	12	17	102	1		29		19	1,084990958
2017	12	17	102	1		30		19	1,238390093
2017	12	17	102	1		31		19	2,32300885
2017	12	17	102	2		1		18	1,324503311
2017	12	17	102	2		2		10	0,699300699
2017	12	17	102	2		3		20	0,716845878
2017	12	17	102	2		4		19	0,954400848
2017	12	17	102	2		5		9	0,969162996
2017	12	17	102	2		6		10	1,265822785
2017	12	17	102	2		7		10	1,25
2017	12	17	102	2		8		10	1,184834123
2017	12	17	102	2		9		10	1,336183859
2017	12	17	102	2		10		11	0,880758808
2017	12	17	102	2		11		10	1,901743265
2017	12	17	102	2		12		10	0,735294118
2017	12	17	102	2		13		10	1,191421763

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	12		17	102	2	14		10	0,92236741
2017	12		17	102	2	15		10	1,030927835
2017	12		17	102	2	16		10	0,729483283
2017	12		17	102	2	17		11	0,935203741
2017	12		17	102	2	18		10	0,59970015
2017	12		17	102	2	19		10	0,715307582
2017	12		17	102	2	20		10	0,784593438
2017	12		17	102	2	21		10	0,607902736
2017	12		17	102	2	22		10	1,01488498
2017	12		17	102	2	23		10	1,305057096
2017	12		17	102	2	24		18	0,988764045
2017	12		17	102	2	25		11	0,776799586
2017	12		17	102	2	26		10	0,844119302
2017	12		17	102	2	27		10	0,884955752
2017	12		17	102	2	28		10	0,712589074
2017	12		17	102	2	29		10	1,321585903
2017	12		17	102	2	30		10	0,783289817
2017	12		17	102	2	31		19	1,222581805
2017	12		18	102	2	1		9	0,407812835
2017	12		18	102	2	2		9	0,401516841
2017	12		18	102	2	3		20	0,478011472
2017	12		18	102	2	4		19	0,405371168
2017	12		18	102	2	5		19	0,457500602
2017	12		18	102	2	6		19	0,29211295
2017	12		18	102	2	7		10	0,21938572
2017	12		18	102	2	8		19	0,405063291
2017	12		18	102	2	9		10	0,238720458
2017	12		18	102	2	10		19	0,211640212
2017	12		18	102	2	11		19	0,278763305
2017	12		18	102	2	12		19	0,456866434
2017	12		18	102	2	13		20	0,221914008
2017	12		18	102	2	14		19	0,320806599
2017	12		18	102	2	15		20	0,369843528
2017	12		18	102	2	16		10	0,324750638
2017	12		18	102	2	17		20	0,342785915
2017	12		18	102	2	18		9	0,26842866
2017	12		18	102	2	19		9	0,225965489
2017	12		18	102	2	20		10	0,301529184
2017	12		18	102	2	21		9	0,318538968
2017	12		18	102	2	22		9	0,386650387
2017	12		18	102	2	23		10	0,341685649
2017	12		18	102	2	24		19	0,285190466
2017	12		18	102	2	25		19	0,679501699
2017	12		18	102	2	26		10	0,277896537
2017	12		18	102	2	27		9	0,253646164
2017	12		18	102	2	28		10	0,480668757
2017	12		18	102	2	29		10	0,439182738
2017	12		18	102	2	30		19	0,371402043
2017	12		18	102	2	31		20	4,194717763
2017	12		19	102	1	1		19	0,991598953
2017	12		19	102	1	2		19	0,972370449
2017	12		19	102	1	3		19	0,893561104
2017	12		19	102	1	4		19	0,857406675
2017	12		19	102	1	5		19	0,899189463
2017	12		19	102	1	6		19	1,055569037
2017	12		19	102	1	7		19	1,098191214
2017	12		19	102	1	8		19	1,320841653
2017	12		19	102	1	9		18	0,859014281
2017	12		19	102	1	10		19	0,901545507
2017	12		19	102	1	11		19	1,222591362
2017	12		19	102	1	12		19	1,267159451
2017	12		19	102	1	13		19	1,025115325
2017	12		19	102	1	14		19	1,078521636
2017	12		19	102	1	15		19	1,07204611
2017	12		19	102	1	16		19	0,968411344
2017	12		19	102	1	17		19	0,900900901
2017	12		19	102	1	18		19	1,02117061
2017	12		19	102	1	19		19	1,066015926
2017	12		19	102	1	20		19	1,004464286
2017	12		19	102	1	21		19	1,19760479
2017	12		19	102	1	22		19	1,088188619
2017	12		19	102	1	23		10	0,69145954
2017	12		19	102	1	24		19	1,193666261

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	12	19	102	1		25	19		1,410437236
2017	12	19	102	1		26	19		1,13767097
2017	12	19	102	1		27	19		1,177191907
2017	12	19	102	1		28	19		0,987153482
2017	12	19	102	1		29	19		1,376389624
2017	12	19	102	1		30	19		1,065902579
2017	12	19	102	1		31	19		1,297236323
2017	12	19	102	2		1	19		0,572625101
2017	12	19	102	2		2	19		0,436357969
2017	12	19	102	2		3	19		0,395555556
2017	12	19	102	2		4	19		0,495867769
2017	12	19	102	2		5	19		0,467625899
2017	12	19	102	2		6	19		0,54851603
2017	12	19	102	2		7	9		0,331956069
2017	12	19	102	2		8	19		0,514126466
2017	12	19	102	2		9	19		0,508959367
2017	12	19	102	2		10	18		0,451467269
2017	12	19	102	2		11	19		0,555024794
2017	12	19	102	2		12	19		0,54164489
2017	12	19	102	2		13	19		0,559523268
2017	12	19	102	2		14	19		0,454080043
2017	12	19	102	2		15	19		0,404472995
2017	12	19	102	2		16	10		0,323217813
2017	12	19	102	2		17	19		0,447741539
2017	12	19	102	2		18	19		0,496372661
2017	12	19	102	2		19	19		0,493566014
2017	12	19	102	2		20	10		0,28308322
2017	12	19	102	2		21	10		0,30258276
2017	12	19	102	2		22	19		0,544710097
2017	12	19	102	2		23	10		0,327911431
2017	12	19	102	2		24	19		0,395390872
2017	12	19	102	2		25	19		0,474838023
2017	12	19	102	2		26	10		0,32149588
2017	12	19	102	2		27	10		0,298220958
2017	12	19	102	2		28	19		0,600549799
2017	12	19	102	2		29	10		0,290687369
2017	12	19	102	2		30	11		0,361747519
2017	12	19	102	2		31	19		0,694920536
2017	12	20	102	1		1	19		1,542625169
2017	12	20	102	1		2	18		1,138168343
2017	12	20	102	1		3	19		1,225710015
2017	12	20	102	1		4	19		2,005208333
2017	12	20	102	1		5	19		1,631935727
2017	12	20	102	1		6	19		1,462799496
2017	12	20	102	1		7	18		0,847880299
2017	12	20	102	1		8	18		1,279000595
2017	12	20	102	1		9	9		0,92879257
2017	12	20	102	1		10	18		1,300665457
2017	12	20	102	1		11	19		1,295479603
2017	12	20	102	1		12	19		1,692673896
2017	12	20	102	1		13	19		1,407349492
2017	12	20	102	1		14	19		1,654174205
2017	12	20	102	1		15	19		1,870103614
2017	12	20	102	1		16	10		1,169749728
2017	12	20	102	1		17	18		1,174863388
2017	12	20	102	1		18	19		1,168572849
2017	12	20	102	1		19	19		1,697792869
2017	12	20	102	1		20	19		1,70606873
2017	12	20	102	1		21	9		0,794021485
2017	12	20	102	1		22	19		1,355555556
2017	12	20	102	1		23	9		0,884754991
2017	12	20	102	1		24	18		1,324503311
2017	12	20	102	1		25	19		1,671214188
2017	12	20	102	1		26	19		1,703800786
2017	12	20	102	1		27	19		1,612509162
2017	12	20	102	1		28	19		1,604686704
2017	12	20	102	1		29	19		1,954707986
2017	12	20	102	1		30	10		1,156987296
2017	12	20	102	1		31	18		1,131034483
2017	12	20	102	2		1	9		0,372541002
2017	12	20	102	2		2	10		0,362544023
2017	12	20	102	2		3	20		0,725158424
2017	12	20	102	2		4	19		0,570770278

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	12	20	102	2	5	19	0,709461101
2017	12	20	102	2	6	19	0,824202001
2017	12	20	102	2	7	9	0,363541937
2017	12	20	102	2	8	19	0,608369343
2017	12	20	102	2	9	10	0,313527961
2017	12	20	102	2	10	20	0,967184801
2017	12	20	102	2	11	19	0,697069363
2017	12	20	102	2	12	20	0,680743048
2017	12	20	102	2	13	19	0,650201141
2017	12	20	102	2	14	19	0,642995603
2017	12	20	102	2	15	10	0,34334371
2017	12	20	102	2	16	10	0,409569952
2017	12	20	102	2	17	19	0,575157615
2017	12	20	102	2	18	10	0,361729065
2017	12	20	102	2	19	19	0,770096825
2017	12	20	102	2	20	10	0,330342395
2017	12	20	102	2	21	9	0,400587528
2017	12	20	102	2	22	9	0,394485684
2017	12	20	102	2	23	9	0,416203074
2017	12	20	102	2	24	18	0,375922402
2017	12	20	102	2	25	19	0,581431311
2017	12	20	102	2	26	10	0,42161574
2017	12	20	102	2	27	19	0,67186725
2017	12	20	102	2	28	10	0,400275458
2017	12	20	102	2	29	10	0,404533985
2017	12	20	102	2	30	10	0,525774826
2017	12	20	102	2	31	18	0,423380467
2017	12	23	102	1	1	19	1,306532663
2017	12	23	102	1	2	19	0,714285714
2017	12	23	102	1	3	19	1,100244499
2017	12	23	102	1	4	19	0,684931507
2017	12	23	102	1	5	19	1,06856634
2017	12	23	102	1	6	19	2,030869212
2017	12	23	102	1	7	19	1,091519731
2017	12	23	102	1	8	19	0,691443388
2017	12	23	102	1	9	19	0,466744457
2017	12	23	102	1	10	18	0,638977636
2017	12	23	102	1	11	19	1,03871577
2017	12	23	102	1	12	19	3,131313131
2017	12	23	102	1	13	19	4,618117229
2017	12	23	102	1	14	19	0,625651721
2017	12	23	102	1	15	19	1,158301158
2017	12	23	102	1	16	19	0,571428571
2017	12	23	102	1	17	19	1,577287066
2017	12	23	102	1	18	19	1,01010101
2017	12	23	102	1	19	19	0,935453695
2017	12	23	102	1	20	19	1,002734731
2017	12	23	102	1	21	19	1,270417423
2017	12	23	102	1	22	19	1,156069364
2017	12	23	102	1	23	19	1,808510638
2017	12	23	102	1	24	18	0,777453839
2017	12	23	102	1	25	19	0,434782609
2017	12	23	102	1	26	19	3,384279476
2017	12	23	102	1	27	19	1,001001001
2017	12	23	102	1	28	19	0,757575758
2017	12	23	102	1	29	19	0,376293509
2017	12	23	102	1	30	19	1,609848485
2017	12	23	102	1	31	18	0,465838509
2017	12	23	102	2	1	11	0,062169723
2017	12	23	102	2	2	10	0,173430454
2017	12	23	102	2	3	20	1,840168244
2017	12	23	102	2	4	10	0,122286762
2017	12	23	102	2	5	9	0,094996833
2017	12	23	102	2	6	10	0,052840159
2017	12	23	102	2	7	10	0,161725067
2017	12	23	102	2	8	10	0,072806698
2017	12	23	102	2	9	10	0,069783671
2017	12	23	102	2	10	18	0,183150183
2017	12	23	102	2	11	10	0,14120305
2017	12	23	102	2	12	9	0,120012001
2017	12	23	102	2	13	10	0,130847236
2017	12	23	102	2	14	10	0,175336061
2017	12	23	102	2	15	10	0,161768671

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	12	23	102	2	16	10	0,330360093
2017	12	23	102	2	17	11	0,464037123
2017	12	23	102	2	18	9	0,123839009
2017	12	23	102	2	19	9	0,152998776
2017	12	23	102	2	20	10	0,121359223
2017	12	23	102	2	21	10	0,183430144
2017	12	23	102	2	22	10	0,123228589
2017	12	23	102	2	23	10	0,291630213
2017	12	23	102	2	24	11	0,137741047
2017	12	23	102	2	25	10	0,36726128
2017	12	23	102	2	26	10	0,213479719
2017	12	23	102	2	27	10	0,102406554
2017	12	23	102	2	28	10	0,220385675
2017	12	23	102	2	29	11	0,101214575
2017	12	23	102	2	30	11	0,208062419
2017	12	23	102	2	31	18	0,272142504
2017	12	25	102	1	1	18	4,90797546
2017	12	25	102	1	2	10	3,622784528
2017	12	25	102	1	3	18	4,42317641
2017	12	25	102	1	4	9	4,267009586
2017	12	25	102	1	5	10	3,90990763
2017	12	25	102	1	6	10	4,312950477
2017	12	25	102	1	7	18	4,62478185
2017	12	25	102	1	8	10	4,733238905
2017	12	25	102	1	9	10	4,820415879
2017	12	25	102	1	10	18	4,723257052
2017	12	25	102	1	11	10	4,504504505
2017	12	25	102	1	12	10	4,10001185
2017	12	25	102	1	13	10	4,468242245
2017	12	25	102	1	14	10	4,926811853
2017	12	25	102	1	15	10	4,674437772
2017	12	25	102	1	16	10	4,767135325
2017	12	25	102	1	17	10	4,462036704
2017	12	25	102	1	18	10	4,124432017
2017	12	25	102	1	19	10	4,194018964
2017	12	25	102	1	20	10	4,315673289
2017	12	25	102	1	21	10	4,670864339
2017	12	25	102	1	22	10	4,358974359
2017	12	25	102	1	23	10	4,579686546
2017	12	25	102	1	24	18	5,689013035
2017	12	25	102	1	25	11	5,102551276
2017	12	25	102	1	26	10	5,075978015
2017	12	25	102	1	27	10	4,751664107
2017	12	25	102	1	28	10	5,988266235
2017	12	25	102	1	29	10	6,036818989
2017	12	25	102	1	30	10	5,258207934
2017	12	25	102	1	31	19	8,885417624
2017	12	25	102	2	1	11	0,506203474
2017	12	25	102	2	2	10	0,642099386
2017	12	25	102	2	3	19	0,76859731
2017	12	25	102	2	4	10	0,669506999
2017	12	25	102	2	5	10	0,494425594
2017	12	25	102	2	6	10	0,590813798
2017	12	25	102	2	7	10	0,72284747
2017	12	25	102	2	8	10	0,722781336
2017	12	25	102	2	9	10	1,097617936
2017	12	25	102	2	10	11	1,155846658
2017	12	25	102	2	11	10	0,799118214
2017	12	25	102	2	12	10	0,548081714
2017	12	25	102	2	13	10	0,596718051
2017	12	25	102	2	14	10	0,56931682
2017	12	25	102	2	15	10	0,648202711
2017	12	25	102	2	16	10	0,706983854
2017	12	25	102	2	17	10	0,776414988
2017	12	25	102	2	18	10	0,552900384
2017	12	25	102	2	19	10	0,726770929
2017	12	25	102	2	20	10	0,657711904
2017	12	25	102	2	21	10	0,813516896
2017	12	25	102	2	22	10	0,875626966
2017	12	25	102	2	23	10	0,814271967
2017	12	25	102	2	24	19	1,400418682
2017	12	25	102	2	25	0	1,754926108
2017	12	25	102	2	26	10	0,548751392



ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	12	25	102	2	27	10	0,868816531
2017	12	25	102	2	28	10	1,19176598
2017	12	25	102	2	29	10	2,068873465
2017	12	25	102	2	30	11	2,052717518
2017	12	25	102	2	31	19	4,768724044
2017	12	27	102	2	1	19	0,579374276
2017	12	27	102	2	2	10	1,02489019
2017	12	27	102	2	3	20	1,173020528
2017	12	27	102	2	4	20	1,023017903
2017	12	27	102	2	5	20	0,974930362
2017	12	27	102	2	6	20	1,25
2017	12	27	102	2	7	20	0,135501355
2017	12	27	102	2	8	10	0,307692308
2017	12	27	102	2	9	20	0,543478261
2017	12	27	102	2	10	20	1,257861635
2017	12	27	102	2	11	19	0,945945946
2017	12	27	102	2	12	20	2,068126521
2017	12	27	102	2	13	20	0,477897252
2017	12	27	102	2	14	20	1,234567901
2017	12	27	102	2	15	19	0,356506239
2017	12	27	102	2	16	10	0,377928949
2017	12	27	102	2	17	20	0,334075724
2017	12	27	102	2	18	10	0,85531005
2017	12	27	102	2	19	19	0,594227504
2017	12	27	102	2	20	9	0,134498991
2017	12	27	102	2	21	11	1,059190031
2017	12	27	102	2	22	20	0,602409639
2017	12	27	102	2	23	11	0,659195781
2017	12	27	102	2	24	10	0,467653936
2017	12	27	102	2	25	11	0,591715976
2017	12	27	102	2	26	10	0,984102952
2017	12	27	102	2	27	19	1,022494888
2017	12	27	102	2	28	20	0,60362173
2017	12	27	102	2	29	10	0,635324015
2017	12	27	102	2	30	10	0,143472023
2017	12	27	102	2	31	19	1,008403361
2017	12	41	102	1	1	19	1,120448179
2017	12	41	102	1	2	19	1,201201201
2017	12	41	102	1	3	19	0,771208226
2017	12	41	102	1	4	19	1,550387597
2017	12	41	102	1	5	19	0,71942446
2017	12	41	102	1	6	19	1,065246338
2017	12	41	102	1	7	9	0,246305419
2017	12	41	102	1	8	19	0,457142857
2017	12	41	102	1	9	10	0,482509047
2017	12	41	102	1	10	19	0,268456376
2017	12	41	102	1	11	19	0,754716981
2017	12	41	102	1	12	19	1,820546164
2017	12	41	102	1	13	19	1,283697047
2017	12	41	102	1	14	19	1,219512195
2017	12	41	102	1	15	19	0,938967136
2017	12	41	102	1	16	10	0,884955752
2017	12	41	102	1	17	10	0,393184797
2017	12	41	102	1	18	19	0,73313783
2017	12	41	102	1	19	19	1,240694789
2017	12	41	102	1	20	19	0,771208226
2017	12	41	102	1	21	19	1,704545455
2017	12	41	102	1	22	9	0,852272727
2017	12	41	102	1	23	10	0,655021834
2017	12	41	102	1	24	19	0,991501416
2017	12	41	102	1	25	10	1,827956989
2017	12	41	102	1	26	19	0,61633282
2017	12	41	102	1	27	19	1,449275362
2017	12	41	102	1	28	19	0,949796472
2017	12	41	102	1	29	19	0,928381963
2017	12	41	102	1	30	10	0,929614874
2017	12	41	102	1	31	19	0,881488737
2017	12	41	102	2	1	19	0,741839763
2017	12	41	102	2	2	10	0,414403315
2017	12	41	102	2	3	20	0,986814827
2017	12	41	102	2	4	19	0,94460046
2017	12	41	102	2	5	9	0,493906695
2017	12	41	102	2	6	9	0,38463565

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	12	41	102	2	7	9	0,448
2017	12	41	102	2	8	19	1,24870696
2017	12	41	102	2	9	10	0,577467858
2017	12	41	102	2	10	20	0,909003923
2017	12	41	102	2	11	10	0,575279421
2017	12	41	102	2	12	10	0,505077934
2017	12	41	102	2	13	10	0,525521619
2017	12	41	102	2	14	10	0,61230329
2017	12	41	102	2	15	9	0,563762593
2017	12	41	102	2	16	10	0,520234379
2017	12	41	102	2	17	10	0,456349206
2017	12	41	102	2	18	10	0,431173871
2017	12	41	102	2	19	9	0,454468945
2017	12	41	102	2	20	9	0,494142468
2017	12	41	102	2	21	10	0,420307488
2017	12	41	102	2	22	9	0,490325302
2017	12	41	102	2	23	10	0,503434894
2017	12	41	102	2	24	19	0,805014441
2017	12	41	102	2	25	19	1,284764208
2017	12	41	102	2	26	10	0,600749559
2017	12	41	102	2	27	10	0,553734885
2017	12	41	102	2	28	10	0,571398056
2017	12	41	102	2	29	10	0,69370896
2017	12	41	102	2	30	10	0,701116593
2017	12	41	102	2	31	19	1,505286734
2017	12	44	102	1	1	19	1,371742112
2017	12	44	102	1	2	19	1,104972376
2017	12	44	102	1	3	19	0,9375
2017	12	44	102	1	4	19	1,368523949
2017	12	44	102	1	5	19	1,03626943
2017	12	44	102	1	6	18	1,110363392
2017	12	44	102	1	7	18	0,815109344
2017	12	44	102	1	8	19	1,336302895
2017	12	44	102	1	9	18	1,474563775
2017	12	44	102	1	10	19	0,776397516
2017	12	44	102	1	11	19	1,411240406
2017	12	44	102	1	12	19	1,28983308
2017	12	44	102	1	13	19	1,436854046
2017	12	44	102	1	14	19	1,325363825
2017	12	44	102	1	15	19	1,402621292
2017	12	44	102	1	16	18	1,021659174
2017	12	44	102	1	17	18	0,935269505
2017	12	44	102	1	18	19	1,242544732
2017	12	44	102	1	19	19	1,317005545
2017	12	44	102	1	20	19	1,158564289
2017	12	44	102	1	21	19	1,587301587
2017	12	44	102	1	22	18	2,17015556
2017	12	44	102	1	23	19	1,329787234
2017	12	44	102	1	24	18	0,85106383
2017	12	44	102	1	25	19	1,399688958
2017	12	44	102	1	26	19	0,978624775
2017	12	44	102	1	27	19	1,147704591
2017	12	44	102	1	28	19	0,910746812
2017	12	44	102	1	29	19	0,83938294
2017	12	44	102	1	30	19	1,009615385
2017	12	44	102	1	31	10	1,11049417
2017	12	44	102	2	1	9	0,285543529
2017	12	44	102	2	2	9	0,364664732
2017	12	44	102	2	3	20	0,571182239
2017	12	44	102	2	4	10	0,178275818
2017	12	44	102	2	5	10	0,182321137
2017	12	44	102	2	6	10	0,199331276
2017	12	44	102	2	7	9	0,219338329
2017	12	44	102	2	8	10	0,341442595
2017	12	44	102	2	9	10	0,298641183
2017	12	44	102	2	10	19	0,449775112
2017	12	44	102	2	11	10	0,350343733
2017	12	44	102	2	12	10	0,272851296
2017	12	44	102	2	13	10	0,288890284
2017	12	44	102	2	14	9	0,287663902
2017	12	44	102	2	15	10	0,241755517
2017	12	44	102	2	16	10	0,306812635
2017	12	44	102	2	17	19	0,346740638

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	12	44	102	2		18	9		0,281800904
2017	12	44	102	2		19	9		0,302989496
2017	12	44	102	2		20	9		0,24120603
2017	12	44	102	2		21	10		0,334777471
2017	12	44	102	2		22	10		0,307525326
2017	12	44	102	2		23	9		0,325545768
2017	12	44	102	2		24	11		0,306321359
2017	12	44	102	2		25	19		0,388533932
2017	12	44	102	2		26	10		0,28300645
2017	12	44	102	2		27	10		0,284424658
2017	12	44	102	2		28	10		0,329874648
2017	12	44	102	2		29	10		0,221187427
2017	12	44	102	2		30	10		0,329045767
2017	12	44	102	2		31	10		0,504057045
2017	12	47	102	1		1	19		0,865667027
2017	12	47	102	1		2	9		0,59255079
2017	12	47	102	1		3	19		0,808625337
2017	12	47	102	1		4	19		0,870125685
2017	12	47	102	1		5	19		1,320754717
2017	12	47	102	1		6	19		0,680374962
2017	12	47	102	1		7	10		0,687369584
2017	12	47	102	1		8	10		0,500384911
2017	12	47	102	1		9	19		0,438196093
2017	12	47	102	1		10	18		0,779588944
2017	12	47	102	1		11	19		0,810635538
2017	12	47	102	1		12	19		0,959311942
2017	12	47	102	1		13	19		0,82437276
2017	12	47	102	1		14	19		0,700734917
2017	12	47	102	1		15	19		1,129943503
2017	12	47	102	1		16	10		0,487804878
2017	12	47	102	1		17	18		0,503655565
2017	12	47	102	1		18	19		1,007598282
2017	12	47	102	1		19	19		1,018758085
2017	12	47	102	1		20	19		1,01785155
2017	12	47	102	1		21	19		0,836431227
2017	12	47	102	1		22	19		0,737463127
2017	12	47	102	1		23	9		0,876110563
2017	12	47	102	1		24	18		0,907911803
2017	12	47	102	1		25	18		1,181102362
2017	12	47	102	1		26	19		0,662927078
2017	12	47	102	1		27	19		0,728539753
2017	12	47	102	1		28	19		0,72451836
2017	12	47	102	1		29	19		0,808867585
2017	12	47	102	1		30	10		0,951279085
2017	12	47	102	1		31	18		0,578635015
2017	12	47	102	2		1	9		0,127534753
2017	12	47	102	2		2	10		0,174393257
2017	12	47	102	2		3	20		0,195074372
2017	12	47	102	2		4	10		0,144300144
2017	12	47	102	2		5	10		0,236043904
2017	12	47	102	2		6	10		0,285583733
2017	12	47	102	2		7	10		0,163934426
2017	12	47	102	2		8	10		0,253968254
2017	12	47	102	2		9	10		0,183795374
2017	12	47	102	2		10	19		0,415749572
2017	12	47	102	2		11	10		0,172018349
2017	12	47	102	2		12	10		0,190521553
2017	12	47	102	2		13	10		0,297287254
2017	12	47	102	2		14	9		0,213326641
2017	12	47	102	2		15	10		0,229591837
2017	12	47	102	2		16	10		0,128773787
2017	12	47	102	2		17	11		0,158919348
2017	12	47	102	2		18	10		0,231958763
2017	12	47	102	2		19	10		0,196319018
2017	12	47	102	2		20	10		0,25249489
2017	12	47	102	2		21	10		0,178997613
2017	12	47	102	2		22	10		0,238853503
2017	12	47	102	2		23	10		0,135218193
2017	12	47	102	2		24	11		0,216149452
2017	12	47	102	2		25	11		0,158761659
2017	12	47	102	2		26	10		0,342105263
2017	12	47	102	2		27	10		0,158324199
2017	12	47	102	2		28	10		0,263788969

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	12		47	102	2	29		10	0,317280453
2017	12		47	102	2	30		10	0,245700246
2017	12		47	102	2	31		18	0,387972842
2017	12		50	102	1	1		19	1,978375891
2017	12		50	102	1	2		19	1,771549445
2017	12		50	102	1	3		19	1,83563965
2017	12		50	102	1	4		19	1,41101502
2017	12		50	102	1	5		19	1,463739188
2017	12		50	102	1	6		19	1,816509542
2017	12		50	102	1	7		19	1,800659396
2017	12		50	102	1	8		19	2,133333333
2017	12		50	102	1	9		19	1,17581187
2017	12		50	102	1	10		19	1,207186974
2017	12		50	102	1	11		19	2,467443454
2017	12		50	102	1	12		19	1,812977099
2017	12		50	102	1	13		19	1,678356713
2017	12		50	102	1	14		19	2,103596471
2017	12		50	102	1	15		19	2,127192982
2017	12		50	102	1	16		19	1,522474625
2017	12		50	102	1	17		19	2,095808383
2017	12		50	102	1	18		19	2,304766167
2017	12		50	102	1	19		19	1,543209877
2017	12		50	102	1	20		19	1,886792453
2017	12		50	102	1	21		19	2,591884427
2017	12		50	102	1	22		19	2,134496213
2017	12		50	102	1	23		9	1,146000458
2017	12		50	102	1	24		18	1,461002472
2017	12		50	102	1	25		19	2,353806547
2017	12		50	102	1	26		19	1,79073932
2017	12		50	102	1	27		19	1,898734177
2017	12		50	102	1	28		19	2,045977011
2017	12		50	102	1	29		19	1,755585955
2017	12		50	102	1	30		19	1,976386037
2017	12		50	102	1	31		19	1,452583524
2017	12		50	102	2	1		19	1,087902524
2017	12		50	102	2	2		19	0,758589915
2017	12		50	102	2	3		20	0,684116597
2017	12		50	102	2	4		19	1,316088042
2017	12		50	102	2	5		19	1,376975169
2017	12		50	102	2	6		19	1,002004008
2017	12		50	102	2	7		9	1,007966184
2017	12		50	102	2	8		19	1,017249005
2017	12		50	102	2	9		10	0,880344951
2017	12		50	102	2	10		19	1,374207188
2017	12		50	102	2	11		19	1,155219492
2017	12		50	102	2	12		19	1,188843164
2017	12		50	102	2	13		19	0,624164066
2017	12		50	102	2	14		19	0,883138221
2017	12		50	102	2	15		19	1,083188908
2017	12		50	102	2	16		10	0,702529105
2017	12		50	102	2	17		20	0,746733043
2017	12		50	102	2	18		10	0,869129199
2017	12		50	102	2	19		9	0,530261474
2017	12		50	102	2	20		10	0,663459944
2017	12		50	102	2	21		10	0,793513886
2017	12		50	102	2	22		10	0,793907971
2017	12		50	102	2	23		10	1,077666295
2017	12		50	102	2	24		19	1,093189964
2017	12		50	102	2	25		19	1,325869181
2017	12		50	102	2	26		10	0,822541127
2017	12		50	102	2	27		19	1,219512195
2017	12		50	102	2	28		10	0,917431193
2017	12		50	102	2	29		19	0,996990218
2017	12		50	102	2	30		19	1,47702407
2017	12		50	102	2	31		19	1,850270424
2017	12		52	102	1	1		19	1,330219334
2017	12		52	102	1	2		19	1,269205077
2017	12		52	102	1	3		19	1,516643687
2017	12		52	102	1	4		19	1,378211138
2017	12		52	102	1	5		19	1,250119286
2017	12		52	102	1	6		19	1,240215513
2017	12		52	102	1	7		19	1,442564559
2017	12		52	102	1	8		19	1,238327243

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	12	52	102	1	9	19	1,383519837
2017	12	52	102	1	10	19	1,362787119
2017	12	52	102	1	11	19	1,303084279
2017	12	52	102	1	12	19	1,139359699
2017	12	52	102	1	13	19	1,470037453
2017	12	52	102	1	14	19	1,156387665
2017	12	52	102	1	15	19	1,80928644
2017	12	52	102	1	16	19	1,188992233
2017	12	52	102	1	17	19	1,025537905
2017	12	52	102	1	18	19	1,148482363
2017	12	52	102	1	19	19	1,358746933
2017	12	52	102	1	20	19	1,310786472
2017	12	52	102	1	21	19	1,332963066
2017	12	52	102	1	22	19	1,485869671
2017	12	52	102	1	23	19	1,612903226
2017	12	52	102	1	24	19	1,418567068
2017	12	52	102	1	25	19	1,779595446
2017	12	52	102	1	26	19	1,699826154
2017	12	52	102	1	27	19	1,062215478
2017	12	52	102	1	28	19	1,694741167
2017	12	52	102	1	29	19	1,491994178
2017	12	52	102	1	30	19	1,651797544
2017	12	52	102	1	31	19	1,35304239
2017	12	52	102	2	1	20	0,481154771
2017	12	52	102	2	2	19	0,381602731
2017	12	52	102	2	3	20	0,318809777
2017	12	52	102	2	4	20	0,352970838
2017	12	52	102	2	5	20	0,380316672
2017	12	52	102	2	6	20	0,293476438
2017	12	52	102	2	7	18	0,247246572
2017	12	52	102	2	8	19	0,28856982
2017	12	52	102	2	9	19	0,291723202
2017	12	52	102	2	10	20	0,400273357
2017	12	52	102	2	11	20	0,369418567
2017	12	52	102	2	12	20	0,343588943
2017	12	52	102	2	13	20	0,299590035
2017	12	52	102	2	14	20	0,300783436
2017	12	52	102	2	15	19	3,936552044
2017	12	52	102	2	16	19	0,253837786
2017	12	52	102	2	17	19	0,381789368
2017	12	52	102	2	18	10	0,208205756
2017	12	52	102	2	19	19	0,314087142
2017	12	52	102	2	20	19	0,239730465
2017	12	52	102	2	21	19	0,295764898
2017	12	52	102	2	22	10	0,286858304
2017	12	52	102	2	23	10	0,253854251
2017	12	52	102	2	24	19	0,343391128
2017	12	52	102	2	25	20	0,371237188
2017	12	52	102	2	26	20	0,442380004
2017	12	52	102	2	27	20	0,533573557
2017	12	52	102	2	28	20	0,33996742
2017	12	52	102	2	29	20	0,336145113
2017	12	52	102	2	30	20	0,429291358
2017	12	52	102	2	31	19	0,349743226
2017	12	54	102	2	1	11	0,27626622
2017	12	54	102	2	2	10	0,264760392
2017	12	54	102	2	3	20	0,496735737
2017	12	54	102	2	4	10	0,127129418
2017	12	54	102	2	5	10	0,272502768
2017	12	54	102	2	6	10	0,348128808
2017	12	54	102	2	7	10	0,233463035
2017	12	54	102	2	8	11	0,354869012
2017	12	54	102	2	9	10	0,381194409
2017	12	54	102	2	10	20	0,472533963
2017	12	54	102	2	11	10	0,290972004
2017	12	54	102	2	12	10	0,353982301
2017	12	54	102	2	13	10	0,321543408
2017	12	54	102	2	14	10	0,334280461
2017	12	54	102	2	15	10	0,423462986
2017	12	54	102	2	16	10	0,419125823
2017	12	54	102	2	17	11	0,416464891
2017	12	54	102	2	18	10	0,352604128
2017	12	54	102	2	19	10	0,254845934

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	12	54	102	2	20	10	0,257483103
2017	12	54	102	2	21	10	0,343082597
2017	12	54	102	2	22	10	0,291108708
2017	12	54	102	2	23	10	0,298591024
2017	12	54	102	2	24	11	0,215011728
2017	12	54	102	2	25	11	0,32792261
2017	12	54	102	2	26	11	0,462917364
2017	12	54	102	2	27	10	0,423011844
2017	12	54	102	2	28	10	0,341596721
2017	12	54	102	2	29	10	0,17010017
2017	12	54	102	2	30	11	0,210336538
2017	12	54	102	2	31	11	0,448191228
2017	12	63	102	1	1	18	1,728907331
2017	12	63	102	1	2	10	1,445086705
2017	12	63	102	1	3	10	1,240105541
2017	12	63	102	1	4	19	1,661865721
2017	12	63	102	1	5	19	1,942257218
2017	12	63	102	1	6	19	1,46998775
2017	12	63	102	1	7	10	2,04643841
2017	12	63	102	1	8	19	2,100727175
2017	12	63	102	1	9	10	1,128451381
2017	12	63	102	1	10	10	1,109530583
2017	12	63	102	1	11	10	1,512922883
2017	12	63	102	1	12	10	1,327885598
2017	12	63	102	1	13	19	1,776519053
2017	12	63	102	1	14	10	1,809175102
2017	12	63	102	1	15	18	1,689408707
2017	12	63	102	1	16	10	1,163066698
2017	12	63	102	1	17	10	1,544774318
2017	12	63	102	1	18	10	1,155148377
2017	12	63	102	1	19	10	1,274426508
2017	12	63	102	1	20	10	1,283185841
2017	12	63	102	1	21	10	1,564086939
2017	12	63	102	1	22	10	2,183235867
2017	12	63	102	1	23	10	1,067961165
2017	12	63	102	1	24	19	1,284004353
2017	12	63	102	1	25	11	1,325700512
2017	12	63	102	1	26	10	1,455167986
2017	12	63	102	1	27	10	2,855993564
2017	12	63	102	1	28	10	1,883996613
2017	12	63	102	1	29	10	2,379378718
2017	12	63	102	1	30	10	1,42021721
2017	12	63	102	1	31	19	1,829268293
2017	12	63	102	2	1	11	0,521632403
2017	12	63	102	2	2	10	0,443830753
2017	12	63	102	2	3	19	0,586682312
2017	12	63	102	2	4	10	0,654779893
2017	12	63	102	2	5	10	0,590900138
2017	12	63	102	2	6	10	2,486861862
2017	12	63	102	2	7	10	0,530578051
2017	12	63	102	2	8	10	0,522344748
2017	12	63	102	2	9	10	0,543478261
2017	12	63	102	2	10	10	0,53490238
2017	12	63	102	2	11	10	0,476932062
2017	12	63	102	2	12	10	0,551257253
2017	12	63	102	2	13	10	0,587498796
2017	12	63	102	2	14	10	0,634833011
2017	12	63	102	2	15	10	0,591534931
2017	12	63	102	2	16	10	0,593500681
2017	12	63	102	2	17	10	0,496585971
2017	12	63	102	2	18	10	0,433028245
2017	12	63	102	2	19	10	0,63021316
2017	12	63	102	2	20	10	0,575953924
2017	12	63	102	2	21	10	0,479594607
2017	12	63	102	2	22	10	0,747230095
2017	12	63	102	2	23	10	0,519255733
2017	12	63	102	2	24	19	0,544984297
2017	12	63	102	2	25	11	0,651855794
2017	12	63	102	2	26	10	0,491261219
2017	12	63	102	2	27	10	1,521121598
2017	12	63	102	2	28	10	0,558461129
2017	12	63	102	2	29	10	0,50862069
2017	12	63	102	2	30	11	0,45071363

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIIDAS
2017	12	63	102	2		31		19	0,564538612
2017	12	66	102	1		1		19	2,665317139
2017	12	66	102	1		2		10	0,911854103
2017	12	66	102	1		3		19	0,878003697
2017	12	66	102	1		4		19	2,06871075
2017	12	66	102	1		5		18	1,641791045
2017	12	66	102	1		6		19	2,849348287
2017	12	66	102	1		7		18	2,11786372
2017	12	66	102	1		8		19	4,511278195
2017	12	66	102	1		9		10	0,812518808
2017	12	66	102	1		10		19	4,214914312
2017	12	66	102	1		11		19	4,283489097
2017	12	66	102	1		12		19	1,491664229
2017	12	66	102	1		13		19	1,826313828
2017	12	66	102	1		14		19	2,055045872
2017	12	66	102	1		15		19	3,197470134
2017	12	66	102	1		16		10	2,450408401
2017	12	66	102	1		17		10	1,660190745
2017	12	66	102	1		18		10	3,78214826
2017	12	66	102	1		19		10	3,375658098
2017	12	66	102	1		20		10	4,799002805
2017	12	66	102	1		21		10	4,468931742
2017	12	66	102	1		22		10	2,141527002
2017	12	66	102	1		23		10	0,932944606
2017	12	66	102	1		24		18	1,324698263
2017	12	66	102	1		25		11	1,035375324
2017	12	66	102	1		26		10	1,599488164
2017	12	66	102	1		27		19	1,872372946
2017	12	66	102	1		28		10	1,076040172
2017	12	66	102	1		29		19	1,381112355
2017	12	66	102	1		30		10	1,355247982
2017	12	66	102	1		31		19	1,649257834
2017	12	66	102	2		1		11	0,293302917
2017	12	66	102	2		2		10	0,325573824
2017	12	66	102	2		3		20	0,281531532
2017	12	66	102	2		4		10	0,410807395
2017	12	66	102	2		5		9	0,34471438
2017	12	66	102	2		6		10	0,184347243
2017	12	66	102	2		7		10	0,274390244
2017	12	66	102	2		8		11	0,228310502
2017	12	66	102	2		9		10	0,395324854
2017	12	66	102	2		10		19	0,632077956
2017	12	66	102	2		11		10	0,293812651
2017	12	66	102	2		12		10	2,657413676
2017	12	66	102	2		13		10	0,41817145
2017	12	66	102	2		14		10	0,348779273
2017	12	66	102	2		15		10	0,35443038
2017	12	66	102	2		16		10	0,508613618
2017	12	66	102	2		17		10	0,201929549
2017	12	66	102	2		18		10	0,303951368
2017	12	66	102	2		19		10	0,287402203
2017	12	66	102	2		20		10	0,415269126
2017	12	66	102	2		21		10	0,343642612
2017	12	66	102	2		22		10	0,347277032
2017	12	66	102	2		23		10	0,520381613
2017	12	66	102	2		24		19	0,414276609
2017	12	66	102	2		25		19	0,348058902
2017	12	66	102	2		26		10	0,333500083
2017	12	66	102	2		27		11	0,272281721
2017	12	66	102	2		28		10	0,434858236
2017	12	66	102	2		29		10	0,478311067
2017	12	66	102	2		30		11	0,572337043
2017	12	66	102	2		31		19	0,352410488
2017	12	68	102	1		1		19	1,292937661
2017	12	68	102	1		2		9	1,073567635
2017	12	68	102	1		3		19	1,357061875
2017	12	68	102	1		4		19	1,441044077
2017	12	68	102	1		5		19	1,328426533
2017	12	68	102	1		6		19	1,383101852
2017	12	68	102	1		7		9	1,030224983
2017	12	68	102	1		8		10	1,237456135
2017	12	68	102	1		9		10	1,158988731
2017	12	68	102	1		10		19	1,792206838

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	12	68	102	1	11	19	1,457110013
2017	12	68	102	1	12	19	1,437195477
2017	12	68	102	1	13	19	1,340235653
2017	12	68	102	1	14	19	1,52989374
2017	12	68	102	1	15	19	1,474046458
2017	12	68	102	1	16	9	1,275419438
2017	12	68	102	1	17	9	1,23172495
2017	12	68	102	1	18	9	1,152799656
2017	12	68	102	1	19	9	1,132918872
2017	12	68	102	1	20	9	1,230021736
2017	12	68	102	1	21	9	1,191717563
2017	12	68	102	1	22	9	1,299231508
2017	12	68	102	1	23	9	1,086611481
2017	12	68	102	1	24	18	1,379837067
2017	12	68	102	1	25	10	1,193566877
2017	12	68	102	1	26	10	1,162490978
2017	12	68	102	1	27	9	1,220871596
2017	12	68	102	1	28	9	1,025059816
2017	12	68	102	1	29	10	1,146490438
2017	12	68	102	1	30	10	1,128514447
2017	12	68	102	1	31	18	1,16892911
2017	12	68	102	2	1	9	0,78326916
2017	12	68	102	2	2	10	0,83214878
2017	12	68	102	2	3	11	0,74351636
2017	12	68	102	2	4	10	0,753681058
2017	12	68	102	2	5	9	0,851964682
2017	12	68	102	2	6	9	0,694496118
2017	12	68	102	2	7	9	0,742721331
2017	12	68	102	2	8	10	0,738104653
2017	12	68	102	2	9	10	0,770229593
2017	12	68	102	2	10	19	1,187684394
2017	12	68	102	2	11	10	0,772270579
2017	12	68	102	2	12	10	1,134605467
2017	12	68	102	2	13	10	0,814461661
2017	12	68	102	2	14	10	0,849569855
2017	12	68	102	2	15	10	1,08330832
2017	12	68	102	2	16	10	1,031384834
2017	12	68	102	2	17	11	0,85586403
2017	12	68	102	2	18	10	1,060602198
2017	12	68	102	2	19	10	0,894781351
2017	12	68	102	2	20	10	0,883790899
2017	12	68	102	2	21	10	0,917841363
2017	12	68	102	2	22	10	0,929242329
2017	12	68	102	2	23	10	0,846828869
2017	12	68	102	2	24	18	1,023680632
2017	12	68	102	2	25	11	1,29651771
2017	12	68	102	2	26	10	1,036636932
2017	12	68	102	2	27	10	1,005589654
2017	12	68	102	2	28	10	0,998855478
2017	12	68	102	2	29	10	0,969500052
2017	12	68	102	2	30	10	0,907619225
2017	12	68	102	2	31	18	1,221708112
2017	12	70	102	2	1	9	2,181818182
2017	12	70	102	2	2	10	0,373134328
2017	12	70	102	2	3	11	3,088803089
2017	12	70	102	2	4	10	0,753768844
2017	12	70	102	2	5	9	0,334448161
2017	12	70	102	2	6	10	0,625
2017	12	70	102	2	7	10	0,746268657
2017	12	70	102	2	8	19	0,81300813
2017	12	70	102	2	9	10	0,819672131
2017	12	70	102	2	10	10	0,766283525
2017	12	70	102	2	11	10	0,884955752
2017	12	70	102	2	12	10	0,862068966
2017	12	70	102	2	13	9	1,179941003
2017	12	70	102	2	14	11	0
2017	12	70	102	2	15	10	0,974025974
2017	12	70	102	2	16	9	0,346020761
2017	12	70	102	2	17	20	3,381642512
2017	12	70	102	2	18	10	0,292397661
2017	12	70	102	2	19	10	0,466200466
2017	12	70	102	2	20	10	0,70754717
2017	12	70	102	2	21	9	0,717703349



ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	12	70	102	2		22	10		0,896860987
2017	12	70	102	2		23	10		1,116071429
2017	12	70	102	2		24	10		0,531914894
2017	12	70	102	2		25	19		0,236966825
2017	12	70	102	2		26	11		1,246882793
2017	12	70	102	2		27	10		0,45045045
2017	12	70	102	2		28	10		0,378787879
2017	12	70	102	2		29	10		0,687285223
2017	12	70	102	2		30	10		1,717557252
2017	12	70	102	2		31	18		0,200400802
2017	12	73	102	1		1	19		1,366459627
2017	12	73	102	1		2	10		1,158989599
2017	12	73	102	1		3	19		1,421636616
2017	12	73	102	1		4	19		1,860594279
2017	12	73	102	1		5	19		1,688152241
2017	12	73	102	1		6	19		1,739634677
2017	12	73	102	1		7	9		1,382352941
2017	12	73	102	1		8	9		1,212507977
2017	12	73	102	1		9	10		1,27824019
2017	12	73	102	1		10	19		1,448225923
2017	12	73	102	1		11	19		1,958041958
2017	12	73	102	1		12	19		1,670814077
2017	12	73	102	1		13	19		1,305220884
2017	12	73	102	1		14	19		1,589361012
2017	12	73	102	1		15	19		1,483050847
2017	12	73	102	1		16	9		1,209563994
2017	12	73	102	1		17	9		1,333333333
2017	12	73	102	1		18	19		1,263362488
2017	12	73	102	1		19	19		1,396103896
2017	12	73	102	1		20	9		1,128737035
2017	12	73	102	1		21	9		1,534126487
2017	12	73	102	1		22	10		1,322599195
2017	12	73	102	1		23	10		1,40556369
2017	12	73	102	1		24	19		1,159511125
2017	12	73	102	1		25	10		1,309757695
2017	12	73	102	1		26	19		1,842870999
2017	12	73	102	1		27	19		1,50063857
2017	12	73	102	1		28	19		1,359039191
2017	12	73	102	1		29	19		2,415715423
2017	12	73	102	1		30	10		1,2570549
2017	12	73	102	1		31	19		3,398755385
2017	12	73	102	2		1	9		1,185428744
2017	12	73	102	2		2	10		0,900972101
2017	12	73	102	2		3	20		3,709559718
2017	12	73	102	2		4	10		1,275959169
2017	12	73	102	2		5	9		1,17791411
2017	12	73	102	2		6	10		1,176470588
2017	12	73	102	2		7	9		1,306655778
2017	12	73	102	2		8	19		1,689708141
2017	12	73	102	2		9	10		1,113769491
2017	12	73	102	2		10	10		0,800304878
2017	12	73	102	2		11	9		0,865615358
2017	12	73	102	2		12	10		1,245177131
2017	12	73	102	2		13	10		0,891021247
2017	12	73	102	2		14	10		1,118928541
2017	12	73	102	2		15	10		0,967715025
2017	12	73	102	2		16	10		0,942452043
2017	12	73	102	2		17	10		0,998763436
2017	12	73	102	2		18	10		0,726885914
2017	12	73	102	2		19	10		0,791534744
2017	12	73	102	2		20	9		0,832799488
2017	12	73	102	2		21	10		1,166344916
2017	12	73	102	2		22	10		1,378654623
2017	12	73	102	2		23	10		1,085760399
2017	12	73	102	2		24	19		1,022886158
2017	12	73	102	2		25	0		0,73268206
2017	12	73	102	2		26	10		1,236654121
2017	12	73	102	2		27	10		1,572306697
2017	12	73	102	2		28	10		1,248964946
2017	12	73	102	2		29	10		1,369193154
2017	12	73	102	2		30	11		1,257094038
2017	12	73	102	2		31	19		1,697824088
2017	12	76	102	1		1	19		1,444996892

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO_DPTO	PORCENTAJE_LLAMADAS	CAIDAS
2017	12	76	102	1		2		10	1,214235869	
2017	12	76	102	1		3		10	0,986889497	
2017	12	76	102	1		4		10	1,179614181	
2017	12	76	102	1		5		10	1,478577814	
2017	12	76	102	1		6		10	1,267529666	
2017	12	76	102	1		7		10	1,316610076	
2017	12	76	102	1		8		10	1,085329341	
2017	12	76	102	1		9		10	1,124200606	
2017	12	76	102	1		10		11	1,058078468	
2017	12	76	102	1		11		10	1,07512869	
2017	12	76	102	1		12		10	1,113353281	
2017	12	76	102	1		13		10	1,023035702	
2017	12	76	102	1		14		10	1,064270905	
2017	12	76	102	1		15		10	1,141783495	
2017	12	76	102	1		16		10	1,311973484	
2017	12	76	102	1		17		10	0,799760819	
2017	12	76	102	1		18		10	1,218946671	
2017	12	76	102	1		19		10	1,17457876	
2017	12	76	102	1		20		10	1,225555853	
2017	12	76	102	1		21		10	0,984478298	
2017	12	76	102	1		22		10	1,046495294	
2017	12	76	102	1		23		10	1,164535258	
2017	12	76	102	1		24		19	1,159665156	
2017	12	76	102	1		25		11	1,22354202	
2017	12	76	102	1		26		10	1,307957393	
2017	12	76	102	1		27		10	1,121966112	
2017	12	76	102	1		28		10	1,12327395	
2017	12	76	102	1		29		10	1,238528688	
2017	12	76	102	1		30		10	1,303875407	
2017	12	76	102	1		31		19	2,000600781	
2017	12	76	102	2		1		10	0,261902535	
2017	12	76	102	2		2		10	0,310826614	
2017	12	76	102	2		3		20	0,29410529	
2017	12	76	102	2		4		10	0,189107413	
2017	12	76	102	2		5		10	0,245061415	
2017	12	76	102	2		6		10	0,238712119	
2017	12	76	102	2		7		10	0,303646624	
2017	12	76	102	2		8		11	0,323173221	
2017	12	76	102	2		9		10	0,375851539	
2017	12	76	102	2		10		11	0,367222033	
2017	12	76	102	2		11		10	0,384266263	
2017	12	76	102	2		12		10	0,329177348	
2017	12	76	102	2		13		10	0,343406593	
2017	12	76	102	2		14		10	0,313279573	
2017	12	76	102	2		15		10	0,386078302	
2017	12	76	102	2		16		10	0,372561911	
2017	12	76	102	2		17		11	0,284169035	
2017	12	76	102	2		18		10	0,353833193	
2017	12	76	102	2		19		10	0,272206304	
2017	12	76	102	2		20		10	0,324785359	
2017	12	76	102	2		21		10	0,429075512	
2017	12	76	102	2		22		10	0,302673167	
2017	12	76	102	2		23		10	0,366899828	
2017	12	76	102	2		24		11	0,3117545	
2017	12	76	102	2		25		11	0,386557548	
2017	12	76	102	2		26		10	0,380614795	
2017	12	76	102	2		27		10	0,331914894	
2017	12	76	102	2		28		10	0,342515039	
2017	12	76	102	2		29		10	0,352380684	
2017	12	76	102	2		30		11	0,391347468	
2017	12	76	102	2		31		19	0,508002158	
2017	12	81	102	2		1		11	0,722021661	
2017	12	81	102	2		2		19	1,004805592	
2017	12	81	102	2		3		19	1,208594449	
2017	12	81	102	2		4		9	0,705965408	
2017	12	81	102	2		5		18	0,621118012	
2017	12	81	102	2		6		18	0,755833059	
2017	12	81	102	2		7		9	1,063164478	
2017	12	81	102	2		8		19	1,749271137	
2017	12	81	102	2		9		19	1,42364107	
2017	12	81	102	2		10		20	0,963855422	
2017	12	81	102	2		11		9	0,603041426	
2017	12	81	102	2		12		19	1,52426795	

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	12	81	102	2	13	19	1,215917465
2017	12	81	102	2	14	19	0,868878357
2017	12	81	102	2	15	10	0,943099654
2017	12	81	102	2	16	9	0,691323885
2017	12	81	102	2	17	19	1,085069444
2017	12	81	102	2	18	10	4,416961131
2017	12	81	102	2	19	11	0,252684776
2017	12	81	102	2	20	9	0,735510444
2017	12	81	102	2	21	9	0,69124424
2017	12	81	102	2	22	10	0,752968433
2017	12	81	102	2	23	10	0,742857143
2017	12	81	102	2	24	18	0,632711167
2017	12	81	102	2	25	19	0,842105263
2017	12	81	102	2	26	10	2,80981958
2017	12	81	102	2	27	10	0,648584906
2017	12	81	102	2	28	11	1,009483022
2017	12	81	102	2	29	9	0,571895425
2017	12	81	102	2	30	10	0,657108722
2017	12	81	102	2	31	18	0,70941337
2017	12	85	102	1	1	18	1,085271318
2017	12	85	102	1	2	18	1,705514497
2017	12	85	102	1	3	18	0,974770642
2017	12	85	102	1	4	18	1,304121022
2017	12	85	102	1	5	18	2,024691358
2017	12	85	102	1	6	18	1,476695893
2017	12	85	102	1	7	18	1,634408602
2017	12	85	102	1	8	18	1,789709172
2017	12	85	102	1	9	18	1,90816935
2017	12	85	102	1	10	18	0,91443501
2017	12	85	102	1	11	18	1,57480315
2017	12	85	102	1	12	18	1,753554502
2017	12	85	102	1	13	18	2,364475202
2017	12	85	102	1	14	18	2,010050251
2017	12	85	102	1	15	19	0,792682927
2017	12	85	102	1	16	18	1,812191104
2017	12	85	102	1	17	18	1,667696109
2017	12	85	102	1	18	18	2,182011708
2017	12	85	102	1	19	18	2,135231317
2017	12	85	102	1	20	18	1,651287033
2017	12	85	102	1	21	9	2,633889377
2017	12	85	102	1	22	9	1,596244131
2017	12	85	102	1	23	18	1,477832512
2017	12	85	102	1	24	18	1,847229156
2017	12	85	102	1	25	18	2,160493827
2017	12	85	102	1	26	18	1,885714286
2017	12	85	102	1	27	18	1,208791209
2017	12	85	102	1	28	18	1,448467967
2017	12	85	102	1	29	18	1,824457594
2017	12	85	102	1	30	18	1,708984375
2017	12	85	102	1	31	19	1,395812562
2017	12	85	102	2	1	18	0,728078506
2017	12	85	102	2	2	19	0,713330361
2017	12	85	102	2	3	19	2,631578947
2017	12	85	102	2	4	10	0,667090216
2017	12	85	102	2	5	18	0,605867347
2017	12	85	102	2	6	19	0,855698172
2017	12	85	102	2	7	18	0,483383686
2017	12	85	102	2	8	18	0,442967885
2017	12	85	102	2	9	9	0,735578784
2017	12	85	102	2	10	18	0,503355705
2017	12	85	102	2	11	10	0,392927308
2017	12	85	102	2	12	18	0,43697479
2017	12	85	102	2	13	18	0,509878904
2017	12	85	102	2	14	18	1,035404142
2017	12	85	102	2	15	18	0,515995872
2017	12	85	102	2	16	18	0,340651022
2017	12	85	102	2	17	18	0,865979381
2017	12	85	102	2	18	10	0,75882547
2017	12	85	102	2	19	18	0,43017869
2017	12	85	102	2	20	18	0,5625
2017	12	85	102	2	21	9	1,128977078
2017	12	85	102	2	22	10	0,897606383
2017	12	85	102	2	23	10	0,715563506

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	12	85	102	2	24	18	0,837209302
2017	12	85	102	2	25	0	0,303183426
2017	12	85	102	2	26	10	0,481099656
2017	12	85	102	2	27	18	0,549639299
2017	12	85	102	2	28	9	0,511073254
2017	12	85	102	2	29	10	0,576368876
2017	12	85	102	2	30	9	0,87804878
2017	12	85	102	2	31	19	0,70989115
2017	12	86	102	2	1	9	0,173010381
2017	12	86	102	2	2	10	0
2017	12	86	102	2	3	20	0,280504909
2017	12	86	102	2	4	20	0,161550889
2017	12	86	102	2	5	20	0,243902439
2017	12	86	102	2	6	10	0,069252078
2017	12	86	102	2	7	10	0
2017	12	86	102	2	8	10	0,290979631
2017	12	86	102	2	9	10	0,175901495
2017	12	86	102	2	10	20	0,147492625
2017	12	86	102	2	11	10	0,136147039
2017	12	86	102	2	12	20	0,348837209
2017	12	86	102	2	13	9	0,131233596
2017	12	86	102	2	14	20	0,097465887
2017	12	86	102	2	15	10	0,210970464
2017	12	86	102	2	16	10	0,244698206
2017	12	86	102	2	17	20	0
2017	12	86	102	2	18	10	0
2017	12	86	102	2	19	10	0,068073519
2017	12	86	102	2	20	10	0,149365198
2017	12	86	102	2	21	10	0,303951368
2017	12	86	102	2	22	9	0
2017	12	86	102	2	23	9	0,087950748
2017	12	86	102	2	24	19	0,173761946
2017	12	86	102	2	25	20	0,131233596
2017	12	86	102	2	26	10	0,066755674
2017	12	86	102	2	27	9	0
2017	12	86	102	2	28	10	0,346981263
2017	12	86	102	2	29	10	0,063411541
2017	12	86	102	2	30	10	0,14084507
2017	12	86	102	2	31	19	0,125707102
2017	12	88	102	1	1	19	0,997624703
2017	12	88	102	1	2	20	0,507872016
2017	12	88	102	1	3	19	0,62642369
2017	12	88	102	1	4	20	1,08751942
2017	12	88	102	1	5	19	1,136950904
2017	12	88	102	1	6	20	0,629260619
2017	12	88	102	1	7	19	1,499318492
2017	12	88	102	1	8	11	1,104417671
2017	12	88	102	1	9	19	1,520353114
2017	12	88	102	1	10	18	1,458941226
2017	12	88	102	1	11	20	2,103559871
2017	12	88	102	1	12	18	2,3954527
2017	12	88	102	1	13	20	1,801278327
2017	12	88	102	1	14	20	2,224576271
2017	12	88	102	1	15	10	1,841620626
2017	12	88	102	1	16	20	1,325411335
2017	12	88	102	1	17	19	1,117615753
2017	12	88	102	1	18	19	1,354679803
2017	12	88	102	1	19	20	0,981996727
2017	12	88	102	1	20	19	1,099404489
2017	12	88	102	1	21	20	1,287073307
2017	12	88	102	1	22	20	0,497265042
2017	12	88	102	1	23	18	0,785433774
2017	12	88	102	1	24	20	1,798561151
2017	12	88	102	1	25	11	0,798801797
2017	12	88	102	1	26	20	1,119622864
2017	12	88	102	1	27	20	0,846023689
2017	12	88	102	1	28	20	0,859106529
2017	12	88	102	1	29	19	2,032721864
2017	12	88	102	1	30	20	1,018675722
2017	12	88	102	1	31	19	2,712031558
2017	12	88	102	2	1	11	0,35846309
2017	12	88	102	2	2	10	0,379397563
2017	12	88	102	2	3	19	0,387328814

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2017	12	88	102	2	4	10	0,266913048
2017	12	88	102	2	5	20	0,528940608
2017	12	88	102	2	6	19	0,466079751
2017	12	88	102	2	7	19	0,536480687
2017	12	88	102	2	8	10	0,699677072
2017	12	88	102	2	9	20	0,693311582
2017	12	88	102	2	10	18	1,324226373
2017	12	88	102	2	11	20	0,78866892
2017	12	88	102	2	12	20	0,801011804
2017	12	88	102	2	13	11	0,510254146
2017	12	88	102	2	14	10	0,339820822
2017	12	88	102	2	15	10	0,351900261
2017	12	88	102	2	16	10	0,217166494
2017	12	88	102	2	17	18	0,400329683
2017	12	88	102	2	18	20	0,678790984
2017	12	88	102	2	19	9	0,310045473
2017	12	88	102	2	20	10	1,284501062
2017	12	88	102	2	21	9	0,344997536
2017	12	88	102	2	22	11	0,561901253
2017	12	88	102	2	23	10	0,673589672
2017	12	88	102	2	24	19	0,565039673
2017	12	88	102	2	25	11	0,672700587
2017	12	88	102	2	26	11	0,525146435
2017	12	88	102	2	27	10	0,294957184
2017	12	88	102	2	28	11	0,445780634
2017	12	88	102	2	29	10	0,512874189
2017	12	88	102	2	30	11	0,396867961
2017	12	88	102	2	31	19	0,463473847