

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO_DPTO	PORCENTAJE_LLAMADAS	CAIDAS
2018	4		5	102	1	1		19		1,751437417
2018	4		5	102	1	2		19		1,443212717
2018	4		5	102	1	3		19		1,276876789
2018	4		5	102	1	4		19		1,690100838
2018	4		5	102	1	5		19		1,540898618
2018	4		5	102	1	6		19		1,574264203
2018	4		5	102	1	7		19		1,38021917
2018	4		5	102	1	8		19		2,330474187
2018	4		5	102	1	9		19		1,83091007
2018	4		5	102	1	10		19		1,360395751
2018	4		5	102	1	11		19		1,354401806
2018	4		5	102	1	12		19		1,634439985
2018	4		5	102	1	13		19		1,473759885
2018	4		5	102	1	14		19		1,292480803
2018	4		5	102	1	15		19		1,339858793
2018	4		5	102	1	16		19		1,495120094
2018	4		5	102	1	17		19		1,418797263
2018	4		5	102	1	18		19		1,468478929
2018	4		5	102	1	19		19		1,21108499
2018	4		5	102	1	20		19		1,33931561
2018	4		5	102	1	21		19		1,098244303
2018	4		5	102	1	22		19		1,509201509
2018	4		5	102	1	23		19		1,109482939
2018	4		5	102	1	24		19		1,478494624
2018	4		5	102	1	25		19		1,495053133
2018	4		5	102	1	26		19		1,672056156
2018	4		5	102	1	27		19		1,428864429
2018	4		5	102	1	28		19		1,448837911
2018	4		5	102	1	29		19		1,388007614
2018	4		5	102	1	30		19		1,223220923
2018	4		5	102	2	1		19		0,456130936
2018	4		5	102	2	2		10		0,343377715
2018	4		5	102	2	3		10		0,409506399
2018	4		5	102	2	4		10		0,393934889
2018	4		5	102	2	5		10		0,38377987
2018	4		5	102	2	6		10		0,494489969
2018	4		5	102	2	7		10		0,439093484
2018	4		5	102	2	8		19		0,42462845
2018	4		5	102	2	9		10		0,380415639
2018	4		5	102	2	10		10		0,325262017
2018	4		5	102	2	11		10		0,401211204
2018	4		5	102	2	12		10		0,479233227
2018	4		5	102	2	13		10		0,408103775
2018	4		5	102	2	14		10		0,492083868
2018	4		5	102	2	15		19		0,361925443
2018	4		5	102	2	16		10		0,457564576
2018	4		5	102	2	17		10		0,411039342
2018	4		5	102	2	18		10		0,320536713
2018	4		5	102	2	19		10		0,425208808
2018	4		5	102	2	20		10		0,460223537
2018	4		5	102	2	21		10		0,381270903
2018	4		5	102	2	22		19		0,630505331
2018	4		5	102	2	23		10		0,385473727
2018	4		5	102	2	24		10		0,586282404
2018	4		5	102	2	25		10		0,508221226
2018	4		5	102	2	26		10		0,40831758
2018	4		5	102	2	27		10		0,424796602
2018	4		5	102	2	28		11		0,456866434
2018	4		5	102	2	29		19		0,558199122
2018	4		5	102	2	30		10		0,483818241
2018	4		8	102	1	1		19		0,821355236
2018	4		8	102	1	2		19		0,879120879
2018	4		8	102	1	3		10		0,642673522
2018	4		8	102	1	4		10		1,02739726
2018	4		8	102	1	5		19		1,224489796
2018	4		8	102	1	6		19		1,358234295
2018	4		8	102	1	7		10		0,801603206
2018	4		8	102	1	8		19		0,265251989
2018	4		8	102	1	9		10		1,208459215
2018	4		8	102	1	10		19		0,655021834
2018	4		8	102	1	11		10		0,466200466
2018	4		8	102	1	12		19		2,083333333
2018	4		8	102	1	13		9		0,865800866
2018	4		8	102	1	14		10		0,868055556
2018	4		8	102	1	15		19		0,186915888
2018	4		8	102	1	16		19		1,467505241
2018	4		8	102	1	17		19		0,60851927
2018	4		8	102	1	18		19		0,932835821
2018	4		8	102	1	19		10		1,379310345

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2018	4	8	102	1		20	19		1,528384279
2018	4	8	102	1		21	10		1,788908766
2018	4	8	102	1		22	19		0,475059382
2018	4	8	102	1		23	19		1,528384279
2018	4	8	102	1		24	19		0,673400673
2018	4	8	102	1		25	19		1,102941176
2018	4	8	102	1		26	19		1,287553648
2018	4	8	102	1		27	19		2,086956522
2018	4	8	102	1		28	10		0,910746812
2018	4	8	102	1		29	19		3,004291845
2018	4	8	102	1		30	10		0,814332248
2018	4	8	102	2		1	19		0,363768643
2018	4	8	102	2		2	10		0,318606627
2018	4	8	102	2		3	10		0,286280555
2018	4	8	102	2		4	10		0,273511466
2018	4	8	102	2		5	10		0,323834197
2018	4	8	102	2		6	10		0,254506893
2018	4	8	102	2		7	10		0,880952381
2018	4	8	102	2		8	11		0,425290615
2018	4	8	102	2		9	10		0,341228422
2018	4	8	102	2		10	10		0,264142637
2018	4	8	102	2		11	10		0,239755885
2018	4	8	102	2		12	10		0,338337915
2018	4	8	102	2		13	10		0,356917909
2018	4	8	102	2		14	10		0,316241247
2018	4	8	102	2		15	20		0,40866367
2018	4	8	102	2		16	10		0,704517199
2018	4	8	102	2		17	10		0,250678922
2018	4	8	102	2		18	10		0,200356189
2018	4	8	102	2		19	10		0,280172414
2018	4	8	102	2		20	10		0,345945946
2018	4	8	102	2		21	10		0,555185432
2018	4	8	102	2		22	19		0,450788881
2018	4	8	102	2		23	10		0,295119183
2018	4	8	102	2		24	10		0,220701832
2018	4	8	102	2		25	10		0,382022472
2018	4	8	102	2		26	10		0,193756728
2018	4	8	102	2		27	10		0,181570586
2018	4	8	102	2		28	10		0,28395646
2018	4	8	102	2		29	11		0,401606426
2018	4	8	102	2		30	10		0,278253425
2018	4	13	102	1		1	19		1,343414568
2018	4	13	102	1		2	19		1,685640606
2018	4	13	102	1		3	19		1,648546443
2018	4	13	102	1		4	19		1,624143991
2018	4	13	102	1		5	19		1,60976795
2018	4	13	102	1		6	19		1,864344413
2018	4	13	102	1		7	19		1,516204435
2018	4	13	102	1		8	19		1,628106255
2018	4	13	102	1		9	19		1,984223301
2018	4	13	102	1		10	19		2,082238571
2018	4	13	102	1		11	19		1,542464226
2018	4	13	102	1		12	19		1,668087179
2018	4	13	102	1		13	19		2,085867186
2018	4	13	102	1		14	19		1,522939273
2018	4	13	102	1		15	19		1,700536269
2018	4	13	102	1		16	19		1,634604036
2018	4	13	102	1		17	19		1,76031179
2018	4	13	102	1		18	19		2,065599143
2018	4	13	102	1		19	19		2,034624308
2018	4	13	102	1		20	19		1,652996845
2018	4	13	102	1		21	19		1,65696939
2018	4	13	102	1		22	19		1,543601737
2018	4	13	102	1		23	19		1,915755864
2018	4	13	102	1		24	19		1,535447997
2018	4	13	102	1		25	19		1,613105699
2018	4	13	102	1		26	19		1,708175773
2018	4	13	102	1		27	19		1,742932439
2018	4	13	102	1		28	18		1,462703963
2018	4	13	102	1		29	19		1,701361089
2018	4	13	102	1		30	19		1,415716857
2018	4	13	102	2		1	19		0,291185035
2018	4	13	102	2		2	10		0,257469613
2018	4	13	102	2		3	10		0,189840272
2018	4	13	102	2		4	9		0,331843424
2018	4	13	102	2		5	9		0,159567088
2018	4	13	102	2		6	10		0,180892403
2018	4	13	102	2		7	10		0,212297531
2018	4	13	102	2		8	11		0,252086231

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2018	4	13	102	2		9		10	0,255168804
2018	4	13	102	2		10		9	0,203859744
2018	4	13	102	2		11		9	0,238232746
2018	4	13	102	2		12		19	0,323349217
2018	4	13	102	2		13		10	0,209303896
2018	4	13	102	2		14		10	0,238773781
2018	4	13	102	2		15		19	0,31767424
2018	4	13	102	2		16		9	0,186207782
2018	4	13	102	2		17		10	0,214871728
2018	4	13	102	2		18		10	0,245114727
2018	4	13	102	2		19		9	0,267831971
2018	4	13	102	2		20		10	0,488758553
2018	4	13	102	2		21		10	0,250713838
2018	4	13	102	2		22		19	0,305314378
2018	4	13	102	2		23		9	0,236119974
2018	4	13	102	2		24		10	0,196092163
2018	4	13	102	2		25		10	0,169659268
2018	4	13	102	2		26		10	0,26807709
2018	4	13	102	2		27		10	0,270039795
2018	4	13	102	2		28		10	0,288002248
2018	4	13	102	2		29		19	0,243072436
2018	4	13	102	2		30		10	0,148243635
2018	4	15	102	1		1		18	0,485436893
2018	4	15	102	1		2		10	0
2018	4	15	102	1		3		18	0,505050505
2018	4	15	102	1		4		19	0,684931507
2018	4	15	102	1		5		18	0
2018	4	15	102	1		6		19	0
2018	4	15	102	1		7		18	0,490196078
2018	4	15	102	1		8		19	0,613496933
2018	4	15	102	1		9		18	0,434782609
2018	4	15	102	1		10		19	0
2018	4	15	102	1		11		19	0,395256917
2018	4	15	102	1		12		19	0,462962963
2018	4	15	102	1		13		19	0,574712644
2018	4	15	102	1		14		10	0
2018	4	15	102	1		15		19	0,970873786
2018	4	15	102	1		16		19	1,639344262
2018	4	15	102	1		17		19	0,431034483
2018	4	15	102	1		18		19	1,764705882
2018	4	15	102	1		19		18	0
2018	4	15	102	1		20		18	2,631578947
2018	4	15	102	1		21		10	0,309597523
2018	4	15	102	1		22		10	0
2018	4	15	102	1		23		19	1,239669421
2018	4	15	102	1		24		19	0
2018	4	15	102	1		25		19	0,904977376
2018	4	15	102	1		26		19	0
2018	4	15	102	1		27		19	0
2018	4	15	102	1		28		18	1,449275362
2018	4	15	102	1		29		19	0,505050505
2018	4	15	102	1		30		9	0,529100529
2018	4	15	102	2		1		19	0
2018	4	15	102	2		2		10	0
2018	4	15	102	2		3		10	0
2018	4	15	102	2		4		9	0
2018	4	15	102	2		5		10	0,245700246
2018	4	15	102	2		6		10	0,154320988
2018	4	15	102	2		7		10	0
2018	4	15	102	2		8		19	0,505050505
2018	4	15	102	2		9		10	0
2018	4	15	102	2		10		10	0
2018	4	15	102	2		11		10	0
2018	4	15	102	2		12		10	0
2018	4	15	102	2		13		10	0
2018	4	15	102	2		14		10	0
2018	4	15	102	2		15		10	0
2018	4	15	102	2		16		10	0
2018	4	15	102	2		17		9	1,578947368
2018	4	15	102	2		18		9	0
2018	4	15	102	2		19		10	0,182149362
2018	4	15	102	2		20		10	0
2018	4	15	102	2		21		10	0
2018	4	15	102	2		22		19	0
2018	4	15	102	2		23		9	0,242718447
2018	4	15	102	2		24		9	3,296703297
2018	4	15	102	2		25		10	0
2018	4	15	102	2		26		10	0,274725275
2018	4	15	102	2		27		10	0

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2018	4	15	102	2		28	10		0
2018	4	15	102	2		29	10		0
2018	4	15	102	2		30	10		0
2018	4	17	102	1		1	19		0,664451827
2018	4	17	102	1		2	19		1,044386423
2018	4	17	102	1		3	19		1,366120219
2018	4	17	102	1		4	19		4,381443299
2018	4	17	102	1		5	19		2,564102564
2018	4	17	102	1		6	19		2,604166667
2018	4	17	102	1		7	19		1,271186441
2018	4	17	102	1		8	19		1,204819277
2018	4	17	102	1		9	19		1,282051282
2018	4	17	102	1		10	19		2,29226361
2018	4	17	102	1		11	19		1,944444444
2018	4	17	102	1		12	19		0,952380952
2018	4	17	102	1		13	19		2,573529412
2018	4	17	102	1		14	11		1,212121212
2018	4	17	102	1		15	19		1,079136691
2018	4	17	102	1		16	19		1,519756839
2018	4	17	102	1		17	19		1,365187713
2018	4	17	102	1		18	19		0,961538462
2018	4	17	102	1		19	19		1,038062284
2018	4	17	102	1		20	19		2,025316456
2018	4	17	102	1		21	10		2,033898305
2018	4	17	102	1		22	19		0,775193798
2018	4	17	102	1		23	10		1,366120219
2018	4	17	102	1		24	19		4,637681159
2018	4	17	102	1		25	19		2,950819672
2018	4	17	102	1		26	19		2,717391304
2018	4	17	102	1		27	19		0,775193798
2018	4	17	102	1		28	19		1,44092219
2018	4	17	102	1		29	19		1,690140845
2018	4	17	102	1		30	19		2,777777778
2018	4	17	102	2		1	19		1,122194514
2018	4	17	102	2		2	10		0,586756077
2018	4	17	102	2		3	19		0,616522811
2018	4	17	102	2		4	10		0,713648528
2018	4	17	102	2		5	10		0,708502024
2018	4	17	102	2		6	10		1,105527638
2018	4	17	102	2		7	11		0,271985494
2018	4	17	102	2		8	20		0,511073254
2018	4	17	102	2		9	10		0,212314225
2018	4	17	102	2		10	18		1,222826087
2018	4	17	102	2		11	18		1,086956522
2018	4	17	102	2		12	19		0,831024931
2018	4	17	102	2		13	10		1,271186441
2018	4	17	102	2		14	10		0,519480519
2018	4	17	102	2		15	19		0,56980057
2018	4	17	102	2		16	10		0,597014925
2018	4	17	102	2		17	10		0,588812561
2018	4	17	102	2		18	19		1,780821918
2018	4	17	102	2		19	10		1,084337349
2018	4	17	102	2		20	19		1,253132832
2018	4	17	102	2		21	10		0,749765698
2018	4	17	102	2		22	20		0,387596899
2018	4	17	102	2		23	10		1,925545571
2018	4	17	102	2		24	19		1,468428781
2018	4	17	102	2		25	9		1,042752868
2018	4	17	102	2		26	10		1,355932203
2018	4	17	102	2		27	10		1,219512195
2018	4	17	102	2		28	10		0,683371298
2018	4	17	102	2		29	11		0,68359375
2018	4	17	102	2		30	10		1,371204701
2018	4	18	102	2		1	19		0,667440511
2018	4	18	102	2		2	19		0,332650972
2018	4	18	102	2		3	19		0,386329866
2018	4	18	102	2		4	10		0,268489138
2018	4	18	102	2		5	20		0,351741119
2018	4	18	102	2		6	19		0,403551251
2018	4	18	102	2		7	18		0,263088661
2018	4	18	102	2		8	19		11,0196495
2018	4	18	102	2		9	10		0,123793018
2018	4	18	102	2		10	10		2,257444765
2018	4	18	102	2		11	20		0,147004778
2018	4	18	102	2		12	19		0,258249641
2018	4	18	102	2		13	19		0,441826215
2018	4	18	102	2		14	11		1,673284175
2018	4	18	102	2		15	20		0,575631596
2018	4	18	102	2		16	19		0,50804403

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2018	4	18	102	2		17	19		0,469208211
2018	4	18	102	2		18	20		0,642005503
2018	4	18	102	2		19	19		0,233986546
2018	4	18	102	2		20	19		0,433150448
2018	4	18	102	2		21	10		0,23973629
2018	4	18	102	2		22	11		0,406758448
2018	4	18	102	2		23	19		4,895104895
2018	4	18	102	2		24	19		0,33887862
2018	4	18	102	2		25	19		0,43513734
2018	4	18	102	2		26	19		0,486827033
2018	4	18	102	2		27	20		0,51510989
2018	4	18	102	2		28	9		0,200300451
2018	4	18	102	2		29	19		0,450305564
2018	4	18	102	2		30	10		0,192910538
2018	4	19	102	1		1	19		1,892232835
2018	4	19	102	1		2	19		1,324392288
2018	4	19	102	1		3	19		1,446712747
2018	4	19	102	1		4	19		1,695813461
2018	4	19	102	1		5	19		1,257029441
2018	4	19	102	1		6	19		1,652502361
2018	4	19	102	1		7	19		1,402503393
2018	4	19	102	1		8	19		1,588352085
2018	4	19	102	1		9	19		1,836366617
2018	4	19	102	1		10	19		2,059696282
2018	4	19	102	1		11	19		1,800998573
2018	4	19	102	1		12	19		1,742449386
2018	4	19	102	1		13	19		1,306649024
2018	4	19	102	1		14	19		1,302043906
2018	4	19	102	1		15	19		1,216545012
2018	4	19	102	1		16	19		1,70444243
2018	4	19	102	1		17	19		1,443980515
2018	4	19	102	1		18	19		1,295465869
2018	4	19	102	1		19	19		1,616276859
2018	4	19	102	1		20	19		1,1875
2018	4	19	102	1		21	19		1,537935748
2018	4	19	102	1		22	19		1,979264844
2018	4	19	102	1		23	19		1,622392583
2018	4	19	102	1		24	19		1,512738854
2018	4	19	102	1		25	19		1,627906977
2018	4	19	102	1		26	19		1,432814957
2018	4	19	102	1		27	19		1,309271054
2018	4	19	102	1		28	19		1,437371663
2018	4	19	102	1		29	19		1,591032363
2018	4	19	102	1		30	19		1,656412683
2018	4	19	102	2		1	19		0,571358106
2018	4	19	102	2		2	19		0,528532142
2018	4	19	102	2		3	19		0,764663548
2018	4	19	102	2		4	19		0,701577403
2018	4	19	102	2		5	19		0,509559505
2018	4	19	102	2		6	19		0,628069893
2018	4	19	102	2		7	19		0,407971128
2018	4	19	102	2		8	19		0,565472423
2018	4	19	102	2		9	19		0,618258947
2018	4	19	102	2		10	19		0,67053688
2018	4	19	102	2		11	19		0,566545036
2018	4	19	102	2		12	19		0,535066773
2018	4	19	102	2		13	19		0,592396863
2018	4	19	102	2		14	19		0,402570542
2018	4	19	102	2		15	19		0,594691504
2018	4	19	102	2		16	19		0,534482759
2018	4	19	102	2		17	19		0,565233506
2018	4	19	102	2		18	19		0,538104821
2018	4	19	102	2		19	19		0,576074332
2018	4	19	102	2		20	19		0,574712644
2018	4	19	102	2		21	19		0,393360082
2018	4	19	102	2		22	19		0,453967678
2018	4	19	102	2		23	19		0,453283996
2018	4	19	102	2		24	20		0,628648406
2018	4	19	102	2		25	19		0,510471204
2018	4	19	102	2		26	19		0,53794259
2018	4	19	102	2		27	19		0,558077548
2018	4	19	102	2		28	19		0,436956265
2018	4	19	102	2		29	19		0,687562236
2018	4	19	102	2		30	19		0,506277845
2018	4	20	102	1		1	19		1,398884947
2018	4	20	102	1		2	19		1,502414595
2018	4	20	102	1		3	19		1,549154246
2018	4	20	102	1		4	19		1,500890359
2018	4	20	102	1		5	19		1,713238662

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2018	4	20	102	1	6	19	1,705227078
2018	4	20	102	1	7	19	1,375947052
2018	4	20	102	1	8	19	1,234807973
2018	4	20	102	1	9	19	1,342688843
2018	4	20	102	1	10	19	1,842646555
2018	4	20	102	1	11	19	1,477495943
2018	4	20	102	1	12	19	1,744752458
2018	4	20	102	1	13	19	1,292596945
2018	4	20	102	1	14	19	1,056275519
2018	4	20	102	1	15	19	1,504999485
2018	4	20	102	1	16	19	1,800102863
2018	4	20	102	1	17	9	1,21442408
2018	4	20	102	1	18	19	2,376079025
2018	4	20	102	1	19	19	1,455319904
2018	4	20	102	1	20	19	1,348617667
2018	4	20	102	1	21	19	1,219302765
2018	4	20	102	1	22	18	1,061216469
2018	4	20	102	1	23	19	1,477531037
2018	4	20	102	1	24	19	1,347028119
2018	4	20	102	1	25	19	1,571589824
2018	4	20	102	1	26	10	1,075434014
2018	4	20	102	1	27	19	1,168184161
2018	4	20	102	1	28	9	1,065088757
2018	4	20	102	1	29	19	1,560905938
2018	4	20	102	1	30	19	1,448895872
2018	4	20	102	2	1	19	0,41766865
2018	4	20	102	2	2	19	0,587312977
2018	4	20	102	2	3	19	0,471623125
2018	4	20	102	2	4	20	0,58979652
2018	4	20	102	2	5	19	0,469509809
2018	4	20	102	2	6	20	0,468275953
2018	4	20	102	2	7	19	0,457564982
2018	4	20	102	2	8	20	0,403046887
2018	4	20	102	2	9	20	0,444650916
2018	4	20	102	2	10	20	0,693298118
2018	4	20	102	2	11	20	0,598082128
2018	4	20	102	2	12	20	0,404232943
2018	4	20	102	2	13	19	0,447175732
2018	4	20	102	2	14	20	0,335846696
2018	4	20	102	2	15	20	0,420473224
2018	4	20	102	2	16	19	0,402907698
2018	4	20	102	2	17	20	0,510691575
2018	4	20	102	2	18	19	0,581502921
2018	4	20	102	2	19	20	0,50344717
2018	4	20	102	2	20	20	0,480599789
2018	4	20	102	2	21	9	0,320937341
2018	4	20	102	2	22	20	0,448895028
2018	4	20	102	2	23	19	0,513182546
2018	4	20	102	2	24	20	0,457839262
2018	4	20	102	2	25	20	0,487050383
2018	4	20	102	2	26	20	0,486923995
2018	4	20	102	2	27	20	0,463749184
2018	4	20	102	2	28	9	0,311112293
2018	4	20	102	2	29	20	0,33557047
2018	4	20	102	2	30	9	0,224117987
2018	4	23	102	1	1	19	0,746268657
2018	4	23	102	1	2	19	0,428571429
2018	4	23	102	1	3	19	1,014492754
2018	4	23	102	1	4	19	0,605143722
2018	4	23	102	1	5	19	1,217861976
2018	4	23	102	1	6	19	1,444622793
2018	4	23	102	1	7	19	1,092043682
2018	4	23	102	1	8	19	0,661157025
2018	4	23	102	1	9	19	1,394700139
2018	4	23	102	1	10	19	2,480620155
2018	4	23	102	1	11	19	1,709401709
2018	4	23	102	1	12	19	1,882845188
2018	4	23	102	1	13	19	1,172529313
2018	4	23	102	1	14	19	2,217036173
2018	4	23	102	1	15	19	1,636363636
2018	4	23	102	1	16	19	1,146131805
2018	4	23	102	1	17	19	4,671280277
2018	4	23	102	1	18	19	1,410658307
2018	4	23	102	1	19	19	0,712250712
2018	4	23	102	1	20	19	2,236421725
2018	4	23	102	1	21	19	1,069518717
2018	4	23	102	1	22	19	1,533742331
2018	4	23	102	1	23	19	3,591160221
2018	4	23	102	1	24	19	4,465493911

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2018	4	23	102	1	25	19	1,642335766
2018	4	23	102	1	26	19	2,836879433
2018	4	23	102	1	27	19	1,112877583
2018	4	23	102	1	28	19	1,003344482
2018	4	23	102	1	29	19	0,909090909
2018	4	23	102	1	30	19	1,248266297
2018	4	23	102	2	1	19	0,255576208
2018	4	23	102	2	2	10	0,335008375
2018	4	23	102	2	3	9	0,337417865
2018	4	23	102	2	4	9	0,369208049
2018	4	23	102	2	5	9	0,264830508
2018	4	23	102	2	6	10	0,369344414
2018	4	23	102	2	7	10	0,398908251
2018	4	23	102	2	8	19	0,334104343
2018	4	23	102	2	9	9	0,4416636
2018	4	23	102	2	10	10	0,193648335
2018	4	23	102	2	11	9	0,311223497
2018	4	23	102	2	12	10	0,379146919
2018	4	23	102	2	13	10	0,466451381
2018	4	23	102	2	14	19	0,35058775
2018	4	23	102	2	15	19	0,613183444
2018	4	23	102	2	16	10	0,366905155
2018	4	23	102	2	17	9	0,380165289
2018	4	23	102	2	18	10	0,27173913
2018	4	23	102	2	19	10	0,397572714
2018	4	23	102	2	20	10	0,299513291
2018	4	23	102	2	21	10	0,306278714
2018	4	23	102	2	22	19	0,225606317
2018	4	23	102	2	23	10	0,401069519
2018	4	23	102	2	24	10	0,367647059
2018	4	23	102	2	25	9	0,269230769
2018	4	23	102	2	26	19	0,408752104
2018	4	23	102	2	27	10	0,308026816
2018	4	23	102	2	28	11	0,287415315
2018	4	23	102	2	29	19	0,367357649
2018	4	23	102	2	30	10	0,297984224
2018	4	25	102	1	1	19	4,089219331
2018	4	25	102	1	2	10	3,449534587
2018	4	25	102	1	3	19	3,520271911
2018	4	25	102	1	4	19	4,189758368
2018	4	25	102	1	5	19	3,375712407
2018	4	25	102	1	6	19	3,398888414
2018	4	25	102	1	7	10	3,446128296
2018	4	25	102	1	8	19	3,647028819
2018	4	25	102	1	9	10	2,833434527
2018	4	25	102	1	10	10	3,236446094
2018	4	25	102	1	11	19	4,154302671
2018	4	25	102	1	12	19	4,724596391
2018	4	25	102	1	13	9	3,067737286
2018	4	25	102	1	14	10	3,19391635
2018	4	25	102	1	15	19	3,710706689
2018	4	25	102	1	16	10	3,318403909
2018	4	25	102	1	17	19	4,20696325
2018	4	25	102	1	18	19	4,333258879
2018	4	25	102	1	19	10	3,294822422
2018	4	25	102	1	20	19	3,702010969
2018	4	25	102	1	21	10	3,361004252
2018	4	25	102	1	22	19	3,605706874
2018	4	25	102	1	23	19	4,226361032
2018	4	25	102	1	24	9	3,233305156
2018	4	25	102	1	25	19	4,3251305
2018	4	25	102	1	26	19	4,485049834
2018	4	25	102	1	27	19	4,462003254
2018	4	25	102	1	28	10	3,770557561
2018	4	25	102	1	29	19	4,698556468
2018	4	25	102	1	30	10	3,309463906
2018	4	25	102	2	1	19	1,177965123
2018	4	25	102	2	2	10	0,809269818
2018	4	25	102	2	3	10	0,497172938
2018	4	25	102	2	4	10	0,578544813
2018	4	25	102	2	5	10	0,685483871
2018	4	25	102	2	6	10	0,434822833
2018	4	25	102	2	7	10	0,480995945
2018	4	25	102	2	8	11	0,704785722
2018	4	25	102	2	9	10	0,524959435
2018	4	25	102	2	10	10	0,642087821
2018	4	25	102	2	11	10	0,719497365
2018	4	25	102	2	12	10	0,621479899
2018	4	25	102	2	13	10	0,459059397

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2018	4	25	102	2	14	10	0,686265418
2018	4	25	102	2	15	19	0,719522129
2018	4	25	102	2	16	10	0,47759374
2018	4	25	102	2	17	10	0,542138985
2018	4	25	102	2	18	10	0,642725974
2018	4	25	102	2	19	10	0,447264406
2018	4	25	102	2	20	10	0,55019305
2018	4	25	102	2	21	10	0,57597367
2018	4	25	102	2	22	19	0,685616341
2018	4	25	102	2	23	10	0,607069421
2018	4	25	102	2	24	10	0,493421053
2018	4	25	102	2	25	10	0,682695162
2018	4	25	102	2	26	10	0,523818937
2018	4	25	102	2	27	10	0,640457188
2018	4	25	102	2	28	11	0,597663678
2018	4	25	102	2	29	19	1,035704552
2018	4	25	102	2	30	10	0,499059151
2018	4	27	102	2	1	20	0,988467875
2018	4	27	102	2	2	20	0,911854103
2018	4	27	102	2	3	20	0,31496063
2018	4	27	102	2	4	20	0,883392226
2018	4	27	102	2	5	10	0,112866817
2018	4	27	102	2	6	20	0,12345679
2018	4	27	102	2	7	20	0,534759358
2018	4	27	102	2	8	20	0,912646675
2018	4	27	102	2	9	20	1,587301587
2018	4	27	102	2	10	20	1,455604076
2018	4	27	102	2	11	10	2,590194265
2018	4	27	102	2	12	19	0,509683996
2018	4	27	102	2	13	10	0,373831776
2018	4	27	102	2	14	20	0,410396717
2018	4	27	102	2	15	20	0,45941807
2018	4	27	102	2	16	20	1,075268817
2018	4	27	102	2	17	20	0,763358779
2018	4	27	102	2	18	20	0,870646766
2018	4	27	102	2	19	20	0,895140665
2018	4	27	102	2	20	20	1,445466491
2018	4	27	102	2	21	20	1,239669421
2018	4	27	102	2	22	19	0,298507463
2018	4	27	102	2	23	20	1,251738526
2018	4	27	102	2	24	20	1,068090788
2018	4	27	102	2	25	20	1,484480432
2018	4	27	102	2	26	20	0,638297872
2018	4	27	102	2	27	20	0,357142857
2018	4	27	102	2	28	19	0,909090909
2018	4	27	102	2	29	20	1,585365854
2018	4	27	102	2	30	10	0,619469027
2018	4	41	102	1	1	19	0,854700855
2018	4	41	102	1	2	19	0,833333333
2018	4	41	102	1	3	19	1,711840228
2018	4	41	102	1	4	19	0,73964497
2018	4	41	102	1	5	19	0,91047041
2018	4	41	102	1	6	19	0,564971751
2018	4	41	102	1	7	19	1,076923077
2018	4	41	102	1	8	19	0,782778865
2018	4	41	102	1	9	19	0,798934754
2018	4	41	102	1	10	19	1,627218935
2018	4	41	102	1	11	19	1,153846154
2018	4	41	102	1	12	19	0,929614874
2018	4	41	102	1	13	19	0,545702592
2018	4	41	102	1	14	10	0,903614458
2018	4	41	102	1	15	19	1,012145749
2018	4	41	102	1	16	19	0,793650794
2018	4	41	102	1	17	19	0,441826215
2018	4	41	102	1	18	19	0,567375887
2018	4	41	102	1	19	19	0,47318612
2018	4	41	102	1	20	19	1,920614597
2018	4	41	102	1	21	19	0,832177531
2018	4	41	102	1	22	19	0,372439479
2018	4	41	102	1	23	19	0,882352941
2018	4	41	102	1	24	19	0,598802395
2018	4	41	102	1	25	19	0,52173913
2018	4	41	102	1	26	19	0,927357032
2018	4	41	102	1	27	19	19,44444444
2018	4	41	102	1	28	19	0,740740741
2018	4	41	102	1	29	19	2,022058824
2018	4	41	102	1	30	19	1,01010101
2018	4	41	102	2	1	19	1,086611675
2018	4	41	102	2	2	10	0,522351798

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2018	4	41	102	2		3		19	1,001585243
2018	4	41	102	2		4		10	0,531156886
2018	4	41	102	2		5		19	0,873294347
2018	4	41	102	2		6		10	0,50751996
2018	4	41	102	2		7		10	0,466969678
2018	4	41	102	2		8		20	0,901219297
2018	4	41	102	2		9		19	1,0730902
2018	4	41	102	2		10		20	1,225142045
2018	4	41	102	2		11		19	1,289667031
2018	4	41	102	2		12		19	1,054313099
2018	4	41	102	2		13		9	0,384991843
2018	4	41	102	2		14		10	0,414255655
2018	4	41	102	2		15		20	0,922744675
2018	4	41	102	2		16		19	1,105385018
2018	4	41	102	2		17		19	0,89325927
2018	4	41	102	2		18		19	1,026456556
2018	4	41	102	2		19		9	0,510172339
2018	4	41	102	2		20		19	0,924521488
2018	4	41	102	2		21		10	0,497731855
2018	4	41	102	2		22		20	0,969091095
2018	4	41	102	2		23		20	0,940149417
2018	4	41	102	2		24		9	0,388641635
2018	4	41	102	2		25		20	1,028386877
2018	4	41	102	2		26		19	1,193009119
2018	4	41	102	2		27		9	0,305343511
2018	4	41	102	2		28		10	0,486954431
2018	4	41	102	2		29		11	0,565012158
2018	4	41	102	2		30		10	0,334089763
2018	4	44	102	1		1		19	0,908291825
2018	4	44	102	1		2		19	1,321695761
2018	4	44	102	1		3		19	1,319392582
2018	4	44	102	1		4		19	1,076812635
2018	4	44	102	1		5		19	1,226091221
2018	4	44	102	1		6		19	1,081359423
2018	4	44	102	1		7		19	1,135503407
2018	4	44	102	1		8		19	0,946284442
2018	4	44	102	1		9		19	1,065719361
2018	4	44	102	1		10		19	1,836192317
2018	4	44	102	1		11		19	1,228021211
2018	4	44	102	1		12		19	1,151189563
2018	4	44	102	1		13		19	1,033769814
2018	4	44	102	1		14		19	1,001053741
2018	4	44	102	1		15		19	0,959808038
2018	4	44	102	1		16		19	1,041402083
2018	4	44	102	1		17		19	1,245847176
2018	4	44	102	1		18		19	0,722125939
2018	4	44	102	1		19		19	1,360544218
2018	4	44	102	1		20		19	1,021744826
2018	4	44	102	1		21		19	1,070377308
2018	4	44	102	1		22		19	1,296296296
2018	4	44	102	1		23		19	0,899918189
2018	4	44	102	1		24		19	1,102564103
2018	4	44	102	1		25		19	0,979094999
2018	4	44	102	1		26		19	1,431271942
2018	4	44	102	1		27		19	0,918601684
2018	4	44	102	1		28		19	0,887997708
2018	4	44	102	1		29		19	0,825228411
2018	4	44	102	1		30		19	1,020154267
2018	4	44	102	2		1		20	0,520886528
2018	4	44	102	2		2		10	0,435963859
2018	4	44	102	2		3		10	0,452719505
2018	4	44	102	2		4		10	0,371532893
2018	4	44	102	2		5		9	1,120224045
2018	4	44	102	2		6		10	0,323460392
2018	4	44	102	2		7		10	0,530369079
2018	4	44	102	2		8		19	1,92780968
2018	4	44	102	2		9		10	1,274578877
2018	4	44	102	2		10		10	0,454007106
2018	4	44	102	2		11		10	0,553601667
2018	4	44	102	2		12		10	0,530343716
2018	4	44	102	2		13		10	0,413570275
2018	4	44	102	2		14		10	0,393242062
2018	4	44	102	2		15		20	0,602469136
2018	4	44	102	2		16		20	0,583200075
2018	4	44	102	2		17		10	0,509292943
2018	4	44	102	2		18		10	0,423814329
2018	4	44	102	2		19		10	0,532481363
2018	4	44	102	2		20		10	0,351470091
2018	4	44	102	2		21		10	1,565409282

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2018	4	44	102	2		22		19	0,385052945
2018	4	44	102	2		23		10	0,286924443
2018	4	44	102	2		24		19	0,659754948
2018	4	44	102	2		25		9	0,489644677
2018	4	44	102	2		26		10	0,402867873
2018	4	44	102	2		27		10	0,379088964
2018	4	44	102	2		28		10	0,573410732
2018	4	44	102	2		29		19	0,584654813
2018	4	44	102	2		30		10	0,518261082
2018	4	47	102	1		1		19	0,494961994
2018	4	47	102	1		2		19	0,532945736
2018	4	47	102	1		3		19	1,041173687
2018	4	47	102	1		4		19	0,725126476
2018	4	47	102	1		5		19	0,736350575
2018	4	47	102	1		6		19	0,924124514
2018	4	47	102	1		7		19	0,796877541
2018	4	47	102	1		8		19	0,590551181
2018	4	47	102	1		9		19	0,723662067
2018	4	47	102	1		10		19	1,56895128
2018	4	47	102	1		11		19	0,863821138
2018	4	47	102	1		12		19	0,952068286
2018	4	47	102	1		13		19	1,166693304
2018	4	47	102	1		14		19	0,704802491
2018	4	47	102	1		15		19	0,527518903
2018	4	47	102	1		16		19	0,856531049
2018	4	47	102	1		17		19	0,74684923
2018	4	47	102	1		18		19	0,817481528
2018	4	47	102	1		19		19	0,762582613
2018	4	47	102	1		20		19	0,845771144
2018	4	47	102	1		21		19	0,6592644
2018	4	47	102	1		22		19	0,944287063
2018	4	47	102	1		23		19	0,657678395
2018	4	47	102	1		24		19	0,797448166
2018	4	47	102	1		25		19	0,731231719
2018	4	47	102	1		26		19	0,782472613
2018	4	47	102	1		27		19	0,741839763
2018	4	47	102	1		28		19	0,640673623
2018	4	47	102	1		29		19	0,749551898
2018	4	47	102	1		30		19	0,703698158
2018	4	47	102	2		1		19	0,235977491
2018	4	47	102	2		2		10	0,27046096
2018	4	47	102	2		3		10	0,25249489
2018	4	47	102	2		4		9	0,17506565
2018	4	47	102	2		5		9	0,341945289
2018	4	47	102	2		6		10	0,251635632
2018	4	47	102	2		7		10	0,198440822
2018	4	47	102	2		8		20	0,234436051
2018	4	47	102	2		9		9	0,326428123
2018	4	47	102	2		10		10	0,390575784
2018	4	47	102	2		11		10	0,24789291
2018	4	47	102	2		12		9	0,256443134
2018	4	47	102	2		13		9	0,264417023
2018	4	47	102	2		14		9	0,25220681
2018	4	47	102	2		15		20	0,302571861
2018	4	47	102	2		16		10	0,287535942
2018	4	47	102	2		17		10	0,254194204
2018	4	47	102	2		18		10	0,202936612
2018	4	47	102	2		19		9	0,275378646
2018	4	47	102	2		20		10	0,246032722
2018	4	47	102	2		21		10	0,184948072
2018	4	47	102	2		22		20	0,346277517
2018	4	47	102	2		23		9	0,1514769
2018	4	47	102	2		24		9	0,408353751
2018	4	47	102	2		25		10	0,267965895
2018	4	47	102	2		26		10	0,261748959
2018	4	47	102	2		27		11	0,241283629
2018	4	47	102	2		28		10	0,268404908
2018	4	47	102	2		29		19	0,398711854
2018	4	47	102	2		30		10	0,223529412
2018	4	50	102	1		1		19	1,733809281
2018	4	50	102	1		2		19	2,179276316
2018	4	50	102	1		3		19	2,597402597
2018	4	50	102	1		4		19	2,787286064
2018	4	50	102	1		5		19	3,084832905
2018	4	50	102	1		6		19	3,049257232
2018	4	50	102	1		7		19	2,169981917
2018	4	50	102	1		8		19	2,798232695
2018	4	50	102	1		9		19	3,211991435
2018	4	50	102	1		10		19	2,553579571

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO_DPTO	PORCENTAJE_LLAMADAS	CAIDAS
2018	4	50	102	1		11		19	2,351432236	
2018	4	50	102	1		12		19	4,317488007	
2018	4	50	102	1		13		19	2,645502646	
2018	4	50	102	1		14		19	2,462462462	
2018	4	50	102	1		15		19	1,241642789	
2018	4	50	102	1		16		19	2,647058824	
2018	4	50	102	1		17		19	1,838755304	
2018	4	50	102	1		18		19	2,824858757	
2018	4	50	102	1		19		19	2,635046113	
2018	4	50	102	1		20		19	2,96371998	
2018	4	50	102	1		21		19	3,174603175	
2018	4	50	102	1		22		18	2,795954789	
2018	4	50	102	1		23		19	2,925292529	
2018	4	50	102	1		24		19	3,782051282	
2018	4	50	102	1		25		19	2,767991948	
2018	4	50	102	1		26		19	3,179029559	
2018	4	50	102	1		27		19	2,472042378	
2018	4	50	102	1		28		19	1,848428835	
2018	4	50	102	1		29		19	3,153153153	
2018	4	50	102	1		30		19	2,49490835	
2018	4	50	102	2		1		19	0,694444444	
2018	4	50	102	2		2		19	0,704887218	
2018	4	50	102	2		3		19	0,961052099	
2018	4	50	102	2		4		19	0,967221924	
2018	4	50	102	2		5		19	0,542740841	
2018	4	50	102	2		6		19	0,828729282	
2018	4	50	102	2		7		19	0,975359343	
2018	4	50	102	2		8		20	2,738654147	
2018	4	50	102	2		9		19	1,961852861	
2018	4	50	102	2		10		19	2,837290098	
2018	4	50	102	2		11		19	2,752293578	
2018	4	50	102	2		12		19	3,045923149	
2018	4	50	102	2		13		19	1,131889764	
2018	4	50	102	2		14		19	1,030927835	
2018	4	50	102	2		15		20	1,273344652	
2018	4	50	102	2		16		19	1,609935603	
2018	4	50	102	2		17		19	1,531151003	
2018	4	50	102	2		18		19	1,015499733	
2018	4	50	102	2		19		19	1,038819027	
2018	4	50	102	2		20		19	0,943396226	
2018	4	50	102	2		21		19	1,065449011	
2018	4	50	102	2		22		19	1,096224117	
2018	4	50	102	2		23		19	0,426540284	
2018	4	50	102	2		24		19	1,288515406	
2018	4	50	102	2		25		19	1,059883413	
2018	4	50	102	2		26		20	1,160990712	
2018	4	50	102	2		27		19	1,02145046	
2018	4	50	102	2		28		19	0,813375508	
2018	4	50	102	2		29		19	1,523809524	
2018	4	50	102	2		30		19	0,684570827	
2018	4	52	102	1		1		19	1,326289761	
2018	4	52	102	1		2		19	1,460176991	
2018	4	52	102	1		3		19	1,567326393	
2018	4	52	102	1		4		19	1,559126889	
2018	4	52	102	1		5		19	1,794221997	
2018	4	52	102	1		6		19	1,220268873	
2018	4	52	102	1		7		19	1,232227488	
2018	4	52	102	1		8		19	1,165401475	
2018	4	52	102	1		9		19	1,490750816	
2018	4	52	102	1		10		19	1,351650787	
2018	4	52	102	1		11		19	1,255994519	
2018	4	52	102	1		12		19	1,45631068	
2018	4	52	102	1		13		19	1,213213213	
2018	4	52	102	1		14		19	1,072164948	
2018	4	52	102	1		15		19	1,057605761	
2018	4	52	102	1		16		19	1,047058824	
2018	4	52	102	1		17		19	1,715942029	
2018	4	52	102	1		18		19	1,620867325	
2018	4	52	102	1		19		19	1,247810858	
2018	4	52	102	1		20		19	1,350776431	
2018	4	52	102	1		21		19	1,495503033	
2018	4	52	102	1		22		19	1,195971465	
2018	4	52	102	1		23		19	1,156515035	
2018	4	52	102	1		24		19	1,83680285	
2018	4	52	102	1		25		19	1,289175372	
2018	4	52	102	1		26		19	1,293588301	
2018	4	52	102	1		27		19	1,23087159	
2018	4	52	102	1		28		19	1,273814798	
2018	4	52	102	1		29		19	1,479458291	

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2018	4	52	102	1	30	19	1,563160118
2018	4	52	102	2	1	20	0,410330678
2018	4	52	102	2	2	20	0,562057284
2018	4	52	102	2	3	20	0,596746505
2018	4	52	102	2	4	19	0,513003206
2018	4	52	102	2	5	19	0,406762425
2018	4	52	102	2	6	19	0,332889481
2018	4	52	102	2	7	20	0,435480174
2018	4	52	102	2	8	20	0,495128574
2018	4	52	102	2	9	19	0,516687613
2018	4	52	102	2	10	20	0,641025641
2018	4	52	102	2	11	20	0,508842176
2018	4	52	102	2	12	19	0,502156699
2018	4	52	102	2	13	19	0,249091154
2018	4	52	102	2	14	20	0,24880927
2018	4	52	102	2	15	20	0,452523992
2018	4	52	102	2	16	20	0,419252054
2018	4	52	102	2	17	20	0,339558574
2018	4	52	102	2	18	20	0,431300062
2018	4	52	102	2	19	20	0,360284876
2018	4	52	102	2	20	19	0,384487902
2018	4	52	102	2	21	20	0,294681008
2018	4	52	102	2	22	20	0,351135065
2018	4	52	102	2	23	20	0,414481475
2018	4	52	102	2	24	20	0,432675666
2018	4	52	102	2	25	20	0,293353449
2018	4	52	102	2	26	20	0,462848169
2018	4	52	102	2	27	20	0,342957409
2018	4	52	102	2	28	20	0,343839542
2018	4	52	102	2	29	20	0,283906554
2018	4	52	102	2	30	19	0,265360278
2018	4	54	102	2	1	20	0,313059034
2018	4	54	102	2	2	10	0,207990294
2018	4	54	102	2	3	10	0,285663274
2018	4	54	102	2	4	10	0,284629981
2018	4	54	102	2	5	10	0,20472734
2018	4	54	102	2	6	10	0,173674589
2018	4	54	102	2	7	10	0,156372166
2018	4	54	102	2	8	20	0,290920227
2018	4	54	102	2	9	10	0,251022685
2018	4	54	102	2	10	10	0,297222507
2018	4	54	102	2	11	10	0,179975372
2018	4	54	102	2	12	10	0,232896652
2018	4	54	102	2	13	10	0,286771508
2018	4	54	102	2	14	10	0,171163915
2018	4	54	102	2	15	20	0,277349769
2018	4	54	102	2	16	10	0,246800731
2018	4	54	102	2	17	10	0,25012025
2018	4	54	102	2	18	10	0,163792273
2018	4	54	102	2	19	10	0,299430117
2018	4	54	102	2	20	10	0,202039638
2018	4	54	102	2	21	10	0,226578662
2018	4	54	102	2	22	20	0,280723643
2018	4	54	102	2	23	10	0,192901235
2018	4	54	102	2	24	10	0,181469906
2018	4	54	102	2	25	10	0,08744656
2018	4	54	102	2	26	9	0,170034007
2018	4	54	102	2	27	10	0,142166619
2018	4	54	102	2	28	10	0,186514968
2018	4	54	102	2	29	11	0,276640478
2018	4	54	102	2	30	10	0,495503762
2018	4	63	102	1	1	19	1,404056162
2018	4	63	102	1	2	19	1,632177208
2018	4	63	102	1	3	19	2,210623273
2018	4	63	102	1	4	19	1,564792176
2018	4	63	102	1	5	19	2,006129841
2018	4	63	102	1	6	19	1,680020677
2018	4	63	102	1	7	19	1,274509804
2018	4	63	102	1	8	19	1,551831161
2018	4	63	102	1	9	10	1,049409707
2018	4	63	102	1	10	19	1,960784314
2018	4	63	102	1	11	10	1,782388933
2018	4	63	102	1	12	19	1,824065902
2018	4	63	102	1	13	19	1,887923284
2018	4	63	102	1	14	11	0,879765396
2018	4	63	102	1	15	19	1,634793337
2018	4	63	102	1	16	19	1,084538376
2018	4	63	102	1	17	19	1,270461764
2018	4	63	102	1	18	19	1,579822616

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2018	4	63	102	1		19		19	1,176470588
2018	4	63	102	1		20		19	1,57987127
2018	4	63	102	1		21		10	1,204819277
2018	4	63	102	1		22		19	1,260504202
2018	4	63	102	1		23		10	1,228161218
2018	4	63	102	1		24		19	1,896604466
2018	4	63	102	1		25		19	1,159084323
2018	4	63	102	1		26		19	1,662844037
2018	4	63	102	1		27		19	1,670506912
2018	4	63	102	1		28		19	1,550387597
2018	4	63	102	1		29		19	1,640464798
2018	4	63	102	1		30		19	1,719615273
2018	4	63	102	2		1		19	0,356533871
2018	4	63	102	2		2		10	0,390243902
2018	4	63	102	2		3		10	0,513359001
2018	4	63	102	2		4		10	0,490826224
2018	4	63	102	2		5		19	0,531060887
2018	4	63	102	2		6		10	0,740972657
2018	4	63	102	2		7		10	1,704278326
2018	4	63	102	2		8		19	0,444938821
2018	4	63	102	2		9		9	0,348236351
2018	4	63	102	2		10		10	0,392905254
2018	4	63	102	2		11		10	0,575590274
2018	4	63	102	2		12		10	0,555686924
2018	4	63	102	2		13		10	0,617859641
2018	4	63	102	2		14		10	0,574025353
2018	4	63	102	2		15		19	0,432301574
2018	4	63	102	2		16		10	0,416618447
2018	4	63	102	2		17		10	0,315015751
2018	4	63	102	2		18		10	0,301239717
2018	4	63	102	2		19		10	0,461483848
2018	4	63	102	2		20		10	0,299724254
2018	4	63	102	2		21		10	0,528857209
2018	4	63	102	2		22		19	0,403296511
2018	4	63	102	2		23		10	0,386428627
2018	4	63	102	2		24		10	0,415085389
2018	4	63	102	2		25		10	0,399467377
2018	4	63	102	2		26		10	0,469644903
2018	4	63	102	2		27		10	0,416385325
2018	4	63	102	2		28		10	0,304946917
2018	4	63	102	2		29		11	0,417072153
2018	4	63	102	2		30		10	0,440150295
2018	4	66	102	1		1		19	1,468736886
2018	4	66	102	1		2		19	3,513909224
2018	4	66	102	1		3		10	1,760452688
2018	4	66	102	1		4		19	2,595797281
2018	4	66	102	1		5		10	2,538593482
2018	4	66	102	1		6		19	1,927194861
2018	4	66	102	1		7		10	0,682039623
2018	4	66	102	1		8		19	2,93594306
2018	4	66	102	1		9		19	1,715328467
2018	4	66	102	1		10		19	1,057977148
2018	4	66	102	1		11		10	1,164059658
2018	4	66	102	1		12		19	1,803349077
2018	4	66	102	1		13		10	0,95976375
2018	4	66	102	1		14		10	0,972540046
2018	4	66	102	1		15		19	1,393034826
2018	4	66	102	1		16		19	1,735194266
2018	4	66	102	1		17		19	3,668025195
2018	4	66	102	1		18		19	3,184713376
2018	4	66	102	1		19		10	1,03682517
2018	4	66	102	1		20		19	1,528213166
2018	4	66	102	1		21		10	1,233697568
2018	4	66	102	1		22		19	1,20542441
2018	4	66	102	1		23		10	1,070559611
2018	4	66	102	1		24		19	1,761744966
2018	4	66	102	1		25		19	1,421366346
2018	4	66	102	1		26		10	1,027261952
2018	4	66	102	1		27		19	1,110685561
2018	4	66	102	1		28		10	0,519930676
2018	4	66	102	1		29		11	0,758180367
2018	4	66	102	1		30		19	1,56128025
2018	4	66	102	2		1		20	0,481231954
2018	4	66	102	2		2		10	0,483351235
2018	4	66	102	2		3		10	0,44411547
2018	4	66	102	2		4		10	0,39300452
2018	4	66	102	2		5		10	0,306630893
2018	4	66	102	2		6		10	0,427682737
2018	4	66	102	2		7		10	0,329285861

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2018	4	66	102	2		8		20	0,432468397
2018	4	66	102	2		9		10	0,353685778
2018	4	66	102	2		10		10	0,468603561
2018	4	66	102	2		11		10	0,316143055
2018	4	66	102	2		12		10	0,437375746
2018	4	66	102	2		13		10	0,337904989
2018	4	66	102	2		14		10	0,350740452
2018	4	66	102	2		15		19	0,339820822
2018	4	66	102	2		16		10	0,352308548
2018	4	66	102	2		17		10	0,437723836
2018	4	66	102	2		18		10	0,465748108
2018	4	66	102	2		19		10	0,422751729
2018	4	66	102	2		20		10	0,333333333
2018	4	66	102	2		21		10	0,391107452
2018	4	66	102	2		22		20	0,506879073
2018	4	66	102	2		23		10	0,310840565
2018	4	66	102	2		24		10	0,325600326
2018	4	66	102	2		25		10	0,437864887
2018	4	66	102	2		26		10	0,327332242
2018	4	66	102	2		27		10	0,479041916
2018	4	66	102	2		28		10	0,589473684
2018	4	66	102	2		29		20	0,483091787
2018	4	66	102	2		30		10	0,303893637
2018	4	68	102	1		1		19	1,371163379
2018	4	68	102	1		2		19	1,380886471
2018	4	68	102	1		3		19	1,303456848
2018	4	68	102	1		4		19	1,453200343
2018	4	68	102	1		5		19	1,284260494
2018	4	68	102	1		6		19	1,59519504
2018	4	68	102	1		7		18	1,090940084
2018	4	68	102	1		8		19	1,200567415
2018	4	68	102	1		9		19	1,243339254
2018	4	68	102	1		10		19	1,454284596
2018	4	68	102	1		11		19	1,298272274
2018	4	68	102	1		12		19	1,5664734
2018	4	68	102	1		13		19	1,373340276
2018	4	68	102	1		14		9	1,226757442
2018	4	68	102	1		15		19	1,336678149
2018	4	68	102	1		16		19	1,297500743
2018	4	68	102	1		17		9	0,929662928
2018	4	68	102	1		18		19	1,337112371
2018	4	68	102	1		19		19	1,414767668
2018	4	68	102	1		20		19	1,366497257
2018	4	68	102	1		21		9	1,207614326
2018	4	68	102	1		22		19	1,361544844
2018	4	68	102	1		23		19	1,438431271
2018	4	68	102	1		24		19	1,507621494
2018	4	68	102	1		25		19	1,590035776
2018	4	68	102	1		26		9	1,079407339
2018	4	68	102	1		27		19	1,521670357
2018	4	68	102	1		28		9	1,233573023
2018	4	68	102	1		29		19	1,248598131
2018	4	68	102	1		30		9	1,070017559
2018	4	68	102	2		1		19	1,183657885
2018	4	68	102	2		2		10	0,807413027
2018	4	68	102	2		3		10	0,849110729
2018	4	68	102	2		4		10	0,921076395
2018	4	68	102	2		5		9	0,733853756
2018	4	68	102	2		6		10	0,881937189
2018	4	68	102	2		7		10	0,856842366
2018	4	68	102	2		8		19	1,047438602
2018	4	68	102	2		9		10	0,745829244
2018	4	68	102	2		10		10	0,811485643
2018	4	68	102	2		11		9	0,85295531
2018	4	68	102	2		12		10	0,908273381
2018	4	68	102	2		13		10	0,711245846
2018	4	68	102	2		14		10	0,864757129
2018	4	68	102	2		15		19	0,882807327
2018	4	68	102	2		16		10	0,811814492
2018	4	68	102	2		17		9	0,691547122
2018	4	68	102	2		18		9	0,730524224
2018	4	68	102	2		19		10	0,707285642
2018	4	68	102	2		20		10	0,84344785
2018	4	68	102	2		21		10	0,885067246
2018	4	68	102	2		22		19	0,915003025
2018	4	68	102	2		23		10	0,671556066
2018	4	68	102	2		24		9	0,69458513
2018	4	68	102	2		25		9	0,720971797
2018	4	68	102	2		26		10	0,701345987

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2018	4	68	102	2	27	10	0,593225196
2018	4	68	102	2	28	10	0,941815998
2018	4	68	102	2	29	11	0,71059644
2018	4	68	102	2	30	10	0,725636338
2018	4	70	102	2	1	10	3,422982885
2018	4	70	102	2	2	11	2,575107296
2018	4	70	102	2	3	9	2,995391705
2018	4	70	102	2	4	10	1,366120219
2018	4	70	102	2	5	10	3,13253012
2018	4	70	102	2	6	10	0,632911392
2018	4	70	102	2	7	9	2,5
2018	4	70	102	2	8	19	3,618421053
2018	4	70	102	2	9	10	4,738154613
2018	4	70	102	2	10	10	2,173913043
2018	4	70	102	2	11	10	2,083333333
2018	4	70	102	2	12	10	1,749271137
2018	4	70	102	2	13	10	1,455301455
2018	4	70	102	2	14	10	2,820512821
2018	4	70	102	2	15	19	1,865671642
2018	4	70	102	2	16	20	0,743494424
2018	4	70	102	2	17	10	2,278481013
2018	4	70	102	2	18	20	2,966101695
2018	4	70	102	2	19	10	1,302083333
2018	4	70	102	2	20	10	2,010050251
2018	4	70	102	2	21	10	1,290322581
2018	4	70	102	2	22	20	1,98019802
2018	4	70	102	2	23	9	1,184834123
2018	4	70	102	2	24	9	1,201201201
2018	4	70	102	2	25	19	2,316602317
2018	4	70	102	2	26	10	1,886792453
2018	4	70	102	2	27	10	1,366120219
2018	4	70	102	2	28	10	1,118568233
2018	4	70	102	2	29	20	2,884615385
2018	4	70	102	2	30	9	2,216748768
2018	4	73	102	1	1	19	2,218056857
2018	4	73	102	1	2	19	1,747696219
2018	4	73	102	1	3	19	1,411909147
2018	4	73	102	1	4	19	1,643835616
2018	4	73	102	1	5	19	1,766217084
2018	4	73	102	1	6	19	1,734750979
2018	4	73	102	1	7	19	2,373316228
2018	4	73	102	1	8	19	1,888412017
2018	4	73	102	1	9	19	1,601123596
2018	4	73	102	1	10	19	1,832382097
2018	4	73	102	1	11	19	1,741364545
2018	4	73	102	1	12	19	1,75074184
2018	4	73	102	1	13	19	1,301518438
2018	4	73	102	1	14	19	1,608234159
2018	4	73	102	1	15	19	1,630595909
2018	4	73	102	1	16	19	1,652421652
2018	4	73	102	1	17	19	1,754385965
2018	4	73	102	1	18	19	1,872314303
2018	4	73	102	1	19	19	1,222187402
2018	4	73	102	1	20	19	2,17630854
2018	4	73	102	1	21	19	1,881894873
2018	4	73	102	1	22	19	1,785714286
2018	4	73	102	1	23	19	1,389274799
2018	4	73	102	1	24	19	1,664719626
2018	4	73	102	1	25	19	1,60025102
2018	4	73	102	1	26	19	1,808863431
2018	4	73	102	1	27	19	1,814457126
2018	4	73	102	1	28	19	1,101321586
2018	4	73	102	1	29	19	1,718103723
2018	4	73	102	1	30	19	1,8798151
2018	4	73	102	2	1	11	1,255799072
2018	4	73	102	2	2	10	1,147622193
2018	4	73	102	2	3	10	0,865209472
2018	4	73	102	2	4	10	0,92999225
2018	4	73	102	2	5	9	0,969630443
2018	4	73	102	2	6	10	1,054152852
2018	4	73	102	2	7	10	0,875938506
2018	4	73	102	2	8	19	1,175563692
2018	4	73	102	2	9	10	1,097234612
2018	4	73	102	2	10	10	0,947867299
2018	4	73	102	2	11	19	1,514734233
2018	4	73	102	2	12	19	1,712549489
2018	4	73	102	2	13	10	1,013770381
2018	4	73	102	2	14	11	0,675015543
2018	4	73	102	2	15	10	0,728903841

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2018	4	73	102	2	16	10	0,68935042
2018	4	73	102	2	17	10	0,975473802
2018	4	73	102	2	18	10	1,01584343
2018	4	73	102	2	19	10	0,748346676
2018	4	73	102	2	20	19	1,677852349
2018	4	73	102	2	21	10	0,878633602
2018	4	73	102	2	22	20	1,461059586
2018	4	73	102	2	23	10	0,966225627
2018	4	73	102	2	24	10	0,760385757
2018	4	73	102	2	25	10	1,065751445
2018	4	73	102	2	26	10	0,967920354
2018	4	73	102	2	27	10	0,90661104
2018	4	73	102	2	28	10	0,967392211
2018	4	73	102	2	29	11	0,86376866
2018	4	73	102	2	30	10	1,043876772
2018	4	76	102	1	1	19	1,298938895
2018	4	76	102	1	2	10	0,91004028
2018	4	76	102	1	3	10	1,021049325
2018	4	76	102	1	4	10	0,815172184
2018	4	76	102	1	5	10	1,034702324
2018	4	76	102	1	6	10	0,886953717
2018	4	76	102	1	7	10	0,706373415
2018	4	76	102	1	8	19	0,482925147
2018	4	76	102	1	9	10	1,001365498
2018	4	76	102	1	10	10	0,915564598
2018	4	76	102	1	11	10	0,914324416
2018	4	76	102	1	12	10	1,035632789
2018	4	76	102	1	13	10	0,960922486
2018	4	76	102	1	14	10	0,905768314
2018	4	76	102	1	15	19	0,67643743
2018	4	76	102	1	16	10	1,168770453
2018	4	76	102	1	17	10	1,04512276
2018	4	76	102	1	18	10	1,261150415
2018	4	76	102	1	19	10	0,921733506
2018	4	76	102	1	20	10	0,909829407
2018	4	76	102	1	21	10	0,970719287
2018	4	76	102	1	22	19	1,041115229
2018	4	76	102	1	23	10	0,85106383
2018	4	76	102	1	24	10	1,127134096
2018	4	76	102	1	25	10	0,864260295
2018	4	76	102	1	26	10	0,833044082
2018	4	76	102	1	27	10	0,894546706
2018	4	76	102	1	28	10	1,079774376
2018	4	76	102	1	29	11	0,980229274
2018	4	76	102	1	30	10	1,003344482
2018	4	76	102	2	1	19	0,403923832
2018	4	76	102	2	2	10	0,368650218
2018	4	76	102	2	3	10	0,352638814
2018	4	76	102	2	4	10	0,385639519
2018	4	76	102	2	5	10	0,412904816
2018	4	76	102	2	6	10	0,755161866
2018	4	76	102	2	7	10	0,406367442
2018	4	76	102	2	8	19	0,441728631
2018	4	76	102	2	9	10	0,466668636
2018	4	76	102	2	10	10	0,392061514
2018	4	76	102	2	11	10	0,464858541
2018	4	76	102	2	12	10	0,336058422
2018	4	76	102	2	13	10	0,321967374
2018	4	76	102	2	14	10	0,344025738
2018	4	76	102	2	15	11	0,553604758
2018	4	76	102	2	16	10	0,42671343
2018	4	76	102	2	17	10	0,33601529
2018	4	76	102	2	18	10	0,41828322
2018	4	76	102	2	19	10	0,335081133
2018	4	76	102	2	20	10	0,377029259
2018	4	76	102	2	21	10	0,337488598
2018	4	76	102	2	22	11	0,429486964
2018	4	76	102	2	23	10	0,399076965
2018	4	76	102	2	24	10	0,382676871
2018	4	76	102	2	25	10	0,365302458
2018	4	76	102	2	26	10	0,325117662
2018	4	76	102	2	27	10	0,386470622
2018	4	76	102	2	28	10	0,37468776
2018	4	76	102	2	29	11	0,431279462
2018	4	76	102	2	30	10	0,329178741
2018	4	81	102	2	1	19	0,658978583
2018	4	81	102	2	2	19	0,435729847
2018	4	81	102	2	3	19	0,510204082
2018	4	81	102	2	4	19	1,356589147

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2018	4	81	102	2	5	19	0,776836158
2018	4	81	102	2	6	19	0,706991359
2018	4	81	102	2	7	19	0,475319927
2018	4	81	102	2	8	19	0,630517024
2018	4	81	102	2	9	10	0,474355173
2018	4	81	102	2	10	20	0,846113168
2018	4	81	102	2	11	19	0,612792034
2018	4	81	102	2	12	18	0,577858881
2018	4	81	102	2	13	19	0,727272727
2018	4	81	102	2	14	19	0,57995029
2018	4	81	102	2	15	20	0,487804878
2018	4	81	102	2	16	10	0,455511691
2018	4	81	102	2	17	20	0,741525424
2018	4	81	102	2	18	19	0,701030928
2018	4	81	102	2	19	9	0,419412822
2018	4	81	102	2	20	20	0,493494841
2018	4	81	102	2	21	19	0,43409629
2018	4	81	102	2	22	19	0,593975392
2018	4	81	102	2	23	20	0,515705579
2018	4	81	102	2	24	20	0,98085007
2018	4	81	102	2	25	20	0,700350175
2018	4	81	102	2	26	18	0,188501414
2018	4	81	102	2	27	19	0,61633282
2018	4	81	102	2	28	19	0,619195046
2018	4	81	102	2	29	20	0,508259212
2018	4	81	102	2	30	19	0,767366721
2018	4	85	102	1	1	18	2,090357384
2018	4	85	102	1	2	19	1,440092166
2018	4	85	102	1	3	19	2,631578947
2018	4	85	102	1	4	18	1,512605042
2018	4	85	102	1	5	19	1,587301587
2018	4	85	102	1	6	18	1,99488491
2018	4	85	102	1	7	18	1,720430108
2018	4	85	102	1	8	19	2,142857143
2018	4	85	102	1	9	19	2,319416832
2018	4	85	102	1	10	19	1,968503937
2018	4	85	102	1	11	19	2,541296061
2018	4	85	102	1	12	19	3,578038248
2018	4	85	102	1	13	18	1,952723535
2018	4	85	102	1	14	19	1,750547046
2018	4	85	102	1	15	19	1,183020181
2018	4	85	102	1	16	18	1,110523533
2018	4	85	102	1	17	19	2,618757613
2018	4	85	102	1	18	18	1,431492843
2018	4	85	102	1	19	18	1,724137931
2018	4	85	102	1	20	18	1,239464551
2018	4	85	102	1	21	18	1,860974275
2018	4	85	102	1	22	18	1,763907734
2018	4	85	102	1	23	18	2,31271996
2018	4	85	102	1	24	19	2,415458937
2018	4	85	102	1	25	18	1,450957632
2018	4	85	102	1	26	18	1,976284585
2018	4	85	102	1	27	18	2,287021155
2018	4	85	102	1	28	19	1,750841751
2018	4	85	102	1	29	18	2,663934426
2018	4	85	102	1	30	18	1,5625
2018	4	85	102	2	1	19	0,796217965
2018	4	85	102	2	2	19	0,305610129
2018	4	85	102	2	3	19	0,730075035
2018	4	85	102	2	4	18	0,301265314
2018	4	85	102	2	5	19	1,205098494
2018	4	85	102	2	6	19	0,375391032
2018	4	85	102	2	7	19	0,423201394
2018	4	85	102	2	8	19	0,484199796
2018	4	85	102	2	9	18	0,695435093
2018	4	85	102	2	10	18	0,547001621
2018	4	85	102	2	11	19	0,363284088
2018	4	85	102	2	12	18	0,356071964
2018	4	85	102	2	13	19	0,54312405
2018	4	85	102	2	14	10	0,492170022
2018	4	85	102	2	15	19	0,187516743
2018	4	85	102	2	16	18	0,515463918
2018	4	85	102	2	17	19	0,465332713
2018	4	85	102	2	18	18	0,534045394
2018	4	85	102	2	19	18	0,432304972
2018	4	85	102	2	20	18	0,512042481
2018	4	85	102	2	21	18	0,349726776
2018	4	85	102	2	22	19	0,468247
2018	4	85	102	2	23	18	0,795498642

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2018	4	85	102	2	24	19	0,409370025
2018	4	85	102	2	25	18	0,268595041
2018	4	85	102	2	26	19	0,739151168
2018	4	85	102	2	27	18	0,855745721
2018	4	85	102	2	28	9	0,587947085
2018	4	85	102	2	29	20	0,237610319
2018	4	85	102	2	30	10	0,348432056
2018	4	86	102	2	1	20	0,213447172
2018	4	86	102	2	2	20	0,318809777
2018	4	86	102	2	3	10	0,979886539
2018	4	86	102	2	4	20	0,227531286
2018	4	86	102	2	5	20	0,223463687
2018	4	86	102	2	6	10	0,303951368
2018	4	86	102	2	7	10	0,298507463
2018	4	86	102	2	8	20	0,108108108
2018	4	86	102	2	9	20	0,152439024
2018	4	86	102	2	10	20	0,14619883
2018	4	86	102	2	11	20	0,477707006
2018	4	86	102	2	12	19	0,337837838
2018	4	86	102	2	13	20	0,448430493
2018	4	86	102	2	14	10	0,238095238
2018	4	86	102	2	15	20	0,604229607
2018	4	86	102	2	16	20	0
2018	4	86	102	2	17	20	0,298062593
2018	4	86	102	2	18	20	0,492610837
2018	4	86	102	2	19	17	0,247729149
2018	4	86	102	2	20	10	0,409165303
2018	4	86	102	2	21	19	0,338600451
2018	4	86	102	2	22	20	0,700525394
2018	4	86	102	2	23	20	0,14619883
2018	4	86	102	2	24	20	0
2018	4	86	102	2	25	20	0,529801325
2018	4	86	102	2	26	20	0,394218134
2018	4	86	102	2	27	19	0,107296137
2018	4	86	102	2	28	10	0,09478673
2018	4	86	102	2	29	20	0,170068027
2018	4	86	102	2	30	10	0
2018	4	88	102	1	1	20	1,134846462
2018	4	88	102	1	2	20	1,27388535
2018	4	88	102	1	3	19	1,233243968
2018	4	88	102	1	4	20	1,233806292
2018	4	88	102	1	5	19	1,011904762
2018	4	88	102	1	6	19	1,675126904
2018	4	88	102	1	7	19	1,037684326
2018	4	88	102	1	8	20	0,658376006
2018	4	88	102	1	9	20	2,34741784
2018	4	88	102	1	10	20	1,373626374
2018	4	88	102	1	11	20	0,807043287
2018	4	88	102	1	12	20	0,841346154
2018	4	88	102	1	13	20	1,52768937
2018	4	88	102	1	14	19	1,131221719
2018	4	88	102	1	15	20	1,388888889
2018	4	88	102	1	16	20	1,529636711
2018	4	88	102	1	17	20	2,266483516
2018	4	88	102	1	18	20	2,02020202
2018	4	88	102	1	19	19	0,805987334
2018	4	88	102	1	20	21	1,319043693
2018	4	88	102	1	21	19	1,250744491
2018	4	88	102	1	22	20	2,103681443
2018	4	88	102	1	23	20	0,78125
2018	4	88	102	1	24	20	1,717557252
2018	4	88	102	1	25	20	0,400534045
2018	4	88	102	1	26	20	2,32389252
2018	4	88	102	1	27	19	0,701344243
2018	4	88	102	1	28	20	0,903405142
2018	4	88	102	1	29	20	1,054216867
2018	4	88	102	1	30	19	0,466472303
2018	4	88	102	2	1	20	0,517809509
2018	4	88	102	2	2	20	0,804403048
2018	4	88	102	2	3	20	0,841174793
2018	4	88	102	2	4	20	0,668896321
2018	4	88	102	2	5	20	0,864022663
2018	4	88	102	2	6	19	0,510967099
2018	4	88	102	2	7	20	0,572753307
2018	4	88	102	2	8	20	0,803083842
2018	4	88	102	2	9	20	1,040880978
2018	4	88	102	2	10	10	0,252033452
2018	4	88	102	2	11	20	0,955261901
2018	4	88	102	2	12	19	0,395501174

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2018	4	88	102	2	13	11	0,564218301
2018	4	88	102	2	14	11	0,34196385
2018	4	88	102	2	15	20	0,501085686
2018	4	88	102	2	16	20	0,90289878
2018	4	88	102	2	17	20	0,763930497
2018	4	88	102	2	18	20	0,636942675
2018	4	88	102	2	19	20	0,839958002
2018	4	88	102	2	20	10	0,270906949
2018	4	88	102	2	21	21	0,78866892
2018	4	88	102	2	22	21	1,294363257
2018	4	88	102	2	23	20	0,706873214
2018	4	88	102	2	24	19	0,473206292
2018	4	88	102	2	25	10	0,175767518
2018	4	88	102	2	26	10	0,219271531
2018	4	88	102	2	27	19	0,355465279
2018	4	88	102	2	28	11	0,401118269
2018	4	88	102	2	29	20	0,946686597
2018	4	88	102	2	30	20	0,392651802